

AIRLINK_{USMX}

HAWKER 800XP S/N 258385 XA-MJS

DGAC APPROVED MAINTENANCE FACILITY NUMBER 277

TOTAL LANDINGS:	2969
TOTAL HOURS AIRFRAME:	4126.6
TOTAL HOURS APU	3201
EVENTS/LANDINGS APU	0
TOTAL HOURS ENGINE #1:	4126.6
TOTAL HOURS ENGINE #2:	4126.6
CORE ZONE ENGINE #1:	0.0
CORE ZONE ENGINE #2:	0.0
M P I ENGINE #1	2176.1
M P I ENGINE #2	2176.1
TOT CYCLES ENGINE #1:	2969
TOT CYCLES ENGINE #2:	2969
HRS SINCE CZI #1:	0.0
HRS SINCE CZI #2:	0.0

UPDATE:

21-may-19

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
HOURLY CONTROLLED ITEMS**

ATA	Description	Position	Part Number	Hours Required	Last Done	Next Due	Hrs. Remaining
57110	72 150/250 HOUR ENGINE INSP #1	1	TFE731-5R-1H	250.0	3964.5	4214.5	87.9
57110	72 150/250 HOUR ENGINE INSP #2	2	TFE731-5R-1H	250.0	3964.5	4214.5	87.9
57120	72 300/400 HOUR ENGINE INSP #1	1	TFE731-5R-1H	400.0	3964.5	4364.5	237.9
57120	72 300/400 HOUR ENGINE INSP #2	2	TFE731-5R-1H	400.0	3964.5	4364.5	237.9
57140	72 500/850 HOUR ENGINE INSP #1	1	TFE731-5R-1H	850.0	3755.9	4605.9	479.3
57140	72 500/850 HOUR ENGINE INSP #2	2	TFE731-5R-1H	850.0	3755.9	4605.9	479.3
57160	72 1000/1400 HOUR ENGINE INSP #1	1	TFE731-5R-1H	1400.0	3300.0	4700.0	573.4
57160	72 1000/1400 HOUR ENGINE INSP #2	2	TFE731-5R-1H	1400.0	3300.0	4700.0	573.4
57170	72 1200/1650 HOUR ENGINE INSP #1	1	TFE731-5R-1H	1650.0	3755.9	5405.9	5405.9
57170	72 1200/1650 HOUR ENGINE INSP #2	2	TFE731-5R-1H	1650.0	3755.9	5405.9	5405.9
710120	72 MPI ENGINE INSP #1	1	TFE731-5R-1H	2500.0	2176.1	4676.1	549.5
710120	72 MPI ENGINE INSP #2	2	TFE731-5R-1H	2500.0	2176.1	4676.1	549.5
723110	72 CORE ZONE ENGINE INSP #1	1	TFE731-5R-1H	5000.0	0.0	5000.0	873.4
723110	72 CORE ZONE ENGINE INSP #2	2	TFE731-5R-1H	5000.0	0.0	5000.0	873.4
50110	05 INSPECTION B1-B12 COMPLETE			800.0	3964.5	4764.5	637.9
50240	05 INSPECTION C1-C12 COMPLETE			1600.0	2716.0	4316.0	189.4
50370	05 INSPECTION D1-D12 COMPLETE			3200.0	3105.1	6305.1	2178.5
50771	05 INSP DETAILED WALK-AROUND			400.0	3964.5	4364.5	237.9
120001	12 LUBRICATE AREA G-200 HRS			200.0	4126.1	4326.10	199.5
120003	12 LUBRICATE AREA F1			400.0	3964.5	4364.5	237.9
120004	12 LUBRICATE AREA T1			400.0	3964.5	4364.5	237.9
120007	12 LUBRICATE AREA W1/W2			400.0	3964.5	4364.5	237.9
210006	21 INSP WATER SEPARATOR SYSTEM			400.0	3964.5	4364.5	237.9
212074	21 VALVE: MAIN SUPPLY NON-RETURN VALVE		AWE124-51-2	12000.0	0.0	12000.0	7873.4
240001	24 INSP. STARTER/GENERATOR BRUSH	ENG #1 y #2		400.0	3964.5	4364.5	237.9
240024	24 INSP/CHECK STARTER-GENERATOR APU	APU		500.0	3964.5	4464.5	337.9
240028	24 PANEL GG AND TERMINAL BLOCK M INSP			400.0	4126.1	4526.1	399.5
242031	24 NO.1 INVERTER CONTACTOR OH			5000.0	0.0	5000.0	873.4
242032	24 NO.2 INVERTER CONTACTOR OH			5000.0	0.0	5000.0	873.4
242073	24 NO.1 ENGINE AC GENERATOR OH			3000.0	3199.6	6199.6	2073.0
242074	24 NO.2 ENGINE AC GENERATOR OH			3000.0	3199.6	6199.6	2073.0
245001	24 BUS TIE (T) CONTACTOR OH			5000.0	0.0	5000.0	873.4
243001	24 NO.1 ENGINE STARTER/GENERATOR OH			1000.0	3199.0	4199.0	72.4
243002	24 NO.2 ENGINE STARTER/GENERATOR OH			1000.0	3964.5	4964.5	837.9
243091	24 GROUND SUPPLY START (E) CONTACTOR			6000.0	0.0	6000.0	1873.4
243115	24 APU STARTER/GENERATOR OH	APU		1000.0	3393.7	4393.7	1192.7
243154	24 CAPACITY CHECK NO.1 BATTERY	BATT #1		500.0	4126.1	4626.1	499.5
243155	24 CAPACITY CHECK NO.2 BATTERY	BATT #2		500.0	4126.1	4626.1	499.5
273021	27 ELEVATOR TRIM SERVO MOTOR OH			3500.0	3393.7	6893.7	2767.1
276039	27 AIRBRAKE JACK OH	LEFT	AIR46520	3000.0	3064.5	6064.5	1937.9
276040	27 AIRBRAKE JACK OH	RIGHT	AIR46521	3000.0	3064.5	6064.5	1937.9
293013	29 EMERGENCY BRAKE LOW PRESSURE WARNING SWITCH OH		TP42001	5000.0	0.0	5000.0	873.4
324325	32 PRESSURE SWITCH EMERGENCY BRAKES SYSTEM	LEFT/RIGHT	TP42000	5000.0	0.0	5000.0	873.4
334016/17	33 WING STROBE LIGHT - TEST	LEFT/RIGHT		2000.0	3964.5	5964.5	1837.9
334047	33 TAIL STROBE LIGHT TEST			1500.0	4126.1	5626.1	1499.5
490001							
490003	49 INSPECT PATS APU GTCP36-150W	APU		1000.0	4126.1	5126.1	1925.1
490002	49 REMOVE/CLEAN/INSPECT APU IGNITER PLUG	APU		750.0	3065.0	3815.0	614.0
490004	49 ACCOMPLISH APU OIL AND FILTER CHANGE AND MAGNETIC DRAIN PLUG INSPECTION	APU		1000.0	3065.0	4065.0	864.0
490005	49 FLOW CHECK APU FUEL NOZZLE ASSEMBLIES	APU		4500.0	0.0	4500.0	1299.0
490006	49 ACCOMPLISH APU DETAILED HOT SECTION INSPECTION	APU		4500.0	0.0	4500.0	1299.0
490007	49 VISUALLY CHECK APU COMPRESSOR ROTOR	APU		4500.0	0.0	4500.0	1299.0
491010	49 APU TURBINE ROTOR	APU		10000.0	0.0	10000.0	6799.0

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
HOURLY CONTROLLED ITEMS**

	ATA	Description	Position	Part Number	Hours Required	Last Done	Next Due	Hrs. Remaining
491020	49	APU COMPRESSOR ROTOR	APU		10000.0	0.0	10000.0	96799.0
530013	53	INSPECT PYLON ENGINE MAIN MOUNTING ATTACHMENT FITTINGS			10000.0	0.0	10000.0	5873.4
530014	53	INSPECT REAR ENGINE MOUNT FITTINGS			20000.0	0.0	20000.0	15873.4
530015	53	INSPECT VERTICAL STABILIZER ROOT ATTACHMENT TO FUSELAGE			30000.0	0.0	30000.0	25873.4
530016	53	DETAIL INSPECT ENGINE BEAM			10000.0	0.0	10000.0	5873.4
530018	53	DETAIL INSPECT FUSELAGE SKIN ADJACENT TO CABIN WINDOW CUTOUPS			4800.0	0.0	4800.0	673.4
530021	53	DETAIL INSPECT APU SUPPORT STRUCTURE	APU		3000.0	3065.0	6065.0	2864.0
530022	53	DETAIL INSPECT APU MOUNTING HARDWARE	APU		4500.0	0.0	4500.0	1299.0
530023	53	DETAIL INSPECT FUSELAGE STRUCTURE FOR CRACKS AT FRAME 21	APU		4500.0	0.0	4500.0	1299.0
530024	53	FLOURESCENT PENETRANT INSPECT APU SUPPORT HARDWARE	APU		22500.0	0.0	22500.0	19299.0
530025	53	DETAIL INSPECT APU EXHAUST AND INLET DOUBLER FRAMES AND STRINGERS	APU		10000.0	0.0	10000.0	7031
570009	57	DETAIL INSPECT WING BOTTOM SKIN ADJACENT TO FLAP OUTBOARD HINGE AT RIB 8	LH & RH		4800.0	0.0	4800.0	673.4
570010	57	DETAIL INSPECT WING FRONT SPAR FWD FACE			4800.0	3199.6	7999.6	3873.0
570011	57	INSPECT WING REAR SPAR REAR FACE			4800.0	4126.1	8926.1	4799.5
570012	57	DETAIL INSPECT LEFT AIRBRAKE	LOWER/UPPER		4800.0	4126.1	8926.1	4799.5
570012	57	DETAIL INSPECT RIGHT AIRBRAKE	LOWER/UPPER		4800.0	4126.1	8926.1	4799.5
570013	57	DETAIL INSPECTAILERONS			2400.0	4126.1	6526.1	2399.5
570014	57	LUBRICATE CONNECTING RODSAILERON TRIM AND SERVO TABS			2400.0	4126.1	6526.1	2399.5
570015	57	INSPECT X-RAYAILERONS			2400.0	4126.1	6526.1	2399.5
570016	57	INSPECT X-RAYFLAPS AND FLAP VANES			2400.0	4126.1	6526.1	2399.5
570017	57	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO FRONT SPAR BETWEEN RIBS 1 AND 7			24000.0	0.0	24000.0	19873.4
570018	57	DETAIL INSPECT WING BOTTOM SKIN CENTERLINE JOINT STRAP			24000.0	0.0	24000.0	19873.4
570019	57	THE ATTACHMENT TO THE CENTERLINE JOINT ADJACENT TO RIB 0			24000.0	0.0	24000.0	19873.4
570020	57	INSPECT WING BOTTOM SKIN CENTERLINE BUTT STRAP AND CENTER SECTION BEAMS (24 POSITIONS)			24000.0	0.0	24000.0	19873.4
570021	57	WING TOP SKIN IN THE AREA THAT IS COVERED BY THE FUSELAGE STRUCTURE AND MAIN ATTACHMENT BRACKETS.			WHENEVER THE WINGS ARE SEPARATED FROM THE FUSELAGE.			
570022	57	DETAIL INSPECT REAR SPAR, REAR FACE BETWEEN RIB 1 LH AND RIB 1 RH			4800.0	0.0	4800.0	673.4
570024	57	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO RIB 1 LH AND RIB 1 RH			12000.0	0.0	12000.0	7873.4
570025	57	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO THE REAR SPAR BETWEEN RIB 1 LH AND RIB 1 RH			4800.0	0.0	4800.0	673.4
570027	57	DETAIL INSPECT WING INTERNAL STRUCTURE FWD OF THE CENTER SPAR INCLUDING THE FRONT AND CENTER SPARS FROM RIBS 0 TO 4 AND BETWEEN AND INCLUDING THE FRONT AND REAR SPARS FROM RIB 4 TO THE WING TIP			4800.0	3199.6	7999.6	3873.0
570028	57	AILERON AT OUTBOARD HINGE CASTING.			4800.0	4126.1	8926.1	4799.5
720002		Aft cowling, inner fan duct and exhaust duct. Exhaust nozzle/exhaust pipe V clamp.			2500.0	2176.1	4676.1	549.5
720003	72				2500.0	2176.1	4676.1	549.5
724120	72	INSPECT COMBUSTION CHAMBER PLENUM CASE	ENG #1		2500.0	2176.1	4676.1	549.5
724120	72	INSPECT COMBUSTION CHAMBER PLENUM CASE	ENG #2		2500.0	2176.1	4676.1	549.5
726120	72	INSPECT ACCESSORY GEARBOX	ENG #1		5000.0	0.0	5000.0	873.4
726120	72	INSPECT ACCESSORY GEARBOX	ENG #2		5000.0	0.0	5000.0	873.4
727110	72	INSPECT FAN SUPPORT ASSEMBLY	ENG #1		5000.0	0.0	5000.0	873.4
727110	72	INSPECT FAN SUPPORT ASSEMBLY	ENG #2		5000.0	0.0	5000.0	873.4
760004	76	LUBRICATE ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING (AREA M1/M2)	ENG #1 y #2		2400.0	2176.1	4576.1	449.5
790120	79	CHANGE OIL	ENG #1		1200.0	3300.0	4500.0	373.4
790120	79	CHANGE OIL	ENG #2		1200.0	3300.0	4500.0	373.4

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
DATE CONTROLLED ITEMS**

	ATA	Description	Position	Part Number	Days Required	Last Done	Next Due	Days Remaining
50500	05	INSPECTION E1,E2,E4,E6,E7			365	18-Sep-18	18-Sep-19	120
50630	05	INSPECTION F3,F4,F6,F9,F10			730	18-Sep-18	17-Sep-20	485
50760	05	INSPECTION G			1460	30-Apr-19	29-Apr-23	1439
80005	08	WEIGHT AND BALANCE			1095	19-May-17	18-May-20	363
211013	21	BENCH CHECK BLEED AIR OVER TEMP SWITCH CLEAN/TEST CVR/FDR UNDERWATER LOCATOR BEACON (NOM-022-SCT3-2011)	LEFT/RIGHT	156D**	1825	18-Sep-18	17-Sep-23	1580
237016	23	FDR BATTERY (AS REQUIRED)	FDR	DK120	365	30-Apr-19	29-Apr-20	344
237017	23	CVR BATTERY (AS REQUIRED)	CVR	DK120	1825	30-May-14	29-May-19	8
	24	NO.1 BATTERY REPL		23491-3	2072	19-Jul-17	22-Mar-23	1401
	24	NO.2 BATTERY REPL		23491-3	1460	17-Sep-15	16-Sep-19	118
	24	NO.1 ENGINE AC GENERATOR OH		BA02801-1	1460	17-Sep-15	16-Sep-19	118
242073	24	NO.2 ENGINE AC GENERATOR OH		BA02801-1	2920	09-Feb-15	07-Feb-23	1358
242074	24	EMERGENCY BATTERY NO.1 REPL		23491-3	2920	09-Feb-15	07-Feb-23	1358
243137	24	EMERGENCY BATTERY NO.2 REPL		23491-3	1460	05-Aug-16	04-Aug-20	441
243138	24	EMERGENCY BATTERY NO.3 REPL		23491-3	1460	05-Aug-16	04-Aug-20	441
243139	24	EMERGENCY BATTERY NO.4 REPL		30390-001	1460	05-Aug-16	04-Aug-20	441
243140	24	EMERGENCY BATTERY NO.5 REPL		30390-001	1460	05-Aug-16	04-Aug-20	441
243141	24	EMERGENCY BATTERY NO.6 REPL		30390-001	1460	05-Aug-16	04-Aug-20	441
243142	24	EMERGENCY BATTERY NO.7 REPL		30390-001	1460	05-Aug-16	04-Aug-20	441
243143	24	CAPACITY CHECK NO.1 BATTERY		23491-3	1460	05-Aug-16	04-Aug-20	441
243154	24	CAPACITY CHECK NO.2 BATTERY		23491-3	180	30-Apr-19	27-Oct-19	159
243155	24	CAPACITY CHECK NO.3 BATTERY		23491-3	180	30-Apr-19	27-Oct-19	159
243156	24	CAPACITY CHECK NO.4 BATTERY		30390-001	180	30-Apr-19	27-Oct-19	159
243157	24	CAPACITY CHECK NO.5 BATTERY		30390-001	180	30-Apr-19	27-Oct-19	159
243158	24	CAPACITY CHECK NO.6 BATTERY		30390-001	180	30-Apr-19	27-Oct-19	159
256007	25	REPLACE ELT BATTERY	ELT		1700	09-Feb-15	06-Oct-19	138
256010	25	FUNCTIONAL TEST ELT FAR 91.207			365	30-Apr-19	29-Apr-20	344
261034	26	TEST APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH	APU	17343	1825	25-Jan-17	24-Jan-22	979
261035	26	TEST APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH	APU	17343	1825	25-Jan-17	24-Jan-22	979
261036	26	TEST APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH	APU	17343	1825	25-Jan-17	24-Jan-22	979
261037	26	TEST APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH	APU	17343	1825	25-Jan-17	24-Jan-22	979
261074	26	BENCH CHECK REAR BAY OVERHEAT DETECTOR SWITCHES 'QR' THRU 'QW'		17343	1825	10-Sep-18	09-Sep-23	1572
262025	26	HYDRO TEST ENG FWD FIRE EXTINGUISHER BOTTLE		33200009-3	3650	19-May-17	17-May-27	2918
262026	26	HYDRO TEST ENG AFT FIRE EXTINGUISHER BOTTLE		33200009-3	3650	19-May-17	17-May-27	2918
262037	26	REPLACE FWD ENG FIRE EXTINGUISHER HEAD A CARTRIDGE		30900000M	3650	20-Feb-18	18-Feb-28	3195
262038	26	REPLACE AFT ENG FIRE EXTINGUISHER HEAD A CARTRIDGE		30900000M	3650	20-Feb-18	18-Feb-28	3195
262049	26	REPLACE FWD ENG FIRE EXTINGUISHER HEAD B CARTRIDGE		30900000M	3650	20-Feb-18	18-Feb-28	3195
262050	26	REPLACE AFT ENG FIRE EXTINGUISHER HEAD B CARTRIDGE		30900000M	3650	20-Feb-18	18-Feb-28	3195
262103	26	HYDRO TEST CABIN PORTABLE FIRE EXT		PA-H3	4380	07-Aug-15	04-Aug-27	2997
262109	26	COCKPIT PORTABLE FIRE EXTINGUISHER		30H673	2190	07-Jul-16	06-Jul-22	1142
262139	26	HYDRO TEST APU FIRE EXTINGUISHER	APU	4190-1	1825	19-May-17	18-May-22	1093
262145	26	REPLACE APU FWD CARTRIDGE	APU	30900000M	3650	17-Jul-12	15-Jul-22	1151
262201	26	REPLACE FWD EXTINGUISHER GONE INDICATOR FUSE CARTRIDGE			1095	18-Sep-18	17-Sep-21	850
262202	26	REPLACE AFT EXTINGUISHER GONE INDICATOR FUSE CARTRIDGE			1095	18-Sep-18	17-Sep-21	850
321001/02	32	MAIN LEG (OH)	LEFT/RIGHT		4380	01-Dec-10	28-Nov-22	1287
320028	32	X-RAY MLG FAIRING STRUT			1460	20-Mar-19	19-Mar-23	1398
321013	32	SIDESTAY (OH)	LEFT/RIGHT		4380	01-Dec-10	28-Nov-22	44893
322001	32	NOSE LEG ASSEMBLY (OH)			4380	01-Dec-10	28-Nov-22	1287
322007	32	NLG DRAG STAY			4380	24-Feb-12	21-Feb-24	1737

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
DATE CONTROLLED ITEMS**

	ATA	Description	Position	Part Number	Days Required	Last Done	Next Due	Days Remaining
323031	32	SEQUENCE VALVE	LEFT/RIGHT		4380	21-Dec-10	18-Dec-22	1307
323043	32	REVERSING VALVE	LEFT/RIGHT		4380	19-Aug-10	16-Aug-22	1183
340002	34	PITOT/STATIC DRAIN TRAPS			730	30-Apr-19	29-Apr-21	709
34R005	34	ACCOMPLISH NO.1 PITOT STATIC SYSTEM CERTIFICATION (FAR 91.411)			730	19-Jul-17	19-Jul-19	59
34R006	34	ACCOMPLISH NO.2 PITOT STATIC SYSTEM CERTIFICATION (FAR 91.411)			730	19-Jul-17	19-Jul-19	59
34R019	34	COMPLY WITH RVSM CERTIFICATION			730	28-Aug-17	28-Aug-19	99
341238	34	TEST AIR DATA ESIS UNIT (FAR 91.411)			730	28-Aug-17	28-Aug-19	99
341240	34	TEST AIR DATA COMPUTER (FAR 91.411)	No.1 & No.2		730	28-Aug-17	28-Aug-19	99
345229	34	SYSTEM TEST ATC TRANSPONDER FAR 91.413	No.1 & No.2		730	28-Aug-17	28-Aug-19	99
351031								
351032	35	OXYGEN MASK OH	PILOT/COPILOT	MF10-03-02	2190	07-Dec-15	05-Dec-21	929
351035	35	OXYGEN MASK OH	CREW & PASSENGERS	289-601-228	2190	13-Jul-16	12-Jul-22	1148
351110	35	HYDRO TEST OXYGEN CYLINDER	4	WKA37447	1825	10-Sep-18	09-Sep-23	1572
353031	35	PBE (PROTECTIVE BREATHING EQUIPMENT)			3650	28-Jan-11	25-Jan-21	615
490001	49	INSPECT PATS APU GTCP36-150W	APU		365	30-Apr-19	29-Apr-20	344
490003	49	ACCOMPLISH APU OIL AND FILTER CHANGE AND MAGNETIC DRAIN PLUG INSPECTION	APU		365	30-Apr-19	29-Apr-20	344
510001	51	INSPECT NLG BAY SIDEWALL			4380	12-Jan-11	09-Jan-23	1329
510003	51	INSPECT FLIGHT COMPARTMENT SKIN AND WINDOW STRUCTURE ABOVE WINDSHIELDS			1460	30-Apr-19	29-Apr-23	1439
510005	51	INSPECT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, NLG BAY TO FRAME 13 AND FRAMES 16 TO 19			2920	17-Jan-14	15-Jan-22	970
510006	51	DETAIL INSPECT STRUCTURE BELOW ESCAPE HATCH, FRAMES 13 TO 14			2920	17-Jan-14	15-Jan-22	970
510007	51	INSPECT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR FRAMES 8 TO 17			2920	17-Jan-14	15-Jan-22	970
510008	51	X-RAY CENTER FUSELAGE STRUCTURE BELOW THE FLOOR FRAMES 13 TO 16			2920	17-Jan-14	15-Jan-22	970
510009	51	DETAIL INSPECT ENTRY DOOR SURROUND			1460	30-Apr-19	29-Apr-23	1439
510010	51	INSPECT CENTER FUSELAGE STRUCTURE ABOVE THE FLOOR			2920	17-Jan-14	15-Jan-22	970
520008	52	INSPECT MAIN ENTRY DOOR			2920	30-Apr-19	28-Apr-27	2899
520009	52	DETAIL INSPECT ESCAPE HATCH			2920	17-Jan-14	15-Jan-22	970
530001	53	DETAIL INSPECT SKIN EXTERIOR UNDER THE DORSAL INTAKE FWD OF FRAME 19			1460	30-Apr-19	29-Apr-23	1439
530002	53	INSPECT FUSELAGE SKIN UNDER WING TO FUSELAGE FAIRINGS			1460	30-Apr-19	29-Apr-23	1439
530003	53	DETAIL INSPECT FUSELAGE SKIN COVERED BY THE VENTRAL FUEL TANK OR BAGGAGE PANNIER/EBU			2920	17-Jan-14	15-Jan-22	970

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
DATE CONTROLLED ITEMS**

	ATA	Description	Position	Part Number	Days Required	Last Done	Next Due	Days Remaining
530004	53	DETAIL INSPECT VENTRAL FUEL TANK AND ATTACHMENTS			2920	17-Jan-14	15-Jan-22	970
530007	53	DETAIL INSPECT WING TO FUSELAGE ATTACHMENT LINKS BRACKETS AND BOLTS			2920	30-Apr-19	28-Apr-27	2899
530011	53	INSPECT FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)			1460	30-Apr-19	29-Apr-23	1439
530012	53	INSPECT FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)			2920	09-Feb-15	07-Feb-23	1358
530019	53	DETAIL INSPECT APU SUPPORT STRUCTURE EXTERNAL TO THE FIRE ENCLOSURE	APU		365	30-Apr-19	29-Apr-20	344
550001	55	DETAIL INSPECT ELEVATORS AND TABS			1460	30-Apr-19	29-Apr-23	1439
550002	55	LUBRICATE ELEVATOR TRIM TABS, CONNECTING RODS			1460	30-Apr-19	29-Apr-23	1439
550003	55	XRAY ELEVATORS			1460	20-Mar-19	19-Mar-23	1398
550004	55	DETAIL INSPECT RUDDER AND TAB			1460	30-Apr-19	29-Apr-23	1439
550005	55	LUBRICATE RUDDER CONNECTING RODS RUDDER TRIM TAB AND ANTI-SERVO TAB			1460	30-Apr-19	29-Apr-23	1439
550006	55	X-RAY RUDDER (IN-SITU)			1460	20-Mar-19	19-Mar-23	1398
550007	55	DETAIL INSPECT RUDDER HINGE BRACKETS AND ATTACHMENTS			2920	09-Feb-15	07-Feb-23	1358
550009	55	DETAIL INSPECT HORIZONTAL STABILIZER			2920	09-Feb-15	07-Feb-23	1358
550010	55	DETAIL INSPECT VERTICAL STABILIZER			2920	17-Jan-14	15-Jan-22	970
550011	55	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER ATTACHMENTS			2920	09-Feb-15	07-Feb-23	1358
550012	55	INSPECT/TEST HORIZONTAL STABILIZER			8760	17-Feb-99	11-Feb-23	1362
550013	55	XRAY HORIZONTAL STABILIZER			2920	17-Jan-14	15-Jan-22	970
550015	55	INSPECT ELEVATOR MASS BALANCE WEIGHTS AND SPIGOTS			730	18-Sep-18	17-Sep-20	485
570007	57	X-RAY WING BOTTOM SKINS AND STRINGERS BETWEEN THE FRONT AND REAR SPARS RIB 0 TO RIB 1 AND BETWEEN THE CENTER SPAR AND REAR SPAR FROM RIB 1 TO RIB 4			1460	20-Mar-19	19-Mar-23	1398
570008	57	DETAIL INSPECT MLG AND SIDESTAY ATTACHMENT FITTINGS			1460	30-Apr-19	29-Apr-23	1439
570010	57	DETAIL INSPECT WING FRONT SPAR FWD FACE			2920	09-Feb-15	07-Feb-23	1358
570011	57	INSPECT WING REAR SPAR REAR FACE			1460	30-Apr-19	29-Apr-23	1439
570012	57	DETAIL INSPECT LEFT AIRBRAKE	LOWER/UPPER		1460	30-Apr-19	29-Apr-23	1439
570012	57	DETAIL INSPECT RIGHT AIRBRAKE	LOWER/UPPER		1460	30-Apr-19	29-Apr-23	1439
570013	57	DETAIL INSPECT AILERONS			1460	30-Apr-19	29-Apr-23	1439
570014	57	LUBRICATE CONNECTING RODS AILERON TRIM AND SERVO TABS			1460	30-Apr-19	29-Apr-23	1439
570015	57	INSPECT X-RAY AILERONS			1460	20-Mar-19	19-Mar-23	1398
570016	57	INSPECT X-RAY FLAPS AND FLAP VANES			1460	20-Mar-19	19-Mar-23	1398
570023	57	AILERON HORN BALANCE WEIGHT			1460	30-Apr-19	29-Apr-23	1439
570026	57	REMOVE TKS PANELS & INSPECT WING LEADING EDGES			1460	30-Apr-19	29-Apr-23	1439
570027	57	DETAIL INSPECT WING INTERNAL STRUCTURE FWD OF THE CENTER SPAR INCLUDING FRONT AND CENTER SPARS FROM RIBS 0 TO 4 AND BETWEEN INCLUDING FRONT AND REAR SPARS FROM RIB 4 TO THE WING TIP			2920	09-Feb-15	07-Feb-23	1358
570028	57	AILERON AT OUTBOARD HINGE CASTING.			1460	30-Apr-19	29-Apr-23	1439

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
LANDING CONTROLLED ITEMS**

ATA	Description	Position	Part Number	Landings Required	Last Done	Next Due	Remaining	
275025	27	LEFT FLAP SCREWJACK AND REDUCTION GEARBOX	LH	25-8CW159	4000	0	4000.0	1031
275026	27	RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX	RH	25-8CW161	4000	2127	6127	3158
275073	27	FLAP UNIT CONTROL OH		CHA614-001/2	6000	0	6000	3031
275085	27	FLAP SYNCHRONIZING SYSTEM RECEIVER OH		CHA617-104	4500	0	4500	1531
275145	27	LEFT FLAP INBOARD FWD SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275146	27	RIGHT FLAP INBOARD FWD SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275147	27	LEFT FLAP INBOARD AFT SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275148	27	RIGHT FLAP INBOARD AFT SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275149	27	LEFT FLAP OUTBOARD FWD SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275150	27	RIGHT FLAP OUTBOARD FWD SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275151	27	LEFT FLAP OUTBOARD AFT SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
275152	27	RIGHT FLAP OUTBOARD AFT SYNCHRO CABLE		25 CF3455	5000	0	5000	2031
276051	27	LEFT AIRBRAKE JACK BODY		AIR111462	25000	0	25000	22031
276052	27	RIGHT AIRBRAKE JACK BODY		AIR111463	25000	0	25000	22031
291049	29	NO.1 FULL FLOW HYDRAULIC RELIEF VALVE OH	LH	AIR45394	4500	0	4500	1531
291050	29	NO.2 FULL FLOW HYDRAULIC RELIEF VALVE OH	RH	AIR45394	4500	0	4500	1531
291073	29	MAIN PRESSURE SWITCH (PRESSURE MAINTAINING VALVE)		AIR45474	5000	1767	6767	3798
321001	32	MAIN LEG (OH)	LEFT/RIGHT		5000	2099	7099	4130
321013	32	SIDESTAY (OH)	LEFT/RIGHT		5000	2099	7099	4130
321015	32	MLG SIDESTAY UPPER ARM	LEFT/RIGHT	25-8UM163-	10000	2099	12099	9130
321017	32	MLG SIDESTAY LOWER ARM	LEFT/RIGHT	28-8UM73-1	12000	2099	14099	11130
321050	32	MLG UPPER CASING	LEFT/RIGHT		24000	0	24000	21031
321061	32	MLG JACK PIVOT (SIDE STAY ASSY)	LEFT/RIGHT		4000	0	4000	1031
321065	32	MLG UPPER TORQUE LINK PIN	LEFT/RIGHT		20000	0	20000	17031
321067	32	MLG LOWER TORQUE LINK PIN	LEFT/RIGHT		20000	0	20000	17031
321071	32	MLG JACK DISTANCE PIN	LEFT/RIGHT		24000	0	24000	21031
321075	32	MLG PLUNGER TUBE	LEFT/RIGHT		17000	0	17000	14031
321081	32	MLG UPPER TORQUE LINK	LEFT/RIGHT		20000	0	20000	17031
321083	32	MLG LOWER TORQUE LINK	LEFT/RIGHT		20000	0	20000	17031
322001	32	NOSE LEG ASSEMBLY (OH)			5000	2099	7099	4130
322003	32	NLG PIVOT PIN			16000	0	16000	13031
322007	32	NLG DRAG STAY OH			5000	2226	7226	4257
322009	32	NLG JACK LOWER PIVOT PIN			22000	0	22000	19031
322011	32	NLG DRAG STAY BRIDGE CASTING			33000	0	33000	30031
322015	32	NLG UPPER TORQUE LINK			32000	0	32000	29031
322016	32	NLG LOWER TORQUE LINK			32000	0	32000	29031
322017	32	NLG DRAG STRUT PICK-UP			13900	0	13900	10931
322025	32	NLG PICK UP TRUNNION BOLTS			10000	0	10000	7031
322031	32	NLG RADIUS ROD ATTACHMENT BOLTS			10000	0	10000	7031
322045	32	NLG PLUNGER TUBE			20000	0	20000	17031
323001	32	NLG RETRACTION JACK		AIR45404-1	5000	0	5000	2031
323007	32	MLG RETRACTION JACK	LEFT/RIGHT	AIR48502-7 AIR48503-7	5000	2673	7673	4704
323019	32	MLG DOOR JACK	LEFT/RIGHT		5000	0	5000	2031
323031	32	SEQUENCE VALVE	LEFT/RIGHT		5000	2099	7099	4130
323043	32	REVERSING VALVE	LEFT/RIGHT		5000	2099	7099	4130
323139	32	MLG JACK PIVOT BOLT	LEFT/RIGHT		30000	0	30000	27031
323151	32	MLG JACK CYLINDER HEAD	LEFT/RIGHT		20000	2673	22673	19704
323163	32	MLG JACK EYE END	LEFT/RIGHT		10000	0	10000	7031
323175	32	MLG RETRACTION ARM	LEFT/RIGHT		12000	0	12000	9031
323181	32	MLG RETRACTION ARM PIN	LEFT/RIGHT		32000	0	32000	29031
324001	32	NLG AXLE BARREL			30000	0	30000	27031
324121	32	BRAKE CONTROL VALVE OUTER KNIFE EDGE	LEFT/RIGHT		4500	2127	6627	3658
324123	32	BRAKE CONTROL VALVE INNER KNIFE EDGE			4500	2127	6627	3658
324157	32	EMERGENCY REDUCING VALVE KNIFE EDGE	LEFT/RIGHT		4500	0	4500	1531
324223	32	MAXARET UNIT (INNER/OUTER)	LH	AC65216	3000	0	3000	31
324225	32	MAXARET UNIT (INNER/OUTER)	RH	AC65218	3000	813	3813	844
325003	32	NLG CONNECTING ROD			20000	0	20000	17031
325007	32	STEERING JACK EYE END			14400	0	14400	11431
325011	32	NLG TORQUE LINK PICK UP SLEEVE			20000	0	20000	17031
325015	32	NLG STEERING PIN			25000	0	25000	22031
325021	32	NLG MAIN CASING BOLT			33000	0	33000	30031
325041	32	NLG UPPER STEERING MAIN MEMBER			25000	0	25000	22031
325042	32	NLG LOWER STEERING MAIN MEMBER			25000	0	25000	22031
325051	32	NLG STEERING JACK PICK-UP			18000	0	18000	15031
325058	32	NLG STEERING SLEEVE			35000	0	35000	32031

**HAWKER 800XP S/N 258385 XA MJS
MAINTENANCE REQUIREMENTS LIST
LANDING CONTROLLED ITEMS**

ATA	Description	Position	Part Number	Landings Required	Last Done	Next Due	Remaining
510001	51 INSPECT NLG BAY SIDEWALL			5000	2099	7099	4130
510002	51 DETAIL INSPECT FRONT PRESSURE BULKHEAD			5000	0	5000	2031
510004	51 DETAIL INSPECT UPPER CANOPY RAIL AT INTERSECTION WITH THE CANOPY POSTS			20000	0	20000	17031
530009	53 INSPECT FUSELAGE LAP JOINTS			27000	0	27000	24031
550014	55 DETAIL INSPECT HORIZONTAL STABILIZER TOP SKIN 'T' FITTING AND JOINT STRAP AT THE CENTER LINE OF THE STABILIZER			15000.0	2399	17399	14430
571109	57 REPLACE LEFT/RIGHT FLAP HINGE ATTACHMENT ANGLES TO MLG MOUNTING FITTING BOLTS	LEFT/RIGHT		14600	0	14600	11631
725010	72 STAGE 1 LPT DISC	ENG #1		10000	0	10000	7031
725010	72 STAGE 1 LPT DISC	ENG #2		10000	0	10000	7031
725020	72 STAGE 2 LPT DISC	ENG #1		10000	0	10000	7031
725020	72 STAGE 2 LPT DISC	ENG #2		10000	0	10000	7031
725030	72 STAGE 3 LPT DISC	ENG #1		12000	0	12000	9031
725030	72 STAGE 3 LPT DISC	ENG #2		12000	0	12000	9031
725040	72 HPT DISC TURBINE ROTOR	ENG #1		10000	0	10000	7031
725040	72 HPT DISC TURBINE ROTOR	ENG #2		10000	0	10000	7031
725040	72 DISC & HUB FAN RTR	ENG #2		10000	0	10000	7031
725050	72 DISC & HUB FAN RTR	ENG #1		10000	0	10000	7031
725060	72 STAGE 1 LPC DISC	ENG #1		10000	0	10000	7031
725060	72 STAGE 1 LPC DISC	ENG #2		10000	0	10000	7031
725070	72 STAGE 2 LPC DISC	ENG #1		10000	0	10000	7031
725070	72 STAGE 2 LPC DISC	ENG #2		10000	0	10000	7031
725080	72 STAGE 3 LPC DISC	ENG #1		10000	0	10000	7031
725080	72 STAGE 3 LPC DISC	ENG #2		10000	0	10000	7031
725090	72 STAGE 4 LPC DISC	ENG #1		20000	0	20000	17031
725090	72 STAGE 4 LPC DISC	ENG #2		20000	0	20000	17031
725110	72 HPC IMPELLER	ENG #1		10000	0	10000	7031
725110	72 HPC IMPELLER	ENG #2		10000	0	10000	7031
725130	72 HPC SHOULDERED SHAFT	ENG #1		12000	0	12000	9031
725130	72 HPC SHOULDERED SHAFT	ENG #2		12000	0	12000	9031
725140	72 HPT ROTOR SEAL PLATE	ENG #1		30000	0	30000	27031
725140	72 HPT ROTOR SEAL PLATE	ENG #2		30000	0	30000	27031