



Status Report

PC-12/47E

S/N 1914 OH-MIP

OWNER: FLY 7 FINLAND OY
ADDRESS: LIIKELENTOTIE 8
VANTAA 01530
OFFICE: +358 40 594 3022
FAX:

OPERATOR: FLY 7 FINLAND OY
ADDRESS: LIIKELENTOTIE 8
VANTAA 01530
OFFICE: +358 40 594 3022
FAX:

ANALYST: ADRIEN LIMMELETTE
EMAIL: ADRIEN.LIMMELETTE@CAMPSYSTEMS.EU

+33 (0) 1.55.93.45.80 (OFFICE)
+33 (0) 1.53.01.66.18 (EFAX-CARDS)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 1914/OH-MIP MODEL: PC-12/47E MANUFACTURER: PILATUS AIRCRAFT LTD

CERTIFICATION DATE: 31-OCT-2019

LAST ACTUALS:
1035:49 A/C HRS as of 29-SEP-2023
813 AFL as of 29-SEP-2023
229:54 ACH as of 31-AUG-2023

ENGINE NO. 1 SERIAL/PART: PCE-RY0989/PT6A-67P MODEL: PT6A-67P MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 08-OCT-2019
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1035:49 ENG. HRS as of 29-SEP-2023
807 ENC as of 29-SEP-2023

PROPELLER NO. 1 SERIAL/PART: KX1480/HC-E4A-3D MODEL: HC-E4A-3 MANUFACTURER: HARTZELL PROPELLER INC.

INSTALLED ON: 08-OCT-2019
0 PROP HRS 0 A/C HRS
0 PRC

LAST ACTUALS:
1035:49 PROP HRS as of 29-SEP-2023



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121	CHECK AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
00-00/122	CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
00-00/481 ^S	CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
E072-221010	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 56.0							Service	ATA:00
	MOS/MSC	01-Dec-22	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
				PROC. REF: RCF E072					
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
				PROC. REF: RCF E072					
P019-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
				PROC. REF: RCF P019					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P019-220601	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 38							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P019				
P019-220603	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR DE-ICE PERIODIC INSPECTION FOR PROPELLERS ON PILATUS AIRCRAFT							Service	ATA:00
	MOS/MSC	17-Jun-22	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
					PROC. REF: RCF P019				
P019-220830	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR HARTZELL PROPELLER TASKS AND DESCRIPTIONS CHANGES							Service	ATA:00
	MOS/MSC	01-Dec-22	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
					PROC. REF: RCF P019				
P019-221001	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 149, REVISION 29							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P019				
P019-221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P019				
P019-221201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 39							Service	ATA:00
	MOS/MSC	20-Dec-22	-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P019				
P019-230401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER MANUAL 180 (30-61-80) - ICE PROTECTION SYSTEM MANUAL, REVISION 40, DATED 1 APRIL 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
					PROC. REF: RCF P019				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P019-230501A	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 012, DATED MAY 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	PROC. REF: RCF P019								
P019-230501B	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 013, DATED MAY 2023							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	PROC. REF: RCF P019								
P019-230701	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 20							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	PROC. REF: RCF P019								
P019-230801	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 149, REVISION 30							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	PROC. REF: RCF P019								
P019-230901	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 41							Service	ATA:00
	MOS/MSC		-				NEW REQMT	REQUIREMENT CHANGE FORMS	
	HRS								
	PROC. REF: RCF P019								
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF P47E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-191121	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22						Service ATA:00
	MOS/MSC	31-Oct-19	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
					PROC. REF: RCF P47E			
P47E-200515	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-201125	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-210716	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-220520	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28						Service ATA:00
	MOS/MSC	17-Jun-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			
P47E-220829	REVIEW	PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29						Service ATA:00
	MOS/MSC	04-Oct-22	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
					PROC. REF: RCF P47E			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-230116	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 30							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF P47E							
P47E-230607	REVIEW PC-12/47 AMM TEMPLATE CORRECTIONS							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF P47E							
ATA 04 - LIMITATIONS								
040001	AIRCRAFT LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	50000	TSN 0	50000		48964:11	
	AFL	0	60000	TSN 0	60000		59187	
	PROC. REF: GENERIC NO REF							
040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		33964:11	
	AFL	0	43000	TSN 0	43000		42187	
	PROC. REF: GENERIC NO REF							
040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		33964:11	
	AFL	0	43000	TSN 0	43000		42187	
	PROC. REF: GENERIC NO REF							
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-01	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service ATA:05
	MOS/MSC	31-Oct-19	A/R					
	HRS	0						
	AFL	0						
	PROC. REF: AMM 05-50-01, AMM 12-B-05-50-01-00A-282A-A							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-02	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-02, AMM 12-B-05-50-02-00A-282A-A								
05-50-03	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-03, AMM 12-B-05-50-03-00A-282A-A								
05-50-04	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE OR IMPACT							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-04, AMM 12-B-05-50-04-00A-282A-A								
05-50-05	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-05, AMM 12-B-05-50-05-00A-282A-A								
05-50-06	UNSCHEDULED INSPECTION - CHECK ALIGNMENT AND SYMMETRY							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-06, AMM 12-B-05-50-06-00A-282A-A								
05-50-07	GEOMETRY INSPECTION - CHECK FUSELAGE CARRY THRU FRAMES							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-07, AMM 12-B-05-50-07-00A-282A-A								
05-50-08	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED (VMO/MMO) EXCEEDANCE							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-08, AMM 12-B-05-50-08-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-09	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED (VLO) EXCEEDENCE							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-09, AMM 12-B-05-50-09-00A-282A-A									
05-50-10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED (VLE) EXCEEDENCE							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-10, AMM 12-B-05-50-10-00A-282A-A									
05-50-11	UNSCHEDULED INSPECTION - TAIL DOWN DAMAGE							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-11, AMM 12-B-05-50-11-00A-282A-A									
05-50-15	UNSCHEDULED INSPECTION - AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service	ATA:05
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 05-50-15, AMM 12-B-05-50-15-00A-282A-A									
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service	ATA:05
	MOS	31-Oct-19							
	HRS	0	25000		25000		23964:11		
	AFL	0	30000		30000		29187		
PROC. REF: AMM 05-10-30									
050005	AIRCRAFT REGISTRATION - FAR 47.40							Service	ATA:05
	MOS/MSC	31-Oct-19	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service	ATA:05
	MOS	31-Oct-19							
	HRS	0	25000		25000		23964:11		
	AFL	0	30000		30000		29187		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05200A	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: AMM 12-B-05-20-00-00A-913A-A				PKG:1 WO#: FL7 MIP 2023-00X	
05401A	300 HOUR INSPECTION							Package	ATA:05
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)		1170:11	1200:11	134:22 (+30)		
	AFL	689							
				PROC. REF: AMM 12-B-05-40-01-01A-000B-A				PKG:2 WO#: FL7 MIP 2023-00X	
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11	300 (+30/-30)		1170:11	1200:11	134:22 (+30)		
	AFL	689							
				PROC. REF: AMM 12-B-05-40-01-02A-000B-A				PKG:3 WO#: FL7 MIP 2023-00X	
05403A	600 HOUR INSPECTION							Package	ATA:05
	MOS	18-Nov-22							
	HRS	581:52	600 (+10%/-10%)	Adj 18:08	1200	1260	164:11 (+60)		
	AFL	455							
				PROC. REF: AMM 12-B-05-40-01-03A-000B-A				PKG:4 WO#: FL7 MIP 2023-00X	
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52	600 (+60/-60)	Adj 25:26	1207:18	1267:18	171:29 (+60)		
	AFL	455							
				PROC. REF: AMM 12-B-05-40-01-04A-000B-A				PKG:5 WO#: FL7 MIP 2023-00X	
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package	ATA:05
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52	1200 (+120/-120)		1781:52	1901:52	746:03 (+120)		
	AFL	455							
				PROC. REF: AMM 12-B-05-40-01-05A-000B-A				PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
	HRS	7:18	2400 (+240/-240)		2407:18	2647:18	1371:29 (+240)		
	AFL	12							
								PROC. REF: AMM 12-B-05-40-01-06A-000B-A	
								PKG:7 WO#: FL7 MIP 2023-00X	
057010	NO. 1 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
	ENC								
								PROC. REF: EMM 72-00-00, EMM 72-00-00	
								PKG:2 WO#: FL7 MIP 2023-00X	
05ARC00 ^U	AIRWORTHINESS REVIEW CERTIFICATE (ARC)							Service	ATA:05
	MOS/MSC	15-Sep-23	DUE		05-Oct-24 (M)		361 d		
	HRS	1026:25							
	AFL								
ATA 06 - DIMENSIONS AND AREAS									
06-00/119 ^U	INSTALL ACCESS PANELS 42AB, 42AT AND 32CT AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:06
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
								PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
06-00/123 ^U	REMOVE ACCESS PANELS 42AB, 42AT AND 32CT							Service	ATA:06
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
								PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/218 ^U	OPEN /REMOVE AS NECESSARY TO DO INSPECTION, PANELS 11AL, 11AR, 11BL, 11BR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 31BL, 32AB, 32AL, 32BL, 32BT, 32CL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB. MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR.						Service	ATA:06
	MOS/MSC	18-Nov-22	A/R					
	HRS	581:52						
	AFL	455						
								PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X
06-00/219 ^U	CLOSE /INSTALL AS NECESSARY TO CLOSE UP THE INSPECTIOIN THE FOLLOWING PANELS: 11AL,11AR, 11BL, 11BR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR,12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 31BL, 32AB, 32AL, 32BL, 32BT, 32CL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB						Service	ATA:06
	MOS/MSC	18-Nov-22	A/R					
	HRS	581:52						
	AFL	455						
								PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB,62SB, 62TB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB,62SB, 62TB - INSTALL						Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE						Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
					PROC. REF: AMM 06-20-00			PKG:5 WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:5 WO#: FL7 MIP 2023-00X	
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:2 WO#: FL7 MIP 2023-00X	
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service	ATA:06
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:2 WO#: FL7 MIP 2023-00X	
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:2 WO#: FL7 MIP 2023-00X	
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service	ATA:06
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:2 WO#: FL7 MIP 2023-00X	
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:3 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service	ATA:06
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:3 WO#: FL7 MIP 2023-00X	
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:3 WO#: FL7 MIP 2023-00X	
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service	ATA:06
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:3 WO#: FL7 MIP 2023-00X	
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:3 WO#: FL7 MIP 2023-00X	
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 06-20-00				PKG:3 WO#: FL7 MIP 2023-00X	
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Nov-22							
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:4 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	18-Nov-22							
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:4 WO#: FL7 MIP 2023-00X	
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:5 WO#: FL7 MIP 2023-00X	
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL,21QZ - INSTALL							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:5 WO#: FL7 MIP 2023-00X	
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:5 WO#: FL7 MIP 2023-00X	
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:5 WO#: FL7 MIP 2023-00X	
06-00/608 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 06-20-00				PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/609 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X	
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X	
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X	
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X	
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 06-20-00			PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service	ATA:06
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 06-20-00				PKG:7 WO#: FL7 MIP 2023-00X	
ATA 07 - LIFTING AND SHORING									
07-10/160	LOWER AIRCRAFT TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service	ATA:07
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: AMM 07-10-00				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
07-10/161	LIFT AIRCRAFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION							Service	ATA:07
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: AMM 07-10-00				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
ATA 08 - LEVELING AND WEIGHING									
080000	WEIGHT CHECK AIRCRAFT							Service	ATA:08
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)		
	HRS	0							
WC#: 08.005	AFL	0							
				PROC. REF: GENERIC NO REF				WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/428 ^S	EXAMINE EXTERNAL PROTECTIVE COVERS - REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.								Service ATA:10
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:3 WO#: FL7 MIP 2023-00X	
ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	EXAMINE PLACARDS AND MARKINGS AND ATTACH NEW PLACARDS IF NECESSARY								Service ATA:11
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 11-20-00, AMM 11-20-00, AMM 11-30-00, AMM 11-00-00, AMM 11-00-00				PKG:6 WO#: FL7 MIP 2023-00X	
ATA 12 - SERVICING									
12-20/124	WASH AIRCRAFT THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS, AS REQUIRED TO PERFORM THE INSPECTION								Service ATA:12
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: AMM 12-20-01				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
12-20/125	CLEAN WINDSHIELDS AND WINDOWS								Service ATA:12
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: AMM 12-20-02				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
12-20/126	CLEAN COCKPIT AND CABIN								Service ATA:12
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
				PROC. REF: AMM 12-20-03				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45A	PERFORM CORROSION INSPECTION (INTERNAL)							Service	ATA:20
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52							
WC#: 20.010	AFL	455							
				PROC. REF: AMM 20-40-00				WO#: FL7 MIP 2023-00X	
00-00/45B	PERFORM CORROSION INSPECTION (EXTERNAL)							Service	ATA:20
	MOS	24-May-23	6 (+10%/-10%)	Adj -21d	03-Nov-23	21-Nov-23	24 d (+18)		
	HRS	850:44							
WC#: 20.011	AFL	670							
				PROC. REF: AMM 20-40-00				WO#: FL7 MIP 2023-00X	
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service	ATA:21
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: GENERIC NO REF				PKG:7 WO#: FL7 MIP 2023-00X	
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM - CHECK							Service	ATA:21
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	AIRWORTHINESS	
	HRS	581:52	3000		3581:52		2546:03		
	AFL	455							
				PROC. REF: GENERIC NO REF				WO#: FL7 MIP 2023-00X	
21-30-00-00A-901A-A	PRESSURIZATION CONTROL MAINTENANCE PRACTICES							Service	ATA:21
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 21-30-00					
21-30-00-00A-903B-B	PRESSURIZATION CONTROL (MSN 545,1720 AND UP) ADJUSTMENT TEST							Service	ATA:21
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
				PROC. REF: AMM 21-30-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30-01-00A-903B-A	CABIN PRESSURIZATION ELECTRONIC CONTROL AND MONITORING UNIT (MSN 545,1720 AND UP) ADJUSTMENT TEST							Service	ATA:21
PN:PN	MOS/MSC	31-Oct-19	A/R						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 21-30-01									
21-30/314 ^S	PRESSURIZATION SAFETY VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT, REMOVE AND CLEAN IF CONTAMINATION IS FOUND							Service	ATA:21
PN:PN	MOS	01-Oct-21	24 (+10%/-10%)						
SN:UNKNOWN	HRS	7:18	2400 (+10%/-10%)						
WC#: 21.030	AFL	12							
Special Properties: CMT ITEM	PROC. REF: AMM 21-30-02								PKG:7 WO#: FL7 MIP 2023-00X
21-30/463	OPERATIONAL TEST CABIN PRESSURIZATION DUMP CONTROL							Service	ATA:21
	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11	300 (+100%)		1170:11	1470:11	134:22 (+300)		
	AFL	689							
PROC. REF: AMM 21-30-00									
21-30/464	OPERATIONAL TEST CABIN PRESSURIZATION MANUAL CONTROL							Service	ATA:21
	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11	300 (+100%)		1170:11	1470:11	134:22 (+300)		
	AFL	689							
PROC. REF: AMM 21-30-00									
21-30/465	FUNCTIONAL TEST CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE							Service	ATA:21
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)		
	HRS	0	4800		4800		3764:11		
	AFL	0							
Special Properties: CMT ITEM	PROC. REF: AMM 21-30-00								WO#: FL7 MIP 2023-00X
21-30/467	EXAMINE CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE							Service	ATA:21
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)		
	HRS	0	4800 (+10%/-10%)		4800	5280	3764:11 (+480)		
	AFL	0							
PROC. REF: AMM 21-30-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30/468	FUNCTIONAL TEST CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION							Service	ATA:21
	MOS	31-Oct-19	48		31-Oct-23		21 d		
	HRS	0	4800		4800		3764:11		
	AFL	0							
PROC. REF: AMM 21-30-00								WO#: FL7 MIP 2023-00X	
21-30/469	FUNCTIONAL TEST CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING							Service	ATA:21
	MOS	31-Oct-19	48		31-Oct-23		21 d		
	HRS	0	4800		4800		3764:11		
	AFL	0							
PROC. REF: AMM 21-30-00								WO#: FL7 MIP 2023-00X	
21-40-02-00A-902A-A	REFRIGERATION PACK SERVICING							Service	ATA:21
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-40-02									
21-40/128 ^S	OPERATIONAL TEST FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH							Service	ATA:21
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 21-43-00								PKG:6 WO#: FL7 MIP 2023-00X	
21-40/330 ^S	OPERATIONAL TEST CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH							Service	ATA:21
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
WC#: 21.140	AFL	455							
PROC. REF: AMM 21-40-01, AMM 21-40-01								PKG:6 WO#: FL7 MIP 2023-00X	
21-40/331 ^S	FUNCTIONAL TEST UNDERFLOOR (FRONT) ELECTRIC HEATER UNDERFLOOR HEATER THERMAL PROTECTION SWITCH							Service	ATA:21
PN:969.67.81.507	MOS	18-Nov-22	12 (+10%/-10%)						
SN:598097	HRS	581:52	1200 (+10%/-10%)						
WC#: 21.150	AFL	455							
PROC. REF: AMM 21-40-01, AMM 21-40-01								PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-40/50 ^S		CLEAN WATER SEPARATOR CONDENSER						Service	ATA:21
PN:PN	MOS	18-Nov-22	12 (+10%/-10%)						
SN:UNKNOWN	HRS	581:52	1200 (+10%/-10%)						
WC#: 21.080	AFL	455							
PROC. REF: AMM 21-40-03								PKG:6 WO#: FL7 MIP 2023-00X	
21-40/51		FUNCTIONAL TEST OVERTEMP. BLEEDAIR 1173T083-01 SWITCH OVERTEMPERATURE SWITCH						Service	ATA:21
PN:973.81.32.216	MOS	31-Oct-19	60 (+10%/-10%)		31-Oct-24	30-Apr-25	387 d (+181)		
SN:1422	HRS	0	4800 (+10%/-10%)		4800	5280	3764:11 (+480)		
WC#: 21.130	AFL								
PROC. REF: AMM 21-40-06									
21-40/52		FUNCTIONAL TEST OVERTEMP. CONDAIR 1173T08 SWITCH DUCT OVERTEMPERATURE SWITCH						Service	ATA:21
PN:973.81.32.214	MOS	31-Oct-19	60 (+10%/-10%)		31-Oct-24	30-Apr-25	387 d (+181)		
SN:1322	HRS	0	4800 (+10%/-10%)		4800	5280	3764:11 (+480)		
WC#: 21.120	AFL	0							
PROC. REF: AMM 21-60-05									
21-40/55 ^S		RE-OIL AIR CONDITIONING COLD AIR UNIT						Service	ATA:21
	MOS	18-Nov-22							
	HRS	581:52	600 (+10%/-10%)						
WC#: 21.060	AFL	455							
PROC. REF: AMM 21-40-02								PKG:4 WO#: FL7 MIP 2023-00X	
21-40/56 ^S		INSPECT/CHECK HEAT EXCHANGER MATRIX						Service	ATA:21
	MOS	18-Nov-22							
	HRS	581:52	600 (+10%/-10%)						
WC#: 21.070	AFL	455							
PROC. REF: AMM 21-40-02								PKG:4 WO#: FL7 MIP 2023-00X	
21-41-00-00A-904A-A		ENGINE BAY DUCTS REPAIR						Service	ATA:21
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-41-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-50-01-00A-902A-A		VAPOUR CYCLE COOLING SYSTEM SERVICING						Service	ATA:21
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-50-01									
21-50-01-00A-903A-A		VAPOUR CYCLE COOLING SYSTEM ADJUSTMENT						Service	ATA:21
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 21-50-01									
21-50/223 ^S		EXAMINE VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) THE COOLING UNIT						Service	ATA:21
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									
21-50/433		CLEAN AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE (INCLUDING MOTOR) (IF INSTALLED)						Service	ATA:21
PN:959.90.22.140	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
SN:2312	HRS	870:11	300 (+10%/-10%)		1170:11	1200:11	134:22 (+30)		
	AFL	689							
WO#: FL7 MIP 2023-00X									
21-50/461		INSPECT/CHECK AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE (CCM P/N 959.90.22.140) (IF INSTALLED)						Service	ATA:21
PN:959.90.22.140	MOS	31-Oct-19							
SN:2312	HRS	0							
	AFL	0							
	ACH	0	600 (+10%/-10%)		600	660	370:06 (+60)		
PROC. REF: AMM 21-50-03									
21-50/462		CHECK AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE BELT TENSION (CCM P/N 959.90.22.140) (IF INSTALLED)						Service	ATA:21
PN:959.90.22.140	MOS	31-Oct-19							
SN:2312	HRS	0							
	AFL	0							
	ACH	0	600 (+10%/-10%)		600	660	370:06 (+60)		
PROC. REF: AMM 21-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-CUS-01 ^U		PERFORM AIR-CONDITIONING HOURS STATEMENT						Service	ATA:21
	MOS		12		06-Dec-23 (M)		57 d		
	HRS		300		1200 (M)		164:11		
	AFL								
WO#: FL7 MIP 2023-00X									
210005		OVERPRESSURE SWITCH						Component	ATA:21
PN:973.81.15.105	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1782	HRS	0		TSN 0					
WC#: 21.340	AFL	0		TSN 0					
PROC. REF: AMM 21-40-07									
210010		REFRIGERATION PACK						Component	ATA:21
PN:959.90.20.111	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2402	HRS	0		TSN 0					
WC#: 21.255	AFL	0		TSN 0					
PROC. REF: AMM 21-40-02									
210015		WATER INJECTOR						Component	ATA:21
PN:959.90.20.141	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2370	HRS	0		TSN 0					
WC#: 21.370	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210020		DUCT TEMP SENSOR						Component	ATA:21
PN:959.90.20.121	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:5716	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
210025		PRIM SHUT OFF VALVE						Component	ATA:21
PN:959.90.20.132	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2371	HRS	0		TSN 0					
WC#: 21.290	AFL	0		TSN 0					
PROC. REF: AMM 21-40-05									
210030		HP SHUT OFF VALVE						Component	ATA:21
PN:959.90.20.131	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2373	HRS	0		TSN 0					
WC#: 21.280	AFL	0		TSN 0					
PROC. REF: AMM 21-40-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210035	WATER SEPARATOR ASSY							Component	ATA:21
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 21.220	AFL	0	TSN 0						
PROC. REF: AMM 21-40-03									
210040	TEMPCONTROL VALVE							Component	ATA:21
PN:959.90.20.137	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2297	HRS	0	TSN 0						
WC#: 21.310	AFL	0	TSN 0						
PROC. REF: AMM 21-60-02									
210045	AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE							Component	ATA:21
PN:959.90.22.140	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2312	HRS	0	TSN 0						
WC#: 21.380	AFL	0	TSN 0						
PROC. REF: AMM 21-50-01									
210050	CENTER EVAPORATOR MODULE ASSY							Component	ATA:21
PN:959.90.22.121	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1234	HRS	0	TSN 0						
WC#: 21.200	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
210055	RIGHT SIDE EVAPORATOR MODULE ASSY							Component	ATA:21
PN:959.90.22.119	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1443	HRS	0	TSN 0						
WC#: 21.210	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
210060	CABIN PRESSURE OUTFLOW VALVE							Component	ATA:21
PN:959.90.91.125	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65053598-00274	HRS	0	TSN 0						
WC#: 21.250	AFL	0	TSN 0						
PROC. REF: AMM 21-30-03									
210065	CABIN PRESSURE RELIEVE VALVE							Component	ATA:21
PN:959.90.91.132	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:29-F0928	HRS	0	TSN 0						
WC#: 21.270	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210090		OUTFLOW VALVE CONTROLLER						Component	ATA:21
PN:959.90.91.147	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65000052-00277	HRS	0		TSN 0					
WC#: 21.430	AFL	0		TSN 0					
PROC. REF: AMM 21-30-03, AMM 21-30-03									
210115		UNDERFLOOR (FRONT) ELECTRIC HEATER						Component	ATA:21
PN:969.67.81.507	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:598097	HRS	0		TSN 0					
WC#: 21.240	AFL	0		TSN 0					
PROC. REF: AMM 21-40-01									
210135		LEFT SIDE EVAPORATOR MODULE ASSY						Component	ATA:21
PN:959.90.22.118	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1426	HRS	0		TSN 0					
WC#: 21.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210145		CABIN (REAR) ELECTRIC HEATER						Component	ATA:21
PN:969.67.81.507	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:598100	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: AMM 21-40-15									
210170		OVERPRESSURE SWITCH						Component	ATA:21
PN:973.81.15.106	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1791	HRS	0		TSN 0					
WC#: 21.340	AFL	0		TSN 0					
PROC. REF: AMM 21-40-07									
210175		FLOW CONTROL VALVE ACTUATOR						Component	ATA:21
PN:959.90.20.161	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:000122	HRS	0		TSN 0					
WC#: 21.520	AFL	0		TSN 0					
PROC. REF: AMM 21-60-03									
210185		INTEG. ECS CONTROL UNIT						Component	ATA:21
PN:959.90.20.129	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0971	HRS	0		TSN 0					
WC#: 21.540	AFL	0		TSN 0					
PROC. REF: AMM 21-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210190		FLOOR DUCT TEMP. SENSOR						Component	ATA:21
PN:959.90.20.121	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:5709	HRS	0		TSN 0					
WC#: 21.550	AFL	0		TSN 0					
PROC. REF: AMM 21-60-04									
210195		MIDDLE CONSOLE DUCT TEMP. SENSOR						Component	ATA:21
PN:959.90.20.121	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:5708	HRS	0		TSN 0					
WC#: 21.560	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210200		FIREWALL 1415-3 SHUT OFF VALVE						Component	ATA:21
PN:963.30.11.005	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1204	HRS	0		TSN 0					
WC#: 21.570	AFL	0		TSN 0					
PROC. REF: AMM 21-20-01									
210205		OVERTEMP. BLEEDAIR 1173T083-01 SWITCH						Component	ATA:21
PN:973.81.32.216	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1422	HRS	0		TSN 0					
WC#: 21.580	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210210		OVERTEMP. CONDAIR 1173T08 SWITCH						Component	ATA:21
PN:973.81.32.214	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1322	HRS	0		TSN 0					
WC#: 21.590	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210215		DUAL FLAPPER 1.5 IN. VALVE CHECK						Component	ATA:21
PN:963.30.11.105	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1880B	HRS	0		TSN 0					
WC#: 21.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210220		LH DUAL FLAPPER 2.5 IN. VALVE CHECK						Component	ATA:21
PN:963.30.11.106	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3398B	HRS	0		TSN 0					
WC#: 21.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210225	RH DUAL FLAPPER 2.5 IN. VALVE CHECK							Component	ATA:21
PN:963.30.11.106	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3436B	HRS	0		TSN 0					
WC#: 21.500	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210230	DUAL FLAPPER 2.5 IN. SPANT 15 VALVE CHECK							Component	ATA:21
PN:963.30.11.106	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3377B	HRS	0		TSN 0					
WC#: 21.510	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
210235	HEAD LINER DUCT TEMP. SENSOR							Component	ATA:21
PN:959.90.20.121	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:5760	HRS	0		TSN 0					
WC#: 21.600	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 22 - AUTO FLIGHT									
22-10/233 ^S	EXAMINE PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES							Service	ATA:22
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: GENERIC NO REF									
								PKG:7 WO#: FL7 MIP 2023-00X	
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 22-10-00									
								PKG:6 WO#: FL7 MIP 2023-00X	
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 22-10-00									
								PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-10/60 ^S		SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK					Service	ATA:22	
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 22-10-00			PKG:6 WO#: FL7 MIP 2023-00X	
22-20/129 ^S		EXAMINE ANGLE OF ATTACK (AOA) TRANSMITTERS					Service	ATA:22	
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
					PROC. REF: AMM 22-20-02			PKG:3 WO#: FL7 MIP 2023-00X	
22-20/130 ^S		CHECK STICK PUSHER SYSTEM					Service	ATA:22	
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
					PROC. REF: AMM 22-20-00			PKG:2 WO#: FL7 MIP 2023-00X	
22-20/226 ^S		FUNCTIONAL TEST STICK PUSHER SYSTEM					Service	ATA:22	
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 22-20-00			PKG:6 WO#: FL7 MIP 2023-00X	
220045		STICK PUSHER SERVO					Component	ATA:22	
PN:978.61.11.103	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:81276	HRS	0			TSN 0				
WC#: 22.220	AFL	0			TSN 0				
					PROC. REF: AMM 22-20-04				
220055		STICK PUSHER CAPSTAN					Component	ATA:22	
PN:978.61.11.124	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:81198	HRS	0			TSN 0				
WC#: 22.140	AFL	0			TSN 0				
					PROC. REF: AMM 22-20-06				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
220060		STICK SHAKER					Component ATA:22		
PN:978.61.11.143	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1830	HRS	0		TSN 0					
WC#: 22.230	AFL	0		TSN 0					
PROC. REF: AMM 22-20-03									
220070		STICK PUSHER					Component ATA:22		
PN:975.44.23.104	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:140573	HRS	0		TSN 0					
WC#: 22.170	AFL	0		TSN 0					
PROC. REF: AMM 22-20-04									
220085		ELEVATOR KSM 375 A/P SERVO MOUNT					Component ATA:22		
PN:985.99.12.133	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KSM375-B3901	HRS	0		TSN 0					
WC#: 22.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220090		RUDDER KSM 375 A/P SERVO MOUNT					Component ATA:22		
PN:985.99.12.133	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KSM375-B3883	HRS	0		TSN 0					
WC#: 22.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220095		AILERON KSM 375 A/P SERVO MOUNT					Component ATA:22		
PN:985.99.12.133	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KSM375-B3880	HRS	0		TSN 0					
WC#: 22.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220100		RUDDER KSA 2700 SERVO					Component ATA:22		
PN:985.99.12.275	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KSA2700-3999	HRS	0		TSN 0					
WC#: 22.260	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220105		ELEVATOR KSA 2700 SERVO					Component ATA:22		
PN:985.99.12.275	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KSA2700-4004	HRS	0		TSN 0					
WC#: 22.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
220110		AILERON KSA 2700 SERVO					Component	ATA:22	
PN:985.99.12.275	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KSA2700-3995	HRS	0		TSN 0					
WC#: 22.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
220115		KMC 9200 VNAV FLIGHT CONTROLLER					Component	ATA:22	
PN:985.99.12.204	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KMC9200-2261	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 23 - COMMUNICATIONS									
23-10/322 ^S		OPERATIONAL TEST AUDIO CONTROL PANEL EMERGENCY SWITCH					Service	ATA:23	
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: AMM 23-50-00									
PKG:7 WO#: FL7 MIP 2023-00X									
23-10/323 ^S		OPERATIONAL TEST EMERGENCY FREQUENCY COMM TUNING SWITCH					Service	ATA:23	
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: AMM 23-12-00									
PKG:7 WO#: FL7 MIP 2023-00X									
230005		VHF/NAV SYSTEM I VHF COMM ANTENNA					Component	ATA:23	
PN:984.81.10.203	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:310-33101	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 23-12-02									
230010		VHF/NAV SYSTEM II VHF COMM ANTENNA					Component	ATA:23	
PN:984.81.10.203	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:310-33102	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 23-12-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230035		CONTROL DISPLAY PS440 UNIT						Component	ATA:23
PN:985.99.11.914	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:46662	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
230040		IRIDIUM/GPS,S67-1575-109 ANTENNA						Component	ATA:23
PN:984.81.10.210	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:430-15878	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 34-57-02									
230045		NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO						Component	ATA:23
PN:985.99.12.277	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:6320	HRS	0		TSN 0					
WC#: 23.090	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01									
230050		NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO						Component	ATA:23
PN:985.99.12.277	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:6321	HRS	0		TSN 0					
WC#: 23.080	AFL	0		TSN 0					
PROC. REF: AMM 23-12-01									
230055		PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:985.99.12.020	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:Q02627	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: AMM 23-50-01									
230060		CO-PILOT KMA 29 AUDIO/MARKER PANEL						Component	ATA:23
PN:985.99.12.020	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:Q02625	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: AMM 23-50-01									
230061		HF ANTENNA ,KAC1052 COUPLER						Component	ATA:23
PN:985.99.11.946	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KAC1052-8906	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230063		HF POWER ,KPA1052 AMPLIFIER						Component	ATA:23
PN:985.99.11.942	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KPA1052-8698	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-06									
230065		HF RECEIVER/,KRX1053 EXCITER						Component	ATA:23
PN:985.99.11.954	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KRX1053-9314	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-11-02									
ATA 24 - ELECTRICAL POWER									
24-30/309		BRUSH CHECK NO. 1 STARTER GENERATOR (P/N 978.91.23.437)						Service	ATA:24
PN:978.91.23.407	MOS/MSC	01-Oct-21	N/A						
SN:P2973	HRS	7:18							
WC#: 24.210	AFL	12							
Special Properties: CMT ITEM PROC. REF: AMM 24-30-01									
24-30/310 ^S		BRUSH CHECK NO. 2 STARTER-GENERATOR (P/N 978.91.23.437)						Service	ATA:24
PN:978.91.23.407	MOS/MSC	01-Oct-21	N/A						
SN:P2977	HRS	7:18							
WC#: 24.026	AFL	12							
Special Properties: CMT ITEM PROC. REF: AMM 24-30-01									
24-30/311		FUNCTIONAL TEST NO. 1 (GCU 1) GENERATOR CONTROL UNIT OVER AND UNDER-VOLTAGE TRIP PROTECTION						Service	ATA:24
PN:PN	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	581:52	3000		3581:52		2546:03		
WC#: 24.015	AFL	455							
PROC. REF: AMM 71-00-00 WO#: FL7 MIP 2023-00X									
24-30/311		FUNCTIONAL TEST NO. 2 (GCU 2) GENERATOR CONTROL UNIT OVER AND UNDER-VOLTAGE TRIP PROTECTION						Service	ATA:24
PN:PN	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	581:52	3000		3581:52		2546:03		
WC#: 24.025	AFL	455							
PROC. REF: AMM 71-00-00 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/312^S EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST								
	MOS	01-Oct-21	24 (+10%/-10%)					Service ATA:24
	HRS	7:18	2400 (+10%/-10%)					
	AFL	12						
				PROC. REF: AMM 24-40-00				PKG:7 WO#: FL7 MIP 2023-00X
24-30/313^S DC ELECTRICAL SYSTEM - FUNCTIONAL TEST								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:24
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: AMM 71-00-00				PKG:6 WO#: FL7 MIP 2023-00X
24-30/340 REMOVE/CAPACITY CHECK NO. 1 LEAD ACID BATTERY								
PN:976.11.26.120	MOS	24-May-23	6 (+10%/-10%)	Adj -6d	18-Nov-23	06-Dec-23	39 d (+18)	Service ATA:24
SN:41026253	HRS	850:44	600 (+10%/-10%)		1450:44	1510:44	414:55 (+60)	
WC#: 24.010	AFL	670						
Special Properties: CMT ITEM				PROC. REF: AMM 24-30-07				WO#: FL7 MIP 2023-00X
24-30/340 REMOVE/CAPACITY CHECK NO. 2 LEAD ACID BATTERY								
PN:RG-380E/44	MOS	18-Nov-22	T:12 (+1m/-1m)		18-Nov-23	18-Dec-23	39 d (+30)	Service ATA:24
SN:41258576	HRS	581:52	T:1000 (+10%/-10%)		1581:52	1681:52	546:03 (+100)	
WC#: 24.010	AFL	455						
Special Properties: CMT ITEM				PROC. REF: AMM 24-30-07				WO#: FL7 MIP 2023-00X
24-30/473^S BRUSH CHECK NO. 1 STARTER GENERATOR (P/N 978.91.23.407)								
PN:978.91.23.407	MOS	18-Nov-22						Service ATA:24
SN:P2973	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
Special Properties: CMT ITEM				PROC. REF: AMM 24-30-01				PKG:4
24-30/474^S BRUSH CHECK NO. 2 STARTER-GENERATOR (P/N 978.91.23.407)								
PN:978.91.23.407	MOS	18-Nov-22						Service ATA:24
SN:P2977	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
Special Properties: CMT ITEM				PROC. REF: AMM 24-30-01				PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/492		OVERHAUL NO. 1 STARTER GENERATOR			(P/N 978.91.23.407)			Service ATA:24
PN:978.91.23.407	MOS		31-Oct-19					OVERHAUL
SN:P2973	HRS	0	1200 (+10%/-10%)		1200	1320	164:11 (+120)	
	AFL	0						
PROC. REF: AMM 05-10-10								WO#: FL7 MIP 2023-00X
24-30/493		OVERHAUL NO. 2 STARTER GENERATOR			(P/N 978.91.23.407)			Service ATA:24
PN:978.91.23.407	MOS		31-Oct-19					OVERHAUL
SN:P2977	HRS	0	1200 (+10%/-10%)		1200	1320	164:11 (+120)	
	AFL	0						
PROC. REF: AMM 24-30-01								WO#: FL7 MIP 2023-00X
24-30/496		OVERHAUL NO. 1 STARTER GENERATOR			(P/N 978.9123.437)			Service ATA:24
PN:978.91.23.407	MOS/MSC		31-Oct-19	N/A				
SN:P2973	HRS	0						
	AFL	0						
PROC. REF: AMM 05-10-10								
24-30/497		OVERHAUL NO. 2 STARTER GENERATOR			(P/N 978.9123.437)			Service ATA:24
PN:978.91.23.407	MOS/MSC		31-Oct-19	N/A				
SN:P2977	HRS	0						
	AFL	0						
PROC. REF: AMM 24-30-01								
24-40/229 ^S		EXAMINE EXTERNAL POWER UNIT (EPU) RECEPTACLE						Service ATA:24
	MOS		01-Oct-21		24 (+10%/-10%)			
	HRS		7:18		2400 (+10%/-10%)			
	AFL		12					
PROC. REF: GENERIC NO REF								PKG:7 WO#: FL7 MIP 2023-00X
24-50/70		REMOVE/CAPACITY CHECK EMERGENCY POWER SUPPLY						Service ATA:24
PN:985.83.14.953	MOS		18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)
SN:84088	HRS		581:52					
WC#: 24.050	AFL		455					
Special Properties: CMT ITEM								PROC. REF: AMM 24-52-51 WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-60/133^S EXAMINE COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS								
	MOS	01-Oct-21	24 (+10%/-10%)					Service ATA:24
	HRS	7:18	2400 (+10%/-10%)					
	AFL	12						
PROC. REF: GENERIC NO REF								PKG:7 WO#: FL7 MIP 2023-00X
240005 STARTER/GENERATOR 1 VOLTAGE REGULATOR								
PN:988.21.14.111	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:24
SN:P5144	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: AMM 24-30-05								
240010 GENERATOR 1 300A CONTACTOR								
PN:974.03.38.113	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:24
SN:1176	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
240015 GENERATOR 2 300A CONTACTOR								
PN:974.03.38.113	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:24
SN:1186	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
240135 NO. 1 LEAD ACID BATTERY								
PN:976.11.26.120	MOS/MSC	24-May-23	O/C	TSN 43				Component ATA:24
SN:41026253	HRS	850:44		TSN 850:44				
WC#: 24.010	AFL	670		TSN 670				
PROC. REF: AMM 24-30-07								WO#: FL7 MIP 2023-00X
240140 NO. 2 LEAD ACID BATTERY								
PN:RG-380E/44	MOS/MSC	18-Nov-22	O/C	TSN 0				Component ATA:24
SN:41258576	HRS	581:52		TSN 0				
WC#: 24.010	AFL	455		TSN 0				
PROC. REF: AMM 24-30-07								WO#: FL7 MIP 2023-00X
243010 NO. 2 STARTER-GENERATOR								
PN:978.91.23.407	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:24
SN:P2977	HRS	0		TSN 0				
WC#: 24.215	AFL	0		TSN 0				
PROC. REF: AMM 24-30-01								WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243020		NO. 1 (GCU 1) GENERATOR CONTROL UNIT						Component	ATA:24
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243030		NO. 2 (GCU 2) GENERATOR CONTROL UNIT						Component	ATA:24
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243080		EMERGENCY POWER SUPPLY						Component	ATA:24
PN:985.83.14.953	MOS/MSC	18-Nov-22	O/C	TSN 37					
SN:84088	HRS	581:52		TSN 581:52					
WC#: 24.050	AFL	455		TSN 455					
PROC. REF: AMM 24-52-51								WO#: FL7 MIP 2023-00X	
243160		NO. 1 STARTER GENERATOR						Component	ATA:24
PN:978.91.23.407	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:P2973	HRS	0		TSN 0					
WC#: 24.205	AFL	0		TSN 0					
PROC. REF: AMM 24-30-01								WO#: FL7 MIP 2023-00X	
243170		110 VOLT STATIC ,SS50 INVERTER						Component	ATA:24
PN:975.02.15.107	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:8519	HRS	0		TSN 0					
WC#: 24.220	AFL	0		TSN 0					
PROC. REF: AMM 24-60-01									
243175		HALL EFFECT,FE1263 GEN 1 TRANSDUCER						Component	ATA:24
PN:975.50.85.111	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:N5380	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243180		HALL EFFECT,FE1263 GEN 2 TRANSDUCER						Component	ATA:24
PN:975.50.85.111	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:N5392	HRS	0		TSN 0					
WC#: 24.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243190	VOLTAGE REGULATOR							Component	ATA:24
PN:988.21.14.111	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:P5126	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-30-06									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service	ATA:25
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									
25-10/135 ^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:2 WO#: FL7 MIP 2023-00X									
25-10/294	CO-PILOT SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-10/294	PILOT SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-10/296	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION							Service	ATA:25
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
PROC. REF: AMM 25-10-01									
PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/297	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
					PROC. REF: AMM 25-10-01			PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
25-10/300 ^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service	ATA:25
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 25-10-01			PKG:6 WO#: FL7 MIP 2023-00X	
25-20/136 ^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service	ATA:25
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
					PROC. REF: GENERIC NO REF			PKG:3 WO#: FL7 MIP 2023-00X	
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
					PROC. REF: GENERIC NO REF			PKG:6 WO#: FL7 MIP 2023-00X	
25-20/295	NO. 1 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
25-20/295	NO. 2 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/295	NO. 3 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 4 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 5 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 6 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 7 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/295	NO. 8 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
25-20/298	REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION							Service	ATA:25
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
PROC. REF: AMM 25-21-01, AMM 25-22-01									

PKG:1 ,2,3,4,5,6,7
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/299	INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
				PROC. REF: AMM 25-21-01, AMM 25-22-01				PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X	
25-20/302 ^S	EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service	ATA:25
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:2 WO#: FL7 MIP 2023-00X	
25-60/231 ^S	OPERATIONAL TEST ELT							Service	ATA:25
PN:985.13.80.882	MOS	15-Jun-23	12 (+10%/-10%)						
SN:LX1100991402	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 25-63-00, AMM 25-63-00				PKG:3 WO#: FL7 MIP 2023-00X	
25-60/232 ^S	EXAMINE ELT INSTALLATION							Service	ATA:25
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X	
25-60/483	PERFORM EMERGENCY LOCATOR TRANSMITTER PERIODIC INSPECTION ON KANNAD 406 AF ELT. IF INSTALLED							Service	ATA:25
PN:985.13.80.882	MOS/MSC	31-Oct-19	A/R						
SN:LX1100991402	HRS	0							
	AFL	0							
				PROC. REF: GENERIC NO REF					
25-62/642 ^U	EXAMINE LIFE VESTS							Service	ATA:25
	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11							
	AFL	689							
								WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/643	DISCARD COPILOTS LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742313	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				
25-62/643	DISCARD NO. 1 LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742316	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				
25-62/643	DISCARD NO. 2 LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742308	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				
25-62/643	DISCARD NO. 3 LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742304	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				
25-62/643	DISCARD NO. 4 LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742302	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				
25-62/643	DISCARD NO. 5 LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742317	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				
25-62/643	DISCARD NO. 6 LIFE VEST							Service	ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742300	HRS								
	AFL								
					PROC. REF: AMM 25-62-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/643		DISCARD NO. 7 LIFE VEST							Service ATA:25
PN:PN	MOS		120		?		?	DISCARD	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-62-00									
25-62/643		DISCARD NO. 8 LIFE VEST							Service ATA:25
PN:PN	MOS		120		?		?	DISCARD	
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 25-62-00									
25-62/643		DISCARD PILOTS LIFE VEST							Service ATA:25
PN:63600-105	MOS		120		31-May-29 (M)		2060 d	DISCARD	
SN:L4742319	HRS								
	AFL								
PROC. REF: AMM 25-62-00									
25-63/23		ELT BATTERY							Component ATA:25
PN:PN-UNKNOWN	MOS/MSC		DUE	TSN 0	01-Sep-25 (M)		692 d	DISCARD	
SN:UNKNOWN	HRS			TSN 0					
WC#: 25.020	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
25-63/434		DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED)							Service ATA:25
PN:985.13.80.881	MOS	31-Oct-19	120 (+6m/-6m)		31-Oct-29	30-Apr-30	2213 d (+181)	DISCARD	
SN:LX1101046809	HRS	0	16000 (+500/-500)		16000	16500	14964:11 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REF									
25-63/477		CLEAN UNDERWATER LOCATOR BEACON (IF INSTALLED)							Service ATA:25
PN:PN	MOS/MSC	31-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-63-04									
25-63/478		FUNCTIONAL TEST UNDERWATER LOCATOR BEACON (IF INSTALLED)							Service ATA:25
PN:PN	MOS/MSC	31-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-63-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-63/479		FUNCTIONAL TEST UNDERWATER LOCATOR BEACON BATTERY VOLTAGE (IF INSTALLED)					Service		ATA:25
PN:PN	MOS/MSC	31-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-63-04									
25-63/480		DISCARD UNDERWATER LOCATOR BEACON (IF INSTALLED)					Service		ATA:25
PN:PN	MOS/MSC	31-Oct-19	N/A						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 25-63-04									
25-TBD-01 ^U		COMPANION KIT					Component		ATA:25
PN:725584	MOS/MSC		H/T						
SN:161122-001SPL	HRS								
	AFL								
250005		REMOTE CONTROL PANEL					Component		ATA:25
PN:985.13.80.817	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:TM0000174812	HRS	0		TSN 0					
WC#: 25.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
250010		EMERGENCY LOCATOR TRANSMITTER					Component		ATA:25
PN:985.13.80.882	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:LX1100991402	HRS	0		TSN 0					
WC#: 25.050	AFL	0		TSN 0					
PROC. REF: AMM 25-63-00									
250021		L/H NO. 1 AFSS PASSENGER SEAT					Component		ATA:25
PN:959.30.01.817	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65303	HRS	0		TSN 0					
WC#: 25.120	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250022		R/H NO. 2 AFSS PASSENGER SEAT					Component		ATA:25
PN:959.30.01.818	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65304	HRS	0		TSN 0					
WC#: 25.125	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250023		L/H NO. 3 FFSS PASSENGER SEAT					Component	ATA:25	
PN:959.30.01.827	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65305	HRS	0		TSN 0					
WC#: 25.130	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250024		R/H NO. 4 FFSS PASSENGER SEAT					Component	ATA:25	
PN:959.30.01.828	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65307	HRS	0		TSN 0					
WC#: 25.135	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250025		L/H NO. 5 FFSS PASSENGER SEAT					Component	ATA:25	
PN:959.30.01.831	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65306	HRS	0		TSN 0					
WC#: 25.140	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250026		R/H NO. 6 FFSS PASSENGER SEAT					Component	ATA:25	
PN:959.30.01.832	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:65308	HRS	0		TSN 0					
WC#: 25.145	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01									
250027		L/H NO. 7 STANDARD PASSENGER SEAT					Component	ATA:25	
PN:525.22.12.011	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2259	HRS	0		TSN 0					
WC#: 25.150	AFL	0		TSN 0					
PROC. REF: AMM 25-22-01									
250028		R/H NO. 8 STANDARD PASSENGER SEAT					Component	ATA:25	
PN:525.22.12.012	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2308	HRS	0		TSN 0					
WC#: 25.155	AFL	0		TSN 0					
PROC. REF: AMM 25-22-01									
250630		KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE					Component	ATA:25	
PN:985.13.80.881	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:LX1101046809	HRS	0		TSN 0					
WC#: 25.060	AFL	0		TSN 0					
PROC. REF: AMM 25-63-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256020		LH BLACK PILOT SEAT						Component	ATA:25
PN:959.30.01.165	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:95915	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: AMM 25-10-01									
256025		RH BLACK CO-PILOT SEAT						Component	ATA:25
PN:959.30.01.166	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:96113	HRS	0		TSN 0					
WC#: 25.100	AFL	0		TSN 0					
PROC. REF: AMM 25-10-01									
256140^U		RECERTIFY NO. 1 LIFE VEST (INFANT)						Service	ATA:25
PN:PO640-201	MOS	05-Sep-18	120		05-Sep-28		1792 d		
SN:18090270004	HRS								
	AFL								
25C001^U		FIRST AID KIT						Component	ATA:25
PN:725075/725076	MOS/MSC	18-Nov-22	DUE		30-Nov-23 (M)		51 d		
SN:030919-004LEW	HRS	581:52							
	AFL	455							
WO#: FL7 MIP 2023-00X									
25C002^U		INSPECTION OF FIRST AID KIT						Service	ATA:25
PN:725075/725076	MOS	18-Nov-22	12 (+10%/-10%)		18-Nov-23	24-Dec-23	39 d (+36)		
SN:030919-004LEW	HRS	581:52							
	AFL	455							
WO#: FL7 MIP 2023-00X									
25C003^U		FAK COMPANION KIT						Service	ATA:25
PN:725584	MOS/MSC		DUE		29-Feb-24 (M)		142 d		
SN:161122-001SPL	HRS								
	AFL								
25C004^U		INSPECTION OF FAK COMPANION						Service	ATA:25
PN:725584	MOS		12 (+10%/-10%)		29-Feb-24 (M)	06-Apr-24	142 d (+37)		
SN:161122-001SPL	HRS								
	AFL								
WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PC12A256CA110		PILOT VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742319	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									
PC12A256CA120		COPILOT VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742313	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									
PC12A256CA210		NO. 1 VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742316	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									
PC12A256CA220		NO. 2 VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742308	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									
PC12A256CA230		NO. 3 VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742304	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									
PC12A256CA240		NO. 4 VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742302	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									
PC12A256CA250		NO. 5 VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T						
SN:L4742317	HRS	870:11							
	AFL	689							
PROC. REF: AMM 25-62-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA260	NO. 6 VEST							Component ATA:25
PN:63600-105	MOS/MSC	15-Jun-23	H/T					
SN:L4742300	HRS	870:11						
	AFL	689						
PROC. REF: AMM 25-62-00								
PC12A256CA310 ^U	NO. 1 INFANT LIFE VEST							Component ATA:25
PN:PO640-201	MOS/MSC		H/T					
SN:18090270004	HRS							
	AFL							
ATA 26 - FIRE PROTECTION								
26-20/2	COCKPIT FIRE EXTINGUISHER							Component ATA:26
PN:959.08.06.225	MOS	01-Aug-19	120	TSN 0	01-Aug-29		2122 d	LIFE LIMIT
SN:015242	HRS			TSN 0				
WC#: 26.010	AFL			TSN 0				
PROC. REF: AMM 26-20-01								
26-20/24	COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)							Service ATA:26
PN:959.08.06.225	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	
SN:015242	HRS	581:52						
WC#: 26.010	AFL	455						
PROC. REF: GENERIC NO REF								
WO#: FL7 MIP 2023-00X								
26-20/515	CABIN FIRE EXTINGUISHER CONTENT CHECK (MODEL P3APP003010D - P/N 959.08.06.224)							Service ATA:26
	MOS/MSC	31-Oct-19	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
26-20/516	CABIN FIRE 1.5 KG EXTINGUISHER LIFE LIMIT (MODEL P3APP003010D - P/N 959.08.06.224)							Service ATA:26
	MOS/MSC	31-Oct-19	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
260005	FIRE/OVERHEAT DETECTOR							Component ATA:26
PN:975.12.10.012	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:216545	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-00/138 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service	ATA:27
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:2 WO#: FL7 MIP 2023-00X	
27-00/402	EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service	ATA:27
	MOS	31-Oct-19							
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
				PROC. REF: GENERIC NO REF					
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	31-Oct-19	60 (+6m/-6m)		31-Oct-24	30-Apr-25	387 d (+181)		
	HRS	0	4800 (+10%/-10%)		4800	5280	3764:11 (+480)		
WC#: 27.010	AFL								
				PROC. REF: AMM 27-00-00					
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service	ATA:27
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: GENERIC NO REF				PKG:3 WO#: FL7 MIP 2023-00X	
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X	
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/236^S AILERON CONTROL SYSTEM - INSPECTION/ CHECK Service ATA:27								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: AMM 27-10-00				PKG:6 WO#: FL7 MIP 2023-00X
27-10/237^S CHECK AILERON CABLE TENSION Service ATA:27								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: AMM 27-10-00				PKG:6 WO#: FL7 MIP 2023-00X
27-10/238^S FUNCTIONAL TEST AILERONS Service ATA:27								
	MOS	01-Oct-21	24 (+10%/-10%)					
	HRS	7:18	2400 (+10%/-10%)					
	AFL	12						
				PROC. REF: AMM 27-10-00				PKG:7 WO#: FL7 MIP 2023-00X
27-10/394 AILERON CONTROL SYSTEM - EXAMINE Service ATA:27								
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 27.155	AFL	0	T:42000		42000		41187	
				PROC. REF: AMM 27-10-00				
27-10/395 EDDY CURRENT INSPECTION AILERON CABLE SEGMENT Service ATA:27								
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 27.160	AFL	0	T:42000		42000		41187	
				PROC. REF: AMM 27-10-09				
27-10/396 EDDY CURRENT INSPECTION - AILERON CONTROL RODS Service ATA:27								
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 27.165	AFL	0	T:42000		42000		41187	
				PROC. REF: AMM 27-00-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/397 MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS								
	MOS	31-Oct-19						Service ATA:27 AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 27.170	AFL	0	T:42000		42000		41187	
PROC. REF: AMM 27-00-01								
27-10/398 AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS								
	MOS	31-Oct-19						Service ATA:27 AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 27.175	AFL	0	T:42000		42000		41187	
PROC. REF: AMM 27-10-08, AMM 27-10-08, AMM 27-10-08								
27-10/400 EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS								
	MOS	31-Oct-19						Service ATA:27 AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 27.215	AFL	0	T:42000		42000		41187	
PROC. REF: AMM 57-60-06								
27-10/400 EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS								
	MOS	31-Oct-19						Service ATA:27 AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
	AFL	0	T:42000		42000		41187	
PROC. REF: AMM 57-60-06								
27-10/444 FLIGHT CONTROL CABLES, AILERON								
PN:PN	MOS	31-Oct-19		TSN 0				Component ATA:27 LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11	
	AFL	0	27000	TSN 0	27000		26187	
PROC. REF: AMM 27-10-01								
27-10/445 AUTOPILOT CONTROL CABLE, AILERON								
PN:PN	MOS	31-Oct-19		TSN 0				Component ATA:27 LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11	
	AFL	0	27000	TSN 0	27000		26187	
PROC. REF: AMM 27-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 27-10-00				PKG:6 WO#: FL7 MIP 2023-00X	
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service	ATA:27
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 27-15-00				PKG:7 WO#: FL7 MIP 2023-00X	
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service	ATA:27
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
				PROC. REF: AMM 55-40-00				PKG:3 WO#: FL7 MIP 2023-00X	
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service	ATA:27
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: GENERIC NO REF				PKG:7 WO#: FL7 MIP 2023-00X	
27-20/241 ^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 27-20-00				PKG:6 WO#: FL7 MIP 2023-00X	
27-20/243 ^S	CHECK RUDDER CABLE TENSION							Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 27-20-00				PKG:6 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/244 ^S		FUNCTIONAL TEST RUDDER						Service	ATA:27
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: AMM 27-20-00								PKG:7 WO#: FL7 MIP 2023-00X	
27-20/245 ^S		FUNCTIONAL TEST RUDDER TRIM						Service	ATA:27
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: AMM 27-25-00								PKG:7 WO#: FL7 MIP 2023-00X	
27-20/246 ^S		EXAMINE RUDDER ELECTRICAL BONDING STRAPS						Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF								PKG:6 WO#: FL7 MIP 2023-00X	
27-20/374		RUDDER CONTROL SYSTEM - EXAMINE						Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 27.180	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 27-20-00									
27-20/376		EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT						Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 27.190	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 27-20-05									
27-20/430		RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED						Service	ATA:27
	MOS/MSC	01-Oct-21	O/C						
	HRS	7:18							
	AFL	12							
PROC. REF: AMM 27-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/431	FLIGHT CONTROL CABLES, RUDDER RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service	ATA:27
PN:PN	MOS/MSC		A/R						
SN:UNKNOWN	HRS	0							
	AFL								
PROC. REF: AMM 27-20-00									
27-20/446	FLIGHT CONTROL CABLES, RUDDER							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-20-01									
27-20/447	AUTOPILOT CONTROL CABLES, RUDDER							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-20-02									
27-20/575	REPLACE RUDDER BELLCRANK							Service	ATA:27
PN:PN	MOS	31-Oct-19						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		18964:11		
	AFL	0	27000		27000		26187		
PROC. REF: AMM 27-20-04									
27-30/141 ^S	EXAMINE ELEVATORS							Service	ATA:27
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									

PKG:3
WO#: FL7 MIP 2023-00X

PKG:6
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/248 ^S		EXAMINE ELEVATOR STATIC DISCHARGERS					Service	ATA:27	
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: GENERIC NO REF				PKG:7 WO#: FL7 MIP 2023-00X	
27-30/249 ^S		ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK					Service	ATA:27	
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 27-30-00				PKG:6 WO#: FL7 MIP 2023-00X	
27-30/250 ^S		CHECK ELEVATOR CABLE TENSION					Service	ATA:27	
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
				PROC. REF: AMM 27-30-00				PKG:6 WO#: FL7 MIP 2023-00X	
27-30/251 ^S		FUNCTIONAL TEST ELEVATOR					Service	ATA:27	
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
				PROC. REF: AMM 27-30-00				PKG:7 WO#: FL7 MIP 2023-00X	
27-30/333		ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED					Service	ATA:27	
	MOS/MSC	01-Oct-21	O/C						
	HRS	7:18							
WC#: 27.150	AFL	12							
				PROC. REF: AMM 27-30-00					
27-30/334		CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)					Service	ATA:27	
PN:PN	MOS/MSC		A/R						
SN:UNKNOWN	HRS	0							
	AFL								
				PROC. REF: AMM 27-30-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 27.195	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 27-30-00									
27-30/364	EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 27.200	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 27-00-01									
27-30/365	MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 27.205	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 27-00-01									
27-30/366	EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 27.210	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 27-30-05									
27-30/448	FLIGHT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-30-01									
27-30/449	AUTOPILOT CONTROL CABLES, ELEVATOR							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/450		STICK PUSHER CABLES						Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									
27-30/514 ^S		EXAMINE - ELEVATOR STOPS						Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 55-20-01									
PKG:6 WO#: FL7 MIP 2023-00X									
27-40/1		HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)						Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	AIRWORTHINESS	
	HRS	581:52	3000		3581:52		2546:03		
WC#: 27.021	AFL	455							
PROC. REF: AMM 27-40-00									
WO#: FL7 MIP 2023-00X									
27-40/142 ^S		OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES						Service	ATA:27
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 27-40-00									
PKG:3 WO#: FL7 MIP 2023-00X									
27-40/252 ^S		INSPECTION / CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS						Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 27-40-01									
PKG:6 WO#: FL7 MIP 2023-00X									
27-40/26		OVERHAUL PITCH TRIM ACTUATOR						Service	ATA:27
PN:978.73.14.203	MOS	31-Oct-19	84		31-Oct-26		1117 d	OVERHAUL	
SN:1992	HRS	0	3400		3400		2364:11		
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/291^S OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM								
	MOS	15-Jun-23						Service ATA:27
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: AMM 27-40-00				PKG:2 WO#: FL7 MIP 2023-00X
27-40/292^S FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:27
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: AMM 27-40-00				PKG:6 WO#: FL7 MIP 2023-00X
27-40/3 REPLACE PITCH TRIM ACTUATOR								
PN:978.73.14.203	MOS	31-Oct-19						Service ATA:27
SN:1992	HRS	0	20000		20000		18964:11	LIFE LIMIT
	AFL	0	27000		27000		26187	
				PROC. REF: GENERIC NO REF				
27-40/307 PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)								
PN:PN	MOS	31-Oct-19		TSN 0				Component ATA:27
SN:UNKNOWN	HRS	0	10000	TSN 0	10000		8964:11	LIFE LIMIT
WC#: 27.036	AFL	0		TSN 0				
				PROC. REF: AMM 27-40-02				
27-40/574 DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161								
PN:PN	MOS/MSC	18-Nov-22	N/A					Service ATA:27
SN:UNKNOWN	HRS	581:52						
	AFL	455						
				PROC. REF: GENERIC NO REF				
27-50/143 LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION								
	MOS/MSC	15-Jun-23	A/R					Service ATA:27
	HRS	870:11						
	AFL	689						
				PROC. REF: GENERIC NO REF				PKG:1,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/144^S EXAMINE FLAPS AND FLAP SUPPORT MECHANISM Service ATA:27								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: GENERIC NO REF				PKG:3 WO#: FL7 MIP 2023-00X
27-50/253^S EXAMINE FLAPS ELECTRICAL BONDING STRAPS Service ATA:27								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X
27-50/254^S EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS Service ATA:27								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X
27-50/255^S FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST Service ATA:27								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
Special Properties: CMT ITEM				PROC. REF: AMM 27-50-00				PKG:6 WO#: FL7 MIP 2023-00X
27-50/28 FLAP POWER DRIVE UNIT Component ATA:27								
PN:978.73.20.003	MOS	31-Oct-19		TSN 0				OVERHAUL
SN:1766	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	8964:11 (+500)	
WC#: 27.030	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12687 (+500)	
				PROC. REF: AMM 27-50-01				
27-50/31 LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT Component ATA:27								
PN:945.02.02.205	MOS	31-Oct-19		TSN 0				DISCARD
SN:S8393	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	8964:11 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12687 (+500)	
				PROC. REF: AMM 27-50-02				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/31		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.206	MOS	31-Oct-19		TSN 0				DISCARD	
SN:S8385	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	8964:11 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12687 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.205	MOS	31-Oct-19		TSN 0				DISCARD	
SN:S8401	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	8964:11 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12687 (+500)		
PROC. REF: AMM 27-50-02									
27-50/31		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.206	MOS	31-Oct-19		TSN 0				DISCARD	
SN:S8398	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	8964:11 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	12687 (+500)		
PROC. REF: AMM 27-50-02									
27-50/386		FLAP MECHANISM - EXAMINE						Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 27.220	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-00									
27-50/387		EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)						Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
WC#: 27.225	AFL	0	T:30000		30000		29187		
PROC. REF: AMM 27-51-00									
27-50/388		EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)						Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 27.230	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 27.235	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 27.240	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/391	EDDY CURRENT INSPECTION - FLAP AFT LINKS							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 27.245	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									
27-50/392	EDDY CURRENT INSPECTION - FLAP BELLCRANKS							Service	ATA:27
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 27.250	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 27-51-01, AMM 27-51-02, AMM 27-51-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/414		LEFT HAND FLAP						Component	ATA:27
PN:557.50.12.005	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:1541M	HRS	0	25000	TSN 0	25000		23964:11		
WC#: 57.060	AFL	0	30000	TSN 0	30000		29187		
PROC. REF: GENERIC NO REF									
27-50/414		RIGHT HAND FLAP						Component	ATA:27
PN:557.50.12.006	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:1541M	HRS	0	25000	TSN 0	25000		23964:11		
WC#: 57.060	AFL	0	30000	TSN 0	30000		29187		
PROC. REF: GENERIC NO REF									
27-50/437		INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK						Service	ATA:27
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	AIRWORTHINESS	
	HRS	581:52	600 (+10%/-10%)		1181:52	1241:52	146:03 (+60)		
	AFL	455							
PROC. REF: AMM 27-51-00									
27-50/443 ^S		SERVICE FLAP UP AND DOWN LIMIT SWITCHES						Service	ATA:27
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 12-20-07									
27-50/451		LEFT INBOARD FLAP TENSION RODS						Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									
27-50/451		LEFT MID FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									

PKG:3
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451	LEFT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT INBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT MID FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									
27-50/451	RIGHT OUTBOARD FLAP TENSION ROD							Component	ATA:27
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: GENERIC NO REF									
27-50/475 ^S	RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION							Service	ATA:27
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
PROC. REF: GENERIC NO REF									
27-50/485	LEFT INBOARD FLAP ACTUATOR							Component	ATA:27
PN:978.73.20.309	MOS	31-Oct-19		TSN 0				DISCARD	
SN:6997	HRS	0	20000	TSN 0	20000		18964:11		
WC#: 27.040	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-50-03									

PKG:1 ,2,3,4,5,6,7
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/485		LEFT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	31-Oct-19		TSN 0				DISCARD	
SN:7013	HRS	0	20000	TSN 0	20000		18964:11		
WC#: 27.041	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-50-03									
27-50/485		RIGHT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	31-Oct-19		TSN 0				DISCARD	
SN:6998	HRS	0	20000	TSN 0	20000		18964:11		
WC#: 27.050	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-50-03									
27-50/485		RIGHT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	31-Oct-19		TSN 0				DISCARD	
SN:7000	HRS	0	20000	TSN 0	20000		18964:11		
WC#: 27.051	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 27-50-03									
27-50/495		BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
SN:6997	HRS	7:18	2400 (+10%/-10%)		2407:18	2647:18	1371:29 (+240)		
WC#: 27.040	AFL	12	3200 (+10%/-10%)		3212	3532	2399 (+320)		
PROC. REF: AMM 27-50-03									
WO#: FL7 MIP 2023-00X									
27-50/495		BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
SN:7013	HRS	7:18	2400 (+10%/-10%)		2407:18	2647:18	1371:29 (+240)		
WC#: 27.041	AFL	12	3200 (+10%/-10%)		3212	3532	2399 (+320)		
PROC. REF: AMM 27-50-03									
WO#: FL7 MIP 2023-00X									
27-50/495		BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
SN:6998	HRS	7:18	2400 (+10%/-10%)		2407:18	2647:18	1371:29 (+240)		
WC#: 27.050	AFL	12	3200 (+10%/-10%)		3212	3532	2399 (+320)		
PROC. REF: AMM 27-50-03									
WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/495		BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
SN:7000	HRS	7:18	2400 (+10%/-10%)		2407:18	2647:18	1371:29 (+240)		
WC#: 27.051	AFL	12	3200 (+10%/-10%)		3212	3532	2399 (+320)		
PROC. REF: AMM 27-50-03								WO#: FL7 MIP 2023-00X	
27-50/506		OVERHAUL LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	31-Oct-19					OVERHAUL		
SN:6997	HRS	0	5000 (+10%/-10%)		5000	5500	3964:11 (+500)		
WC#: 27.040	AFL	0	7000 (+500/-500)		7000	7500	6187 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	31-Oct-19					OVERHAUL		
SN:7013	HRS	0	5000 (+10%/-10%)		5000	5500	3964:11 (+500)		
WC#: 27.041	AFL	0	7000 (+500/-500)		7000	7500	6187 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	31-Oct-19					OVERHAUL		
SN:6998	HRS	0	5000 (+10%/-10%)		5000	5500	3964:11 (+500)		
WC#: 27.050	AFL	0	7000 (+500/-500)		7000	7500	6187 (+500)		
PROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	31-Oct-19					OVERHAUL		
SN:7000	HRS	0	5000 (+10%/-10%)		5000	5500	3964:11 (+500)		
WC#: 27.051	AFL	0	7000 (+500/-500)		7000	7500	6187 (+500)		
PROC. REF: GENERIC NO REF									
27-50/576 ^S		LUBRICATE LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	15-Jun-23	12 (+10%/-10%)						
SN:6997	HRS	870:11	300 (+10%/-10%)						
WC#: 27.040	AFL	689							
PROC. REF: AMM 27-50-00								PKG:3 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/576 ^S		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	15-Jun-23	12 (+10%/-10%)						
SN:7013	HRS	870:11	300 (+10%/-10%)						
WC#: 27.041	AFL	689							
					PROC. REF: AMM 27-50-00			PKG:3 WO#: FL7 MIP 2023-00X	
27-50/576 ^S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	15-Jun-23	12 (+1m/-1m)						
SN:6998	HRS	870:11	300 (+10%/-10%)						
WC#: 27.050	AFL	689							
					PROC. REF: AMM 27-50-00			PKG:3 WO#: FL7 MIP 2023-00X	
27-50/576 ^S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	15-Jun-23	12 (+1m/-1m)						
SN:7000	HRS	870:11	300 (+10%/-10%)						
WC#: 27.051	AFL	689							
					PROC. REF: AMM 27-50-00			PKG:3 WO#: FL7 MIP 2023-00X	
270003		HORIZONTAL TAIL ASSY							Component ATA:27
PN:555.10.12.037	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1763	HRS	0		TSN 0					
	AFL	0		TSN 0					
					PROC. REF: AMM 55-10-01				
270015		ELEVATOR LH ASSY							Component ATA:27
PN:555.20.12.041	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1864	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
					PROC. REF: AMM 55-20-01				
270023		ELEVATOR RH ASSY							Component ATA:27
PN:555.20.12.042	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1858	HRS	0		TSN 0					
WC#: 27.023	AFL	0		TSN 0					
					PROC. REF: AMM 55-20-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270025		RUDDER TRIM LINEAR ACTUATOR					Component ATA:27		
PN:978.73.18.138	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2047B	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 27-25-01									
270033		RUDDER ASSY					Component ATA:27		
PN:555.40.12.040	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 27.033	AFL	0		TSN 0					
PROC. REF: AMM 55-40-01									
270035		FLAP CONTROL AND WARNING UNIT					Component ATA:27		
PN:978.73.20.017	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:140305	HRS	0		TSN 0					
WC#: 27.130	AFL	0		TSN 0					
PROC. REF: AMM 27-50-05									
270041		RUDDER BELLCRANK					Component ATA:27		
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-20-04									
270045		LH INBOARD TRANSMITTER					Component ATA:27		
PN:978.73.20.021	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1910106DX	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270050		LH ROTATION TRANSMITTER					Component ATA:27		
PN:978.73.20.602	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2974	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270060		LH OUTBOARD TRANSMITTER					Component ATA:27		
PN:978.73.20.021	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1910153DW	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270070		RH INBOARD TRANSMITTER						Component	ATA:27
PN:978.73.20.021	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1910102DX	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270075		RH ROTATION,C70016705 TRANSMITTER						Component	ATA:27
PN:978.73.20.602	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2973	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270090		AILERON LINEAR ACTUATOR						Component	ATA:27
PN:978.73.18.138	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2079	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 27-15-01									
270095		RH OUTBOARD TRANSMITTER						Component	ATA:27
PN:978.73.20.021	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1910109DX	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 27-50-06									
270105		CONTROL COLUMN ASSEMBLY						Component	ATA:27
PN:527.10.12.280	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:57	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
270110		NO. 1 DC MOTOR SOLID STATE RELAY						Component	ATA:27
PN:974.20.01.503	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:S19153563	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
270115		NO. 2 DC MOTOR SOLID STATE RELAY						Component	ATA:27
PN:974.20.01.504	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:S19086252	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274020	PITCH TRIM ACTUATOR							Component	ATA:27
PN:978.73.14.203	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:1992	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-40-01									
274030	MANUAL PITCH TRIM RELAYS							Component	ATA:27
PN:PN	MOS/MSC	18-Nov-22	H/T						
SN:UNKNOWN	HRS	581:52							
	AFL	455							
PROC. REF: GENERIC NO REF									
ATA 28 - FUEL									
28-10/145 ^S	EXAMINE FUEL TANK FILLER CAPS							Service	ATA:28
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									
28-10/146 ^S	SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER							Service	ATA:28
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 28-10-02									
PKG:3 WO#: FL7 MIP 2023-00X									
28-10/306	OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE							Service	ATA:28
	MOS								
	HRS	0	2400 (+10%/-10%)		2400	2640	1364:11 (+240)		
WC#: 28.029	AFL								
PROC. REF: AMM 28-10-01									
28-20/147 ^S	OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR							Service	ATA:28
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 28-20-07									
PKG:3 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/148 ^S		REMOVE/CLEAN FUEL FILTER ELEMENT						Service	ATA:28
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
Special Properties: CMT ITEM		PROC. REF: AMM 28-20-01, AMM 28-20-01						PKG:3 WO#: FL7 MIP 2023-00X	
28-20/149 ^S		OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N)						Service	ATA:28
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
		PROC. REF: GENERIC NO REF						PKG:5 WO#: FL7 MIP 2023-00X	
28-20/150 ^S		EXAMINE ENGINE DRIVEN PUMP						Service	ATA:28
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
Special Properties: CMT ITEM		PROC. REF: GENERIC NO REF						PKG:3 WO#: FL7 MIP 2023-00X	
28-20/256 ^S		FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE						Service	ATA:28
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
		PROC. REF: GENERIC NO REF						PKG:7 WO#: FL7 MIP 2023-00X	
28-20/32		OVERHAUL ENGINE DRIVEN PUMP						Service	ATA:28
PN:968.84.51.108	MOS	31-Oct-19						OVERHAUL	
SN:B6366	HRS	0	3500 (+10%/-10%)		3500	3850	2464:11 (+350)		
WC#: 28.010	AFL	0							
		PROC. REF: AMM 28-20-03							
280005		LOW PRESSURE FUEL PUMP						Component	ATA:28
PN:968.84.51.108	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:B6366	HRS	0			TSN 0				
WC#: 28.120	AFL	0			TSN 0				
		PROC. REF: AMM 28-20-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280010	FUEL FLOW TRANSMITTER							Component	ATA:28
PN:975.35.12.108	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:AAR0767	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 73-30-01									
280012	FUEL CONTROL MONITORING UNIT							Component	ATA:28
PN:975.37.31.336	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1106	HRS	0		TSN 0					
WC#: 28.155	AFL	0		TSN 0					
PROC. REF: AMM 28-40-04, AMM 73-20-01									
280015	FIREWALL FUEL,SHUT-OFF VALVE							Component	ATA:28
PN:963.87.22.301	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:4173	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-08									
280020	MAINTENANCE FUEL SHUT-OFF VALVE							Component	ATA:28
PN:963.87.22.301	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:4176	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-20-12									
280025	FUEL FILTER ASSY							Component	ATA:28
PN:968.35.21.001	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2019FFT1640	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
PROC. REF: AMM 28-20-01									
280030	FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:973.81.14.102	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3194	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-20-02									
280035	EJECTOR,TRANSFER LH PUMP							Component	ATA:28
PN:968.84.71.104	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:B6936	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: AMM 28-20-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280040 EJECTOR,DELIVERY LH PUMP								Component ATA:28
PN:968.84.71.105	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:B6458	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06								
280045 FUEL QUANTITY OUTER LH SENSOR								Component ATA:28
PN:975.37.31.253	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:3031	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01								
280050 FUEL QUANTITY,CENTRAL LH SENSOR								Component ATA:28
PN:975.37.31.252	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:2989	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01								
280055 FUEL QUANTITY,INNER LH SENSOR								Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:2936	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01								
280060 FUEL QUANTITY,COLLECTOR LH SENSOR								Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:2930	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01								
280065 FUEL,BOOSTER LH PUMP								Component ATA:28
PN:968.84.11.405	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:C1331	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 28-20-04								
280070 EJECTOR,TRANSFER RH PUMP								Component ATA:28
PN:968.84.71.104	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:B6922	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280075		EJECTOR,DELIVERY RH PUMP					Component ATA:28		
PN:968.84.71.105	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:B6459	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-06									
280080		FUEL QUANTITY,COLLECTOR RH SENSOR					Component ATA:28		
PN:975.37.31.250	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2923	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280085		FUEL QUANTITY,INNER RH SENSOR					Component ATA:28		
PN:975.37.31.251	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2940	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280090		FUEL QUANTITY,CENTRAL RH SENSOR					Component ATA:28		
PN:975.37.31.252	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2985	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280095		FUEL QUANTITY,OUTER RH SENSOR					Component ATA:28		
PN:975.37.31.253	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3030	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-40-01									
280100		FUEL,BOOSTER RH PUMP					Component ATA:28		
PN:968.84.11.405	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:C1329	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 28-20-04									
280105		TOP CHECK VALVE					Component ATA:28		
PN:963.04.23.105	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:4458	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280110	BOTTOM CHECK VALVE							Component	ATA:28
PN:963.04.23.105	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:4459	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
280115	LH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:975.37.31.335	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2183	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
280120	RH FUEL QUANTITY, TANK HARNESS							Component	ATA:28
PN:975.37.31.335	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2182	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 30 - ICE AND RAIN PROTECTION									
30-10-02-00A-901A-A	EJECTOR FLOW CONTROL VALVE MAINTENANCE PRACTICES							Service	ATA:30
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 30-10-02									
30-10/154 ^S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service	ATA:30
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 30-10-00									
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service	ATA:30
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 30-20-00									
							PKG:3		
							WO#: FL7 MIP 2023-00X		
							PKG:5		
							WO#: FL7 MIP 2023-00X		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-10/260^S FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:30
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
								PROC. REF: AMM 30-10-00, AMM 30-10-00
								PKG:6 WO#: FL7 MIP 2023-00X
30-10/79 APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1								
	MOS	24-May-23	6 (+10%/-10%)	Adj -21d	03-Nov-23	21-Nov-23	24 d (+18)	Service ATA:30
	HRS	850:44						
WC#: 30.010	AFL	670						
								PROC. REF: GENERIC NO REF
								WO#: FL7 MIP 2023-00X
30-20/156^S EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED								
	MOS	15-Jun-23	12 (+10%/-10%)					Service ATA:30
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
Special Properties: CMT ITEM								PROC. REF: GENERIC NO REF
								PKG:3 WO#: FL7 MIP 2023-00X
30-20/261^S EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:30
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
								PROC. REF: GENERIC NO REF
								PKG:6 WO#: FL7 MIP 2023-00X
30-30/329^S FUNCTIONAL TEST PROBES DE-ICE SYSTEM								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:30
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
								PROC. REF: AMM 30-30-20
								PKG:5 WO#: FL7 MIP 2023-00X
30-40/262^S OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM								
	MOS	01-Oct-21	24 (+10%/-10%)					Service ATA:30
	HRS	7:18	2400 (+10%/-10%)					
	AFL	12						
								PROC. REF: AMM 30-40-00
								PKG:7 WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-60/158^S INSPECTION/CHECK PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
					PROC. REF: AMM 30-60-00, AMM 30-60-00			PKG:5 WO#: FL7 MIP 2023-00X
30-60/159^S OPERATIONAL TEST PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
					PROC. REF: AMM 30-60-00, AMM 30-60-00, AMM 30-60-00, AMM 30-60-00			PKG:5 WO#: FL7 MIP 2023-00X
300005 PROP DE-ICE CONTROLLER Component ATA:30								
PN:968.29.13.227	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:U4324	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
					PROC. REF: GENERIC NO REF			
300010 LPMI LINEAR ACTUATOR Component ATA:30								
PN:978.73.15.302	MOS/MSC	03-May-22	O/C		09-Sep-24 (M)		335 d	
SN:F48746	HRS	96:52						
WC#: 30.150	AFL	87						
					PROC. REF: GENERIC NO REF			
300015 REGULATOR-RELIEVER ASSY Component ATA:30								
PN:959.89.01.012	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:N191659	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
					PROC. REF: GENERIC NO REF			
300020 L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:959.89.01.008	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:N191706	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
					PROC. REF: AMM 30-10-02			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300025 L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:959.89.01.008	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:N191705	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300035 L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:959.89.01.008	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:N191752	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300040 L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE Component ATA:30								
PN:959.89.01.008	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:N191950	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02								
300045 EMPENAGE PRESSURE GAGE SWITCH Component ATA:30								
PN:973.81.14.312	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:10067	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300050 WATER SEPARATOR Component ATA:30								
PN:959.89.01.010	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:N191774	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
300055 DE-ICING SYSTEM TIMER Component ATA:30								
PN:959.89.01.044	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:UA544	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 30-60-01								
300060 LEFT WINDSHIELD DE ICE CONTROLLER Component ATA:30								
PN:972.81.32.202	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:140061	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300065 RIGHT WINDSHIELD DE ICE CONTROLLER Component ATA:30								
PN:972.81.32.202	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:140064	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01								
300090 LH HORIZ STAB DE-ICER BOOT Component ATA:30								
PN:959.89.01.041	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:NEY6890	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 30-16-01								
300095 RH HORIZ STAB DE-ICER BOOT Component ATA:30								
PN:959.89.01.042	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:NEY6930	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 30-16-01								
300100 RH INBD-WING DE-ICER BOOT Component ATA:30								
PN:959.89.01.038	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:NEZ8510	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-14-01								
300105 RH OUTBD-WING DE-ICER BOOT Component ATA:30								
PN:959.89.01.040	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:NEY9240	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 30-14-01								
300110 LH AOA PLATE TEMP CONTROLLER Component ATA:30								
PN:975.44.21.418	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:UH654	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 30-30-21								
300115 LH INBD-WING DE-ICER BOOT Component ATA:30								
PN:959.89.01.037	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:NEZ2950	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 30-14-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
300120		LH OUTBD-WING DE-ICER BOOT					Component	ATA:30	
PN:959.89.01.039	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:NEZ7870	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-14-01									
300125		RH AOA PLATE TEMP CONTROLLER					Component	ATA:30	
PN:975.44.21.418	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UH632	HRS	0		TSN 0					
WC#: 30.170	AFL	0		TSN 0					
PROC. REF: AMM 30-30-21									
300130		S601 LOWER SURF.INBD.WING PRESSURE,GAGE SWITCH					Component	ATA:30	
PN:973.81.14.312	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:10026	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300135		S600 UPPER SURF.INBD.WING PRESSURE,GAGE SWITCH					Component	ATA:30	
PN:973.81.14.312	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:10037	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300140		S602 LOWER SURF.OUTBD.WING PRESSURE,GAGE SWITCH					Component	ATA:30	
PN:973.81.14.312	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:10015	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300145		S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH					Component	ATA:30	
PN:973.81.14.312	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:10019	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
300150		L602 EMPENAGE EJECTOR FLOW CONTROL VALVE					Component	ATA:30	
PN:959.89.01.008	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:N191753	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: AMM 30-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-00/CFR TEST/INSPECT COPILOT ALTIMETER (14 CFR 91.411) Service ATA:31								
	MOS/MSC	31-Oct-19	N/A					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF, CFR CFR 91.411							WO#: FL7 MIP 2023-00X	
31-00/CFR TEST/INSPECT PILOT ALTIMETER (14 CFR 91.411) Service ATA:31								
	MOS/MSC	01-Oct-21	N/A					
	HRS	7:18						
	AFL	12						
PROC. REF: GENERIC NO REF, CFR CFR 91.411							WO#: FL7 MIP 2023-00X	
31-30/421^S OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED) Service ATA:31								
PN:985.99.20.146	MOS	18-Nov-22	12 (+10%/-10%)					
SN:2017530	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
PROC. REF: AMM 31-30-01							PKG:6 WO#: FL7 MIP 2023-00X	
310050 DIGITAL CLOCK Component ATA:31								
PN:999.61.11.214	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:24894	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 31-20-12								
310070 CO-PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:985.99.12.178	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:KMC2210-3541	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
310075 NO. 1 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:985.99.12.051	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:1905G569	HRS	0		TSN 0				
WC#: 31.240	AFL	0		TSN 0				
PROC. REF: AMM 31-42-00								
310077 NO. 2 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:985.99.12.051	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:1906G587	HRS	0		TSN 0				
WC#: 31.270	AFL	0		TSN 0				
PROC. REF: AMM 31-42-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310080 NO. 2 RH MAU SINGLE NETWORK I/F CARD Component ATA:31								
PN:985.99.12.231	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:1907P351	HRS	0			TSN 0			
WC#: 31.160	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310085 OVERHEAD CONTROL BASIC PANEL Component ATA:31								
PN:972.81.21.155	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:0951	HRS	0			TSN 0			
WC#: 31.260	AFL	0			TSN 0			
PROC. REF: AMM 31-10-00								
310090 KMC2220 MF CONTOLLER Component ATA:31								
PN:985.99.12.189	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:KMC2220-2401	HRS	0			TSN 0			
WC#: 31.170	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310095 PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:985.99.12.178	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:KMC2210-3540	HRS	0			TSN 0			
WC#: 31.180	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310100 NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE Component ATA:31								
PN:985.99.12.190	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:1906T987	HRS	0			TSN 0			
WC#: 31.230	AFL	0			TSN 0			
PROC. REF: AMM 31-42-00								
310102 NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE Component ATA:31								
PN:985.99.12.190	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:1907U136	HRS	0			TSN 0			
WC#: 31.230	AFL	0			TSN 0			
PROC. REF: AMM 31-42-00								
310105 MODULAR AVIONICS ,12SLOT UNIT Component ATA:31								
PN:985.99.12.147	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:1906A712	HRS	0			TSN 0			
WC#: 31.150	AFL	0			TSN 0			
PROC. REF: AMM 31-41-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310110		NO. 1 LH MAU SINGLE NETWORK I/F CARD						Component	ATA:31
PN:985.99.12.231	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:1907P350	HRS	0			TSN 0				
WC#: 31.160	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310115		NO. 1 LH MAU POWER SUPPLY MODULE						Component	ATA:31
PN:985.99.12.346	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:19068428	HRS	0			TSN 0				
WC#: 31.220	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310120		NO. 2 RH MAU POWER SUPPLY MODULE						Component	ATA:31
PN:985.99.12.346	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:19068449	HRS	0			TSN 0				
WC#: 31.220	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310125		MAU DUAL GENERIC I/O MODULE						Component	ATA:31
PN:985.99.12.252	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:19052581	HRS	0			TSN 0				
WC#: 31.250	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310130		MAU CUSTOM I/O MODULE DUAL CH UNIT						Component	ATA:31
PN:985.99.12.251	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:19062298	HRS	0			TSN 0				
WC#: 31.140	AFL	0			TSN 0				
PROC. REF: AMM 31-42-00									
310135		CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY						Component	ATA:31
PN:985.99.12.371	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:2890021274	HRS	0			TSN 0				
WC#: 31.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
310140		UPPER MFD KDU 1080 FLAT PANEL DISPLAY						Component	ATA:31
PN:985.99.12.371	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:2890022317	HRS	0			TSN 0				
WC#: 31.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310145 PILOT PFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:985.99.12.371	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:2890019704	HRS	0			TSN 0			
WC#: 31.190	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310150 LOWER MFD KDU 1080 FLAT PANEL DISPLAY Component ATA:31								
PN:985.99.12.371	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:2890022239	HRS	0			TSN 0			
WC#: 31.190	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310155 REV CTL PNL,4-POT DISPLAY Component ATA:31								
PN:972.81.21.120	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:0333	HRS	0			TSN 0			
WC#: 31.130	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310160 NO. 1 LH AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:985.83.14.204	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:40839235	HRS	0			TSN 0			
WC#: 31.210	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310165 NO. 2 RH AIRCRAFT PERSONALITY MODULE Component ATA:31								
PN:985.83.14.204	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:40840053	HRS	0			TSN 0			
WC#: 31.210	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310167 CC-500 CONTROL UNIT Component ATA:31								
PN:985.99.12.202	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:55217	HRS	0			TSN 0			
WC#: 31.280	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
310170 CCD INTERNAL ELECTRICAL ASSEMBLY Component ATA:31								
PN:985.99.12.328	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:0366	HRS	0			TSN 0			
WC#: 31.290	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310175	REAR CENTRE CONS PNL PC-12 47/E							Component	ATA:31
PN:972.81.21.154	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0955	HRS	0		TSN 0					
WC#: 31.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
310177	MIDDLE CENTRE CONS PANEL							Component	ATA:31
PN:972.81.21.146	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0942	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
310180	COCKPIT AREA MICROPHONE							Component	ATA:31
PN:985.99.20.137	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:002012948	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-30-02									
310185	COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT							Component	ATA:31
PN:985.99.20.146	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2017530	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-30-01									
ATA 32 - LANDING GEAR									
32-10/162 ^S	LUBRICATE MAIN LANDING GEAR							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 12-20-04									
32-10/163 ^S	EXAMINE MAIN LANDING GEAR LEGS							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									

PKG:5
WO#: FL7 MIP 2023-00X

PKG:5
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/164^S EXAMINE MAIN LANDING GEAR COMPARTMENTS Service ATA:32								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:5 WO#: FL7 MIP 2023-00X
32-10/165^S CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE Service ATA:32								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
				PROC. REF: AMM 32-10-00				PKG:5 WO#: FL7 MIP 2023-00X
32-10/263^S EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS Service ATA:32								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X
32-10/315 MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK Service ATA:32								
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	
	HRS	581:52	2400 (+10%/-10%)		2981:52	3221:52	1946:03 (+240)	
WC#: 32.010	AFL	455						
				PROC. REF: AMM 32-10-00, AMM 32-10-00				WO#: FL7 MIP 2023-00X
32-10/345 LEFT MAIN LANDING GEAR ASSEMBLY Component ATA:32								
PN:532.10.12.055	MOS/MSC	31-Oct-19	N/A	TSN 0				
SN:SI-1250	HRS	0		TSN 0				
WC#: 32.070	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
32-10/345 RIGHT MAIN LANDING GEAR ASSEMBLY Component ATA:32								
PN:532.10.12.056	MOS/MSC	31-Oct-19	N/A	TSN 0				
SN:SI-1250	HRS	0		TSN 0				
WC#: 32.070	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/346	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
	AFL	0	T:30000		30000		29187		
PROC. REF: AMM NO REF									
32-10/346	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
WC#: 32.215	AFL	0	T:30000		30000		29187		
PROC. REF: AMM NO REF									
32-10/347	LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
	AFL	0	T:30000		30000		29187		
PROC. REF: GENERIC NO REF									
32-10/347	RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
WC#: 32.220	AFL	0	T:30000		30000		29187		
PROC. REF: GENERIC NO REF									
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52							
	AFL	455							
PROC. REF: AMM 32-10-00, AMM 32-10-00								WO#: FL7 MIP 2023-00X	
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00, AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-10/439	EXAMINE LEFT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	01-Oct-21	72		01-Oct-27		1452 d		
	HRS	7:18							
	AFL	12							
PROC. REF: AMM 32-10-00									
32-10/439	EXAMINE RIGHT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	01-Oct-21	72		01-Oct-27		1452 d		
	HRS	7:18							
	AFL	12							
PROC. REF: AMM 32-10-00									
32-10/440	EXAMINE LEFT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/440	EXAMINE RIGHT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/441	EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	31-Oct-19	120		31-Oct-29		2213 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									
32-10/441	EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS							Service	ATA:32
	MOS	31-Oct-19	120		31-Oct-29		2213 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/80		LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS						Service	ATA:32
PN:40-424	MOS/MSC	18-Nov-22	12 (+10%/-10%) / T/C		18-Nov-23	24-Dec-23	39 d (+36)		
SN:4223/4242	HRS	581:52							
	AFL	455							
PROC. REF: AMM 12-20-06								WO#: FL7 MIP 2023-00X	
32-10/80		LUBRICATE NOSE WHEEL BEARINGS						Service	ATA:32
PN:959.56.02.302	MOS/MSC	18-Nov-22	12 (+10%/-10%) / T/C	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
SN:1941	HRS	581:52							
	AFL	455							
PROC. REF: AMM 12-20-06								WO#: FL7 MIP 2023-00X	
32-10/80		LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS						Service	ATA:32
PN:40-424	MOS/MSC	18-Nov-22	12 (+10%/-10%) / T/C		18-Nov-23	24-Dec-23	39 d (+36)		
SN:4259/4240	HRS	581:52							
	AFL	455							
PROC. REF: AMM 12-20-06								WO#: FL7 MIP 2023-00X,FL7 MIP 2023-004	
32-20/166 ^S		CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE						Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 32-20-00								PKG:5 WO#: FL7 MIP 2023-00X	
32-20/167 ^S		LUBRICATE NOSE LANDING GEAR						Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 12-20-04								PKG:5 WO#: FL7 MIP 2023-00X	
32-20/168 ^S		EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.						Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF								PKG:5 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/169^S EXAMINE NOSE LANDING GEAR COMPARTMENT								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:32
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:5 WO#: FL7 MIP 2023-00X
32-20/265^S EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:32
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X
32-20/335 NOSE LANDING GEAR TORQUE TUBE								
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:32
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.190	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
32-20/338 INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK								
PN:PN	MOS/MSC	31-Oct-19	N/A					Service ATA:32
SN:UNKNOWN	HRS	0						
WC#: 32.195	AFL	0						
				PROC. REF: AMM 32-20-06				
32-20/403 NOSE LANDING GEAR - OVERHAUL								
PN:PN	MOS	31-Oct-19		TSN 0				Component ATA:32 OVERHAUL
SN:UNKNOWN	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	23964:11 (+500)	
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	29187 (+500)	
				PROC. REF: GENERIC NO REF				
32-20/416 NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK								
PN:PN	MOS	31-Oct-19		TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		23964:11	
WC#: 32.225	AFL	0	30000	TSN 0	30000		29187	
				PROC. REF: AMM 32-20-05				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/170 FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM								
	MOS/MSC	18-Nov-22	N/A					Service ATA:32
	HRS	581:52						
	AFL	455						
Special Properties: CMT ITEM			PROC. REF: AMM 32-30-00			WO#: FL7 MIP 2023-00X		
32-30/423 LEFT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:959.56.01.823	MOS	31-Oct-19		TSN 0				Component ATA:32
SN:947	HRS	0		TSN 0				LIFE LIMIT
	AFL	0	30000	TSN 0	30000		29187	
			PROC. REF: AMM 32-30-01, AMM 32-30-02					
32-30/423 NOSE LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:959.56.01.824	MOS	31-Oct-19		TSN 0				Component ATA:32
SN:403	HRS	0		TSN 0				LIFE LIMIT
	AFL	0	30000	TSN 0	30000		29187	
			PROC. REF: AMM 32-30-01, AMM 32-30-02					
32-30/423 RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:959.56.01.823	MOS	31-Oct-19		TSN 0				Component ATA:32
SN:951	HRS	0		TSN 0				LIFE LIMIT
	AFL	0	30000	TSN 0	30000		29187	
			PROC. REF: AMM 32-30-01, AMM 32-30-02					
32-30/424 OPERATIONAL TEST EMERGENCY GEAR EXTENSION SYSTEM - ELECTRO MECHANICAL LANDING GEAR ONLY								
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	Service ATA:32
	HRS	581:52	2000		2581:52		1546:03	
	AFL	455						
Special Properties: CMT ITEM			PROC. REF: AMM 32-30-10			WO#: FL7 MIP 2023-00X		
32-30/425^S EXAMINE ELECTRO MECHANICAL LANDING GEAR EXTENSION AND RETRACTION MECHNAISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:32
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
Special Properties: CMT ITEM			PROC. REF: GENERIC NO REF			PKG:5 WO#: FL7 MIP 2023-00X		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/426	FUNCTION TEST TIME DELAY RELAYS AND POWER CONTACTORS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52	2000		2581:52		1546:03		
	AFL	455							
Special Properties: CMT ITEM		PROC. REF: AMM 32-30-08					WO#: FL7 MIP 2023-00X		
32-30/429	CHECK MAIN LANDING GEAR SPRING STRUT - LOOSEN AND MOVE THE SPRING STRUT COVER TO EXAMINE THE SPRINGS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52	2000		2581:52		1546:03		
	AFL	455							
		PROC. REF: AMM 32-10-06					WO#: FL7 MIP 2023-00X		
32-30/435	DISCARD LEFT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	11187 (+500)		
		PROC. REF: AMM 32-30-01, AMM 32-30-02							
32-30/435	DISCARD NOSE LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	11187 (+500)		
		PROC. REF: AMM 32-30-01, AMM 32-30-02							
32-30/435	DISCARD RIGHT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	11187 (+500)		
		PROC. REF: AMM 32-30-01, AMM 32-30-02							
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
		PROC. REF: AMM 32-10-00, AMM 32-10-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-10-00, AMM 32-10-00									
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	31-Oct-19	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	31-Oct-19	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									
								PKG:5	
								WO#: FL7 MIP 2023-00X	
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 12-10-04									
								PKG:3	
								WO#: FL7 MIP 2023-00X	
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									
								PKG:5	
								WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/174^S EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE Service ATA:32								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: AMM 12-10-04				PKG:3 WO#: FL7 MIP 2023-00X
32-40/175^S EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING. Service ATA:32								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: GENERIC NO REF				PKG:3 WO#: FL7 MIP 2023-00X
32-40/176^S CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY Service ATA:32								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: AMM 12-10-02				PKG:3 WO#: FL7 MIP 2023-00X
32-50/404 EXAMINE - NLG STEERING MECHANISM Service ATA:32								
	MOS	31-Oct-19						
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)	
WC#: 32.230	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)	
				PROC. REF: AMM 32-50-00				
320005 PILOT LH BRAKE MASTER CYLINDER Component ATA:32								
PN:959.47.51.131	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:7842	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
				PROC. REF: AMM 32-40-04				
320010 PILOT RH BRAKE MASTER CYLINDER Component ATA:32								
PN:959.47.51.131	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:7833	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
				PROC. REF: AMM 32-40-04				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320015		PARK BRAKE VALVE						Component	ATA:32
PN:959.47.51.121	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3238	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: AMM 32-40-05									
320020		NOSE WHEEL						Component	ATA:32
PN:959.56.02.302	MOS/MSC	18-Nov-22	O/C	TSN 37					
SN:1941	HRS	581:52		TSN 581:52					
WC#: 32.150	AFL	455		TSN 455					
PROC. REF: AMM 32-40-02									
WO#: FL7 MIP 2023-00X									
320021		NOSE LANDING GEAR TIRE						Component	ATA:32
PN:PN	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.155	AFL	0		TSN 0					
PROC. REF: AMM 32-40-02									
320022		LEFT MAIN LANDING GEAR WHEEL						Component	ATA:32
PN:40-424	MOS/MSC	18-Nov-22	O/C						
SN:4223/4242	HRS	581:52							
WC#: 32.160	AFL	455							
PROC. REF: AMM 32-40-01									
WO#: FL7 MIP 2023-00X									
320023		LEFT MAIN LANDING GEAR TIRE						Component	ATA:32
PN:025-350-0	MOS/MSC	18-Nov-22	O/C	TSN 0					
SN:1319T00329	HRS	581:52		TSN 0					
WC#: 32.160	AFL	455		TSN 0					
PROC. REF: AMM 32-40-01									
320024		RIGHT MAIN LANDING GEAR WHEEL						Component	ATA:32
PN:40-424	MOS/MSC	18-Nov-22	O/C	TSR 3					
SN:4259/4240	HRS	581:52		TSR 239:02					
WC#: 32.165	AFL	455		TSR 173					
PROC. REF: AMM 32-40-01									
WO#: FL7 MIP 2023-00X,FL7 MIP 2023-004									
320025		SHIMMY DAMPER ASSY						Component	ATA:32
PN:532.20.12.215	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:SI-0601	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-50-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320026		RIGHT MAIN LANDING GEAR TIRE					Component	ATA:32	
PN:025-350-0	MOS/MSC	03-Aug-22	O/C	TSN 0					
SN:2040T00285	HRS	342:50		TSN 0					
WC#: 32.165	AFL	282		TSN 0					
PROC. REF: AMM 32-40-01							WO#: FL7 MIP 2023-004		
320030		COPILOT LH BRAKE MASTER CYLINDER					Component	ATA:32	
PN:959.47.51.131	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:7838	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320035		COPILOT RH BRAKE MASTER CYLINDER					Component	ATA:32	
PN:959.47.51.131	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:7841	HRS	0		TSN 0					
WC#: 32.120	AFL	0		TSN 0					
PROC. REF: AMM 32-40-04									
320040		NOSE FOLDING STRUT SPRING PACK ASSY					Component	ATA:32	
PN:532.20.12.305	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:SI-0200	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: AMM 32-50-02									
320045		NOSE LANDING GEAR STRUT ASSY					Component	ATA:32	
PN:532.20.12.044	MOS/MSC	07-Mar-22	O/C	TSN 29, TSR 0					
SN:SI-1239	HRS	28:30		TSN 28:30, TSR 0					
WC#: 32.090	AFL	32		TSN 32, TSR 0					
PROC. REF: AMM 32-50-02									
320055		RIGHT SHOCK ABSORBER ASSY					Component	ATA:32	
PN:532.10.12.230	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:SI-1148	HRS	0		TSN 0					
WC#: 32.060	AFL	0		TSN 0					
PROC. REF: AMM 32-10-03, AMM 32-10-03									
320060		LH BRAKE ASSY					Component	ATA:32	
PN:959.56.01.517	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3959	HRS	0		TSN 0					
WC#: 32.050	AFL	0		TSN 0					
PROC. REF: AMM 32-40-03, AMM 32-40-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320065 INNER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:4223	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 32-40-01								
320066 OUTER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:4242	HRS	0		TSN 0				
WC#: 32.205	AFL	0		TSN 0				
PROC. REF: AMM 32-40-01								
320080 LEFT SHOCK ABSORBER ASSY								Component ATA:32
PN:532.10.12.230	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:SI-1150	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 32-10-03, AMM 32-10-03								
320085 RH BRAKE ASSY								Component ATA:32
PN:959.56.01.517	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:3963	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 32-40-03, AMM 32-40-03								
320090 INNER RIGHT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	03-Aug-22	O/C	TSR 0				
SN:4240	HRS	342:50		TSR 0				
WC#: 32.110	AFL	282		TSR 0				
PROC. REF: AMM 32-40-01								
320091 OUTER RIGHT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	03-Aug-22	O/C	TSR 0				
SN:4259	HRS	342:50		TSR 0				
WC#: 32.210	AFL	282		TSR 0				
PROC. REF: AMM 32-40-01								
320104 NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:7959	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320105 MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:7957	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
320115 NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:7969	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
320120 MAIN LANDING GEAR 72A74-01 LH "UP" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:7941	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
320140 INTERMEDIATE CABLE ASSY								Component ATA:32
PN:959.56.01.843	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:16	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10								
320140 MAIN GEAR CABLE ASSY								Component ATA:32
PN:959.56.01.814	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:00503	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10								
320140 NOSE GEAR CABLE ASSY								Component ATA:32
PN:959.56.01.815	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:00476	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-10, AMM 32-30-10, AMM 32-30-10								
320145 EXTENSION GEAR EMERGENCY HANDLE								Component ATA:32
PN:959.56.01.838	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:00569	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320150	FRONT HIGH CURRENT RELAY							Component	ATA:32
PN:974.09.26.112	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1343	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320150	REAR HIGH CURRENT RELAY							Component	ATA:32
PN:974.09.26.112	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1337	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320155	LEFT HAND SPRING PACK ASSY							Component	ATA:32
PN:532.34.12.120	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:970	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320155	RIGHT HAND SPRING PACK ASSY							Component	ATA:32
PN:532.34.12.120	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:976	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320160	MLG L/H WOW NLG UP SWITCH ASSY							Component	ATA:32
PN:532.69.21.026	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3609	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
320160	MLG R/H WOW NLG UP SWITCH ASSY							Component	ATA:32
PN:532.69.21.026	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3617	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320170	LEFT MLG AXLE TRAILING LINK							Component	ATA:32
PN:PN	MOS/MSC	31-Oct-19	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
	ACH	0							
PROC. REF: GENERIC NO REF									
320175	RIGHT MLG AXLE TRAILING LINK							Component	ATA:32
PN:PN	MOS/MSC	31-Oct-19	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
	ACH	0							
PROC. REF: GENERIC NO REF									
ATA 33 - LIGHTS									
33-40/177 ^S	OPERATIONAL TEST EXTERIOR LIGHTING							Service	ATA:33
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 33-40-00									
PKG:3 WO#: FL7 MIP 2023-00X									
33-41/178 ^S	EXAMINE LANDING LIGHTS							Service	ATA:33
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 33-41-01									
PKG:3 WO#: FL7 MIP 2023-00X									
33-42/179 ^S	EXAMINE TAXI LIGHTS							Service	ATA:33
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 33-42-01									
PKG:3 WO#: FL7 MIP 2023-00X									
33-43/180 ^S	EXAMINE NAVIGATION AND STROBE LIGHTS							Service	ATA:33
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-44/181 ^S		EXAMINE RECOGNITION LIGHTS (IF INSTALLED)						Service	ATA:33
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
					PROC. REF: AMM 33-44-00			PKG:3 WO#: FL7 MIP 2023-00X	
33-46/182 ^S		EXAMINE BEACON LIGHTS (IF INSTALLED)						Service	ATA:33
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
					PROC. REF: GENERIC NO REF			PKG:3 WO#: FL7 MIP 2023-00X	
330005		DIM UNIT						Component	ATA:33
PN:975.02.15.205	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:140188	HRS	0		TSN 0					
WC#: 33.080	AFL	0		TSN 0					
					PROC. REF: AMM 33-10-04				
330010		DE-ICE LIGHT ASSY						Component	ATA:33
PN:972.87.67.111	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:4618244	HRS	0		TSN 0					
WC#: 33.010	AFL	0		TSN 0					
					PROC. REF: GENERIC NO REF				
330025		TOP SIDE ANTI COLLISION RED LIGHT ASSY						Component	ATA:33
PN:972.87.87.347	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:209053-8-27	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
					PROC. REF: AMM 33-46-00				
330030		BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY						Component	ATA:33
PN:972.87.87.347	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:209053-8-15	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
					PROC. REF: AMM 33-46-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330040 LEFT HAND WING TIP WARNING LIGHT ASSEMBLY								Component ATA:33
PN:972.87.87.344	MOS/MSC	18-Jan-22	O/C	TSN 0				
SN:234723-2-20	HRS	8:12		TSN 0				
WC#: 33.030	AFL	13		TSN 0				
PROC. REF: AMM 33-43-02								
330045 RH WING POWER SUPPLY UNIT								Component ATA:33
PN:972.87.87.179	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:209682-2-27	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 33-43-03								
330050 RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY								Component ATA:33
PN:972.87.87.345	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:209053-6-26	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: AMM 33-43-02								
330070 NOSE LANDING GEAR TAXI LIGHT								Component ATA:33
PN:972.87.69.430	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:209053-1-14	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 33-42-01								
330075 L/H 1X0005287-10 LANDING LIGHT								Component ATA:33
PN:972.87.69.432	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:209053-3-36	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 33-41-01								
330076 R/H 1X0005287-10 LANDING LIGHT								Component ATA:33
PN:972.87.69.432	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:209053-3-18	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: AMM 33-41-01								
330085 LEFT HAND RECOGNITION LED LIGHT								Component ATA:33
PN:972.87.69.431	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:209682-1-46	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-44-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330085	RIGHT HAND RECOGNITION LED LIGHT							Component	ATA:33
PN:972.87.69.431	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:209682-1-86	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 33-44-00									
ATA 34 - NAVIGATION									
34-00/183 ^S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service	ATA:34
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: GENERIC NO REF									
PKG:7 WO#: FL7 MIP 2023-00X									
34-00/184 ^S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service	ATA:34
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									
34-11/185 ^S	EXAMINE PITOT TUBE							Service	ATA:34
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									
34-11/186 ^S	EXAMINE STATIC PORTS							Service	ATA:34
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service	ATA:34
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 34-11-00									
PKG:6 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service	ATA:34
	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
	HRS	7:18							
WC#: 34.565	AFL	12							
	PROC. REF: AMM 34-11-12							WO#: FL7 MIP 2023-00X	
34-11/82	LEAK CHECK STATIC SYSTEM							Service	ATA:34
	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
	HRS	7:18							
WC#: 34.010	AFL	12							
	PROC. REF: AMM 34-11-00							WO#: FL7 MIP 2023-00X	
34-11/CFR	PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)							Service	ATA:34
	MOS/MS	01-Oct-21	N/A						
	HRS	7:18							
	AFL	12							
	PROC. REF: GENERIC NO REF, CFR CFR 91.411								
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED)							Service	ATA:34
	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
	HRS	7:18							
WC#: 34.560	AFL	12							
	PROC. REF: AMM 34-21-00							WO#: FL7 MIP 2023-00X	
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM)							Service	ATA:34
	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
	HRS	7:18							
WC#: 34.570	AFL	12							
	PROC. REF: AMM 34-14-00							WO#: FL7 MIP 2023-00X	
34-26/484	CHECK SWING ESIS MAGNETIC HEADING REFERENCE SYSTEM (IF INSTALLED)							Service	ATA:34
	MOS	01-Oct-21	24 (+10%/-10%)	Adj 30d	31-Oct-23	12-Jan-24	21 d (+73)		
	HRS	7:18							
	AFL	12							
	PROC. REF: AMM 34-26-40							WO#: FL7 MIP 2023-00X	
34-54/86	FUNCTIONAL TEST TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS)							Service	ATA:34
	MOS	10-Feb-22	24 (+10%/-10%)		10-Feb-24	22-Apr-24	123 d (+72)		
	HRS	8:12							
WC#: 34.050	AFL	13							
	PROC. REF: AMM 34-54-00, AMM 34-54-00, AMM 34-54-10, AMM 34-54-10							WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-54/CFR TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)								
	MOS/MSC	10-Feb-22	N/A					Service ATA:34
	HRS	8:12						
	AFL	13						
					PROC. REF: GENERIC NO REF			WO#: FL7 MIP 2023-00X
34-54/CFR TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)								
	MOS/MSC	10-Feb-22	N/A					Service ATA:34
	HRS	8:12						
	AFL	13						
					PROC. REF: GENERIC NO REF			WO#: FL7 MIP 2023-00X
340010 DME/IFF ANTENNA								
PN:984.81.10.240	MOS/MSC	31-Oct-19	O/C		TSN 0			Component ATA:34
SN:261-131224	HRS	0			TSN 0			
WC#: 34.080	AFL	0			TSN 0			
					PROC. REF: AMM 34-52-02			
340020 MARKER ANTENNA								
PN:984.81.10.260	MOS/MSC	31-Oct-19	O/C		TSN 0			Component ATA:34
SN:101-8822	HRS	0			TSN 0			
WC#: 34.100	AFL	0			TSN 0			
					PROC. REF: AMM 34-32-01			
340055 WITH HARM FILTER,KN63 DME								
PN:985.99.11.101	MOS/MSC	31-Oct-19	O/C		TSN 0			Component ATA:34
SN:43335	HRS	0			TSN 0			
WC#: 34.200	AFL	0			TSN 0			
					PROC. REF: AMM 34-52-01			
340075 WX,VERTICAL ANTENNA								
PN:985.99.11.504	MOS/MSC	31-Oct-19	O/C		TSN 0			Component ATA:34
SN:8879	HRS	0			TSN 0			
WC#: 34.370	AFL	0			TSN 0			
					PROC. REF: AMM 34-41-12			
340080 TRANSPONDER DME/IFF ANTENNA								
PN:984.81.10.240	MOS/MSC	31-Oct-19	O/C		TSN 0			Component ATA:34
SN:261-131209	HRS	0			TSN 0			
WC#: 34.080	AFL	0			TSN 0			
					PROC. REF: AMM 34-54-03			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340085		ADF,KA44B ANTENNA						Component	ATA:34
PN:985.99.11.167	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KA44B-A95940	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-53-02									
340100		FRONT KA92 ANTENNA						Component	ATA:34
PN:985.99.11.200	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:49315342	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-57-02									
340101		REAR KA92 GPS ANTENNA						Component	ATA:34
PN:985.99.11.200	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:49315328	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 34-57-02									
340131		KCM 805 CONFIGURATION MODULE						Component	ATA:34
PN:985.99.11.884	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:21255	HRS	0		TSN 0					
WC#: 34.410	AFL	0		TSN 0					
PROC. REF: AMM 34-25-03									
340135		STANDBY MAGNETIC COMPASS						Component	ATA:34
PN:999.98.80.103	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:AT-1665	HRS	0		TSN 0					
WC#: 34.130	AFL	0		TSN 0					
PROC. REF: AMM 34-21-00									
340140		RADOME						Component	ATA:34
PN:985.79.00.005	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1019	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
PROC. REF: AMM 34-41-05, AMM 34-41-02									
340145		ANTENNA,VHF NAV COUPLER						Component	ATA:34
PN:984.81.10.412	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:9895	HRS	0		TSN 0					
WC#: 34.160	AFL	0		TSN 0					
PROC. REF: AMM 23-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340155 LEFT SIDE RAD ALT,S67-2002 ANTENNA								Component ATA:34
PN:984.81.29.101	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:543-95007	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-42-02								
340160 RIGHT SIDE RAD ALT,S67-2002 ANTENNA								Component ATA:34
PN:984.81.29.101	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:543-95009	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-42-02								
340161 BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA								Component ATA:34
PN:985.99.11.869	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:32328	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
340162 TOP DIRECTIONAL KA815 - IHAS ANTENNA								Component ATA:34
PN:985.99.11.869	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:32314	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
340170 ALTIMETER,RADAR,KRA405B TRANSMITTER								Component ATA:34
PN:985.99.11.524	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:KRA405B-21255	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-42-01								
340220 STORMSCOPE WX-500 PROCESSOR								Component ATA:34
PN:985.99.18.006	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:104555	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 34-41-31								
340235 AOA SENSOR RH UNIT								Component ATA:34
PN:975.44.21.424	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:2155	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340245	CONFIGURATION MODULE INSTLN,ART2000 KIT							Component	ATA:34
PN:PN	MOS/MSC	17-Aug-22	O/C	TSR 0					
SN:P1031	HRS	367:52		TSR 0					
WC#: 34.490	AFL			TSR 0					
PROC. REF: GENERIC NO REF									
340255	AOA SENSOR LH UNIT							Component	ATA:34
PN:975.44.21.423	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2048	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340265	DME/IFF--ATC DIV. ANTENNA							Component	ATA:34
PN:984.81.10.240	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:261-131210	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: AMM 34-54-03									
340280	OUTBOARD KMG 7010 MAGNETOMETER							Component	ATA:34
PN:985.99.12.114	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KMG7010-6023	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340285	INBOARD KMG 7010 MAGNETOMETER							Component	ATA:34
PN:985.99.12.114	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KMG7010-6022	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM 34-25-02, AMM 34-25-02									
340290	KMH920 TAWS B,TCAS 1 UNIT							Component	ATA:34
PN:985.99.11.887	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KMH920-B2115	HRS	0		TSN 0					
WC#: 34.545	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
340310	NO. 2 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KXP2290A-4098	HRS	0		TSN 0					
WC#: 34.540	AFL	0		TSN 0					
PROC. REF: AMM 34-54-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340315	NO. 1 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:KXP2290A-4137	HRS	0			TSN 0				
WC#: 34.540	AFL	0			TSN 0				
PROC. REF: AMM 34-54-01									
340320	LH OAT SENSOR							Component	ATA:34
PN:534.13.12.025	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:06915	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340325	RH OAT SENSOR							Component	ATA:34
PN:534.13.12.025	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:0927	HRS	0			TSN 0				
WC#: 34.525	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340330	KSG 7200 DUAL CHANNEL AD AHRS UNIT							Component	ATA:34
PN:065-00188-5105	MOS/MSC	14-Sep-22	O/C						
SN:KSG7200-B2620	HRS	445:43							
WC#: 34.505	AFL	356							
PROC. REF: AMM 34-25-01									
340355	LH NAV/WHITE ANTENNA							Component	ATA:34
PN:984.81.10.280	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:168-12741	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
340357	RH NAV/WHITE ANTENNA							Component	ATA:34
PN:984.81.10.280	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:168-12742	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
341035	NO. 1 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:985.99.12.253	MOS/MSC	31-Oct-19	O/C		TSN 0				
SN:KGS200-4153	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-57-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341037	NO. 2 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:985.99.12.253	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KGS200-4144	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-01									
341039	MAG-3100 MAGNETOMETER							Component	ATA:34
PN:985.90.03.058	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:81172	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-26-45, AMM 34-26-45									
341045	ESI-1000 STANDBY SYSTEM							Component	ATA:34
PN:975.96.11.247	MOS/MSC	16-Feb-23	O/C	TSR 0					
SN:2128	HRS	711:08		TSR 0					
	AFL	554		TSR 0					
PROC. REF: GENERIC NO REF									
ATA 35 - OXYGEN									
26C001 ^U	LIFE LIMIT PROTECTIVE BREATHING EQUIPMENT PBE							Service	ATA:35
PN:PN	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								
26C002 ^U	INSPECTION OF PROTECTIVE BREATHING EQUIPMENT PBE							Service	ATA:35
PN:PN	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								
35-10/187 ^S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE							Service	ATA:35
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
								PKG:3 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/188^S CHECK OXYGEN SYSTEM CONTENTS Service ATA:35								
	MOS	15-Jun-23						
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: GENERIC NO REF				PKG:2 WO#: FL7 MIP 2023-00X
35-10/269^S EXAMINE OXYGEN PIPELINES AND EQUIPMENT Service ATA:35								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: GENERIC NO REF				PKG:6 WO#: FL7 MIP 2023-00X
35-10/458^S OPERATIONAL TEST CREW OXYGEN SYSTEM Service ATA:35								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
				PROC. REF: AMM 35-00-00, AMM 35-00-00				PKG:6 WO#: FL7 MIP 2023-00X
35-10/6 OXYGEN BOTTLE Component ATA:35								
PN:PN	MOS	31-Oct-19	180	TSN 0	01-Apr-34		3826 d	AIRWORTHINESS
SN:UNKNOWN	HRS			TSN 0				
WC#: 35.010	AFL			TSN 0				
Special Properties: CMT ITEM		Manufacture Date:: 01-Apr-19		PROC. REF: AMM 35-10-01				
35-10/7 HYDROSTATIC TEST OXYGEN BOTTLE Service ATA:35								
PN:PN	MOS	31-Oct-19	60		31-Oct-24		387 d	AIRWORTHINESS
SN:UNKNOWN	HRS							
WC#: 35.010	AFL							
Special Properties: CMT ITEM		PROC. REF: GENERIC NO REF						
35-20/459 OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) Service ATA:35								
	MOS	15-Jun-23						
	HRS	870:11	300 (+100%)		1170:11	1470:11	134:22 (+300)	
	AFL	689						
				PROC. REF: AMM 35-00-00				WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/87 INSPECTION/CHECK PASSENGER OXYGEN MASKS Service ATA:35								
	MOS	18-Nov-22	36 (+10%/-10%)	Adj -18d	31-Oct-25	18-Feb-26	752 d (+110)	
	HRS	581:52						
WC#: 35.010	AFL	455						
PROC. REF: AMM 35-20-00								
350020 PILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:957.12.01.210	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:B152524	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
350025 COPILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:957.12.01.210	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:B152626	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
350030 PRESSURE,GAGE,OXYGEN SWITCH Component ATA:35								
PN:973.81.14.401	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:1819	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
350035 CONTR,3-POSITION,37071-03 VALVE Component ATA:35								
PN:963.32.11.102	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:0742	HRS	0		TSN 0				
WC#: 35.030	AFL	0		TSN 0				
PROC. REF: AMM 35-20-04								
350050 OXYGEN GAGE ASSY Component ATA:35								
PN:535.12.12.085	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:60353	HRS	0		TSN 0				
WC#: 35.060	AFL	0		TSN 0				
PROC. REF: AMM 35-20-05								
350055 OXYGEN PRESS TRANSDUCER Component ATA:35								
PN:957.12.01.184	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:8459-5-70	HRS	0		TSN 0				
WC#: 35.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350067	OXYGEN SHUT-OFF VALVE							Component	ATA:35
PN:957.12.12.232	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:000268415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-20-06									
350080	NO. 1 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350081	NO. 2 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350082	NO. 3 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350083	NO. 4 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350084	NO. 5 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350085	NO. 6 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350086	NO. 7 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350087	NO. 8 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350088	NO. 9 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
350100	PORTABLE BEATHING EQUIPMENT – PBE							Component	ATA:35
PN:PN	MOS/MSC	31-Oct-19	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
	ACH	0							
PROC. REF: GENERIC NO REF									
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service	ATA:45
	MOS	18-Nov-22		12 (+10%/-10%)					
	HRS	581:52		1200 (+10%/-10%)					
	AFL	455							
PROC. REF: AMM 45-45-00									
PKG:6 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
46-26/320^S OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES Service ATA:46								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
					PROC. REF: AMM 46-30-05, AMM 46-30-06			PKG:3 WO#: FL7 MIP 2023-00X
46-26/321^S OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES Service ATA:46								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
					PROC. REF: AMM 46-30-02			PKG:3 WO#: FL7 MIP 2023-00X
460105 WIRELESS DATA LOADING DEVICE Component ATA:46								
PN:975.96.32.456	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:3145	HRS	0		TSN 0				
	AFL	0		TSN 0				
					PROC. REF: GENERIC NO REF			
ATA 52 - DOORS								
52-10/189^S EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK Service ATA:52								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
					PROC. REF: GENERIC NO REF			PKG:5 WO#: FL7 MIP 2023-00X
52-10/190^S EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS Service ATA:52								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
					PROC. REF: GENERIC NO REF			PKG:5 WO#: FL7 MIP 2023-00X
52-10/191^S PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS Service ATA:52								
	MOS	18-Nov-22	12 (+10%/-10%)					
	HRS	581:52	600 (+10%/-10%)					
	AFL	455						
					PROC. REF: GENERIC NO REF			PKG:5 WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:5	WO#: FL7 MIP 2023-00X
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	WO#: FL7 MIP 2023-00X
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service	ATA:52
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 52.070	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
	PROC. REF: AMM 52-10-00								
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service	ATA:52
	MOS	31-Oct-19							
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
	PROC. REF: AMM 52-00-01								
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service	ATA:52
	MOS	31-Oct-19							
	HRS	0	T:25000 (+500/-500)		25000	25500	23964:11 (+500)		
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000	30500	29187 (+500)		
	PROC. REF: AMM 52-10-01								
52-10/472	EDDY CURRENT INSPECTION PASSENGER / CREW DOOR SHOOT BOLT FITTING (ONLY IF SB 52-007 PART C IS COMPLIED WITH)							Service	ATA:52
	MOS/MSC	31-Oct-19	N/A						
	HRS	0							
	AFL	0							
	PROC. REF: AMM 52-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service	ATA:52
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 52.010	AFL								
PROC. REF: AMM 52-10-00, AMM 25-21-03, AMM 25-22-03								WO#: FL7 MIP 2023-00X	
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF								PKG:6 WO#: FL7 MIP 2023-00X	
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF								PKG:6 WO#: FL7 MIP 2023-00X	
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service	ATA:52
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 52.080	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
PROC. REF: AMM 52-20-00									
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF								PKG:5 WO#: FL7 MIP 2023-00X	
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 52-30-00								PKG:5 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:5	WO#: FL7 MIP 2023-00X
52-30/274 ^S	EXAMINE CARGO DOOR							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	WO#: FL7 MIP 2023-00X
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service	ATA:52
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 52.090	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
	PROC. REF: AMM 52-30-00								
52-30/407	EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE							Service	ATA:52
	MOS	31-Oct-19							
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
	PROC. REF: AMM 52-30-00								
52-30/408	EDDY CURRENT INSPECTION - CARGO DOOR SKIN							Service	ATA:52
	MOS	31-Oct-19							
	HRS	0	T:25000 (+500/-500)		25000	25500	23964:11 (+500)		
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000	30500	29187 (+500)		
	PROC. REF: AMM 52-30-01								
52-30/8	CARGO DOOR LOWER LUG (QTY 3) FITTINGS							Component	ATA:52
PN:PN	MOS	31-Oct-19		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		11964:11		
WC#: 52.020	AFL	0	17000	TSN 0	17000		16187		
	PROC. REF: AMM 52-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/89	EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service	ATA:52
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 52.030	AFL								
PROC. REF: AMM 52-30-00, AMM 25-21-03, AMM 25-22-03								WO#: FL7 MIP 2023-00X	
52-70/275 ^S	OPERATIONAL TEST DOOR WARNING SYSTEM							Service	ATA:52
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 52-70-00								PKG:6 WO#: FL7 MIP 2023-00X	
520005	PASSENGER DOOR							Component	ATA:52
PN:552.05.12.043	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 52.050	AFL	0		TSN 0					
PROC. REF: AMM 52-10-01, AMM 52-10-01									
520010	FREIGHT OF 10SERIE DOOR ASSY							Component	ATA:52
PN:552.05.12.044	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: AMM 52-30-01									
520015	EMERGENCY 6 SERIE EXIT							Component	ATA:52
PN:552.05.12.038	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 52.060	AFL	0		TSN 0					
PROC. REF: AMM 52-20-01									
ATA 53 - FUSELAGE									
53-00/196 ^S	EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.							Service	ATA:53
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF								PKG:3 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service	ATA:53
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	WO#: FL7 MIP 2023-00X
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	WO#: FL7 MIP 2023-00X
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service	ATA:53
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
	PROC. REF: GENERIC NO REF							PKG:7	WO#: FL7 MIP 2023-00X
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
	PROC. REF: GENERIC NO REF							PKG:7	WO#: FL7 MIP 2023-00X
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	WO#: FL7 MIP 2023-00X
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	25000		25000		23964:11		
	AFL	0	30000		30000		29187		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service	ATA:53
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: AMM 53-20-02							PKG:6	
								WO#: FL7 MIP 2023-00X	
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.100	AFL	0	T:42000		42000		41187		
	PROC. REF: AMM 53-10-06								
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.110	AFL	0	T:42000		42000		41187		
	PROC. REF: AMM 53-10-00								
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.120	AFL	0	T:42000		42000		41187		
	PROC. REF: AMM 53-20-00								
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.130	AFL	0	T:42000		42000		41187		
	PROC. REF: AMM 53-30-00								
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.140	AFL	0	T:42000		42000		41187		
	PROC. REF: AMM 53-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:28300		28300		27264:11		
WC#: 53.150	AFL	0	T:37000		37000		36187		
PROC. REF: AMM 53-00-00									
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.160	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 53-00-00									
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 53.180	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 57-00-03									
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 53.190	AFL	0	T:39000		39000		38187		
PROC. REF: AMM 53-20-02									
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 53.200	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service	ATA:53
	MOS	31-Oct-19							
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
PROC. REF: AMM 55-30-03, AMM 53-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service	ATA:53
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	20000		20000		18964:11		
WC#: 53.010	AFL	0	27000		27000		26187		
PROC. REF: GENERIC NO REF									
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service	ATA:53
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 53.030	AFL								
PROC. REF: GENERIC NO REF									
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service	ATA:53
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 53.040	AFL								
PROC. REF: GENERIC NO REF									
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service	ATA:53
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 53.070	AFL								
PROC. REF: GENERIC NO REF									
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service	ATA:53
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 53.050	AFL								
PROC. REF: GENERIC NO REF									
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service	ATA:53
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 53.060	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service	ATA:53
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52							
WC#: 34.575	AFL	455							
	PROC. REF: AMM 53-30-01							WO#: FL7 MIP 2023-00X	
530070	FUSELAGE AB 1003 TEIL1							Component	ATA:53
PN:553.05.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 53.090	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
530100	PRESSURE DOME							Component	ATA:53
PN:553.28.12.134	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2581538/251	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
ATA 55 - STABILIZERS									
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	20000		20000		18964:11		
	AFL	0	27000		27000		26187		
	PROC. REF: GENERIC NO REF								
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	25000		25000		23964:11		
	AFL	0	30000		30000		29187		
	PROC. REF: GENERIC NO REF								
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service	ATA:55
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
	PROC. REF: GENERIC NO REF							PKG:3	
								WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service	ATA:55
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: AMM 55-00-00								PKG:6 WO#: FL7 MIP 2023-00X
55-10/415	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS	31-Oct-19		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		23964:11		
WC#: 55.090	AFL	0	30000	TSN 0	30000		29187		
	PROC. REF: AMM 55-10-01								
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service	ATA:55
	MOS	31-Oct-19	T:240		31-Oct-39		5865 d		
	HRS	0	T:10000		10000		8964:11		
	AFL	0							
	PROC. REF: AMM 55-10-01								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	31-Oct-19	72		31-Oct-25		752 d		
	HRS	0							
	AFL	0							
	PROC. REF: AMM 55-00-00								
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service	ATA:55
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
	AFL	0							
	PROC. REF: GENERIC NO REF								WO#: FL7 MIP 2023-00X
55-20/362	EXAMINE LEFT WING ELEVATOR							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.100	AFL	0	T:42000		42000		41187		
	PROC. REF: AMM 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/362	EXAMINE RIGHT WING ELEVATOR							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-20-00									
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.110	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-20-01									
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.120	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-20-01									
55-20/368	EDDY CURRENT INSPECTION - RIGHT WING ELEVATOR HINGES							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-20-01									
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service	ATA:55
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 55-00-01									
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service	ATA:55
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									

PKG:3
WO#: FL7 MIP 2023-00X

PKG:6
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30/369	EXAMINE - VERTICAL STABILIZER							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.130	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-30-00									
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.140	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-30-03, AMM 53-30-02									
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.150	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-00-00									
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.160	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-30-02									
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service	ATA:55
	MOS	31-Oct-19							
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
PROC. REF: AMM 55-30-03									
55-40/373	EXAMINE - RUDDER							Service	ATA:55
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 55.170	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 55-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service ATA:55
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:32500		32500		31464:11	
WC#: 55.180	AFL	0	T:42000		42000		41187	
PROC. REF: AMM 55-40-05								
55-40/410	EXAMINE - RUDDER TRIM TAB							Service ATA:55
	MOS	31-Oct-19						
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)	
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)	
PROC. REF: AMM 55-40-04								
ATA 56 - WINDOWS								
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service ATA:56
	MOS/MSC	31-Oct-19	A/R					AIRWORTHINESS
	HRS	0						
WC#: 56.020	AFL	0						
PROC. REF: GENERIC NO REF								
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service ATA:56
	MOS/MSC	31-Oct-19	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 56-00-00								
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service ATA:56
PN:959.81.10.109	MOS/MSC	31-Oct-19	A/R					
SN:18271H0427	HRS	0						
	AFL	0						
PROC. REF: AMM 56-11-01								
56-11/14	REPLACE RIGHT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service ATA:56
PN:959.81.10.110	MOS/MSC	31-Oct-19	A/R					
SN:18284H1725	HRS	0						
	AFL	0						
PROC. REF: AMM 56-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/15	LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:959.81.10.109	MOS/MSC	31-Oct-19	A/R						
SN:18271H0427	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/15	RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:959.81.10.110	MOS/MSC	31-Oct-19	A/R						
SN:18284H1725	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
56-11/200 ^S	EXAMINE WINDSHIELD LH AND RH							Service	ATA:56
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: AMM 56-00-00									
PKG:3 WO#: FL7 MIP 2023-00X									
56-11/332	INSPECTION/CHECK COCKPIT SIDE WINDOWS							Service	ATA:56
	MOS	31-Oct-19	120 (+6m/-6m)		31-Oct-29	30-Apr-30	2213 d (+181)		
	HRS	0	11000 (+500/-500)		11000	11500	9964:11 (+500)		
WC#: 56.100	AFL	0							
PROC. REF: AMM 56-11-02									
56-11/378	WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service	ATA:56
	MOS	31-Oct-19					AIRWORTHINESS		
	HRS	0	T:32500		32500		31464:11		
WC#: 56.110	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 53-10-16, AMM 56-11-01, AMM 56-11-02									
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF, AMM NO REF									
PKG:6 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-20/201^S EXAMINE COCKPIT AND CABIN WINDOWS Service ATA:56								
	MOS	15-Jun-23	12 (+10%/-10%)					
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
				PROC. REF: AMM 56-00-00				PKG:3 WO#: FL7 MIP 2023-00X
560015 SIDE,LH WINDOW Component ATA:56								
PN:959.81.10.111	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:18163H9783	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
				PROC. REF: AMM 56-11-02				
560020 SIDE,RH WINDOW Component ATA:56								
PN:959.81.10.112	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:18075H1494	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
				PROC. REF: AMM 56-11-02				
560025 RH NO 1 CABIN WINDOW Component ATA:56								
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:0003190962-010	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
				PROC. REF: AMM 56-20-01				
560030 RH NO 2 CABIN WINDOW Component ATA:56								
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:0003190959-007	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
				PROC. REF: AMM 56-20-01				
560035 RH NO 3 CABIN WINDOW Component ATA:56								
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:0003190962-012	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
				PROC. REF: AMM 56-20-01				
560040 RH NO 4 CABIN WINDOW Component ATA:56								
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0				
SN:0003190962-008	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
				PROC. REF: AMM 56-20-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560045	RH NO 5 CABIN WINDOW							Component	ATA:56
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0003190959-002	HRS	0		TSN 0					
WC#: 56.080	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560050	LH NO 1 CABIN WINDOW							Component	ATA:56
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0003190960-012	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560055	LH NO 2 CABIN WINDOW							Component	ATA:56
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0003190962-002	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560060	LH NO 3 CABIN WINDOW							Component	ATA:56
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0003190962-007	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560065	LH NO 4 CABIN WINDOW							Component	ATA:56
PN:556.20.12.029	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:0003190961-009	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-01									
560070	DV-WINDOW ASSY							Component	ATA:56
PN:556.14.12.099	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:19113H0764	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-14-01									
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:959.81.10.109	MOS/MSC	31-Oct-19	O/C	TSN 0				AIRWORTHINESS	
SN:18271H0427	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561011	RIGHT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:959.81.10.110	MOS/MSC	31-Oct-19	O/C	TSN 0				AIRWORTHINESS	
SN:18284H1725	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-11-01									
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	20000		20000		18964:11		
WC#: 57.010	AFL	0	27000		27000		26187		
PROC. REF: AMM 57-00-00									
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	20000		20000		18964:11		
WC#: 57.010	AFL	0	27000		27000		26187		
PROC. REF: AMM 57-00-00									
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service	ATA:57
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:3 WO#: FL7 MIP 2023-00X									
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service	ATA:57
	MOS	01-Oct-21	24 (+10%/-10%)						
	HRS	7:18	2400 (+10%/-10%)						
	AFL	12							
PROC. REF: GENERIC NO REF									
PKG:7 WO#: FL7 MIP 2023-00X									
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:57
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									
PKG:6 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service	ATA:57
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	
								WO#: FL7 MIP 2023-00X	
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	25000		25000		23964:11		
	AFL	0	30000		30000		29187		
	PROC. REF: GENERIC NO REF								
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	25000		25000		23964:11		
	AFL	0	30000		30000		29187		
	PROC. REF: GENERIC NO REF								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 57.100	AFL	0	T:39000		39000		38187		
	PROC. REF: AMM 57-00-00								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
	AFL	0	T:39000		39000		38187		
	PROC. REF: AMM 57-00-00								
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:30000		30000		28964:11		
WC#: 57.110	AFL	0	T:39000		39000		38187		
	PROC. REF: AMM 57-00-03, AMM 57-00-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service ATA:57
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:25000		25000		23964:11	
WC#: 57.120	AFL	0	T:30000		30000		29187	
PROC. REF: AMM 57-20-10								
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service ATA:57
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:25000		25000		23964:11	
	AFL	0	T:30000		30000		29187	
PROC. REF: AMM 57-20-10								
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service ATA:57
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:25000		25000		23964:11	
WC#: 57.130	AFL	0	T:30000		30000		29187	
PROC. REF: AMM 57-20-10								
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service ATA:57
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:25000		25000		23964:11	
	AFL	0	T:30000		30000		29187	
PROC. REF: AMM 57-20-10								
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:25000		25000		23964:11	
WC#: 57.140	AFL	0	T:30000		30000		29187	
PROC. REF: AMM 57-20-05								
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	31-Oct-19						AIRWORTHINESS
	HRS	0	T:25000		25000		23964:11	
	AFL	0	T:30000		30000		29187	
PROC. REF: AMM 57-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
WC#: 57.150	AFL	0	T:30000		30000		29187		
PROC. REF: AMM 57-20-10									
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:25000		25000		23964:11		
	AFL	0	T:30000		30000		29187		
PROC. REF: AMM 57-20-10									
57-00/412	EXAMINE - WING TIPS							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
PROC. REF: AMM 57-33-00									
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	31-Oct-19							
	HRS	0	T:25000 (+500/-500)		25000	25500	23964:11 (+500)		
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	29187 (+500)		
PROC. REF: AMM 57-20-01									
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	31-Oct-19							
	HRS	0	T:25000 (+500/-500)		25000	25500	23964:11 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	29187 (+500)		
PROC. REF: AMM 57-20-01									
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	16000		16000		14964:11		
	AFL	0	22500		22500		21687		
PROC. REF: AMM 57-20-10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	16000		16000		14964:11		
	AFL	0	22500		22500		21687		
PROC. REF: AMM 57-20-10									
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service	ATA:57
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 57.020	AFL								
PROC. REF: GENERIC NO REF									
WO#: FL7 MIP 2023-00X									
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service	ATA:57
	MOS	31-Oct-19	48 (+10%/-10%)		31-Oct-23	23-Mar-24	21 d (+144)	MODERATE CORROSION ZONE	
	HRS	0	4000 (+10%/-10%)		4000	4400	2964:11 (+400)		
WC#: 57.030	AFL								
PROC. REF: GENERIC NO REF									
WO#: FL7 MIP 2023-00X									
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	31-Oct-19	120 (+6m/-6m)		31-Oct-29	30-Apr-30	2213 d (+181)		
	HRS	0	11000 (+500/-500)		11000	11500	9964:11 (+500)		
WC#: 57.040	AFL	0							
PROC. REF: AMM 57-00-00									
57-60/393	EXAMINE - RIGHT WING AILERON							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 57-60-00									
57-60/393	EXAMINE -LEFT WING AILERON							Service	ATA:57
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:32500		32500		31464:11		
WC#: 57.160	AFL	0	T:42000		42000		41187		
PROC. REF: AMM 57-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60/411	EXAMINE - AILERON TRIM TAB							Service	ATA:57
	MOS	31-Oct-19							
	HRS	0	T:32500 (+500/-500)		32500	33000	31464:11 (+500)		
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000	42500	41187 (+500)		
PROC. REF: AMM 57-60-04									
570005	AILERON LH 10A SERIE ASSY							Component	ATA:57
PN:557.60.12.371	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3541M	HRS	0		TSN 0					
WC#: 57.050	AFL	0		TSN 0					
PROC. REF: AMM 57-60-02									
570010	AILERON RH 10A SERIE ASSY							Component	ATA:57
PN:557.60.12.372	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:3541M	HRS	0		TSN 0					
WC#: 57.050	AFL	0		TSN 0					
PROC. REF: AMM 57-60-02									
570050	L/H WING							Component	ATA:57
PN:557.05.12.049	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 57.080	AFL	0		TSN 0					
PROC. REF: AMM 57-00-00, AMM 57-00-00									
570055	R/H WING							Component	ATA:57
PN:557.05.12.050	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1540M	HRS	0		TSN 0					
WC#: 57.090	AFL	0		TSN 0					
PROC. REF: AMM 57-00-00, AMM 57-00-00									
ATA 61 - PROPELLERS/PROPULSORS									
61-00-00-00A-903A-A	FOUR BLADED PROPELLER ADJUSTMENT TEST							Service	ATA:61
PN:PN	MOS/MSC	31-Oct-19	A/R						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 61-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61-00-00-00A-903B-A		FIVE BLADED PROPELLER ADJUSTMENT TEST					Service		ATA:61
PN:PN	MOS/MSC	31-Oct-19	A/R						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 61-00-00									
61-20-00.7		NO. 1 ENGINE - INSPECTION/CHECK OF THE PROPELLER GOVERNOR					Service		ATA:61
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 61-20-00									
61-20/286 ^S		EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS					Service		ATA:61
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
Special Properties: CMT ITEM		PROC. REF: GENERIC NO REF							PKG:6 WO#: FL7 MIP 2023-00X
610000		NO. 1 PROPELLER - OVERHAUL					Service		ATA:61
	MOS	31-Oct-19	72 (+6m/-6m)		31-Oct-25	30-Apr-26	752 d (+181)		
	HRS	0	4000 (+10%/-10%)		(4000) 4000	4400	2964:11 (+400)		
611010		NO. 1 PROPELLER - PERIODIC INSPECTION					Service		ATA:61
	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11	300 (+10%/-10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
WO#: FL7 MIP 2023-00X									
611020		NO. 1 PROPELLER - LUBRICATE					Service		ATA:61
	MOS	15-Jun-23	12 (+10%/-10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11	300 (+10%/-10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
WO#: FL7 MIP 2023-00X									
611101		NO. 1 PROPELLER - NO. 1 PROPELLER BLADE					Component		ATA:61
PN:968.29.13.023	MOS/MSC	29-Aug-19	O/C	TSN 0					
SN:L91663	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
611102	NO. 1 PROPELLER - NO. 2 PROPELLER BLADE							Component	ATA:61
PN:968.29.13.023	MOS/MSC	29-Aug-19	O/C	TSN 0					
SN:L91660	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									
611103	NO. 1 PROPELLER - NO. 3 PROPELLER BLADE							Component	ATA:61
PN:968.29.13.023	MOS/MSC	29-Aug-19	O/C	TSN 0					
SN:L91657	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									
611104	NO. 1 PROPELLER - NO. 4 PROPELLER BLADE							Component	ATA:61
PN:968.29.13.023	MOS/MSC	29-Aug-19	O/C	TSN 0					
SN:L61659	HRS	0		TSN 0					
PROC. REF: GENERIC NO REF									
611230	NO. 1 PROPELLER - DEICE SYSTEM 200 HOUR INSPECTION							Service	ATA:61
	MOS	18-Nov-22	12 (+10%/-10%)		18-Nov-23	24-Dec-23	39 d (+36)		
	HRS	581:52	600 (+10%/-10%)		(1181:52) 1181:52	1241:52	146:03 (+60)		
PROC. REF: AMM 30-60-01, MM 30-61-80									
WO#: FL7 MIP 2023-00X									
611250	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service	ATA:61
	MOS	EFF	72 (+6m/-6m)		31-Oct-25 * (M)	30-Apr-26	752 d (+181)	OVERHAUL	
	HRS	EFF	4000 (+10%/-10%)		(4000) 4000 * (M)	4400	2964:11 (+400)		
PROC. REF: GENERIC NO REF									
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component	ATA:61
PN:3049558-01	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:21730743	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component	ATA:61
PN:3079148-01	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:21700651	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 61-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
619000	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R						
	HRS	0							
619010	NO. 1 PROPELLER - OPERATIONAL CHECKS							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R						
	HRS	0							
619020	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
619030	NO. 1 PROPELLER - LIGHTNING STRIKE							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
					PROC. REF: MM 30-61-80				
619040	NO. 1 PROPELLER - FOREIGN OBJECT STRIKE/GROUND STRIKE							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
					PROC. REF: MM 30-61-80				
619050	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
					PROC. REF: MM 30-61-80				
619060	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
619070	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
619080	NO. 1 PROPELLER - LONG TERM STORAGE							Service	ATA:61
	MOS/MSC	29-Aug-19	A/R						
	HRS	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
61PR1	NO. 1 PROPELLER							Component	ATA:61
PN:HC-E4A-3D	MOS/MSC		PP/C						
SN:KX1480	HRS								
WC#: 61.PR1	AFL								
PROC. REF: AMM 61-10-01, AMM 61-10-01									
ATA 71 - POWER PLANT									
71-00-00-00A-903A-A	POWERPLANT (PT6A-67P) ADJUSTMENT/TEST							Service	ATA:71
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00-00-00A-903H-A	POWERPLANT TEST 7 ENGINE PERFORMANCE ADJUSTMENT TEST							Service	ATA:71
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00-00-00A-903I-A	POWER PLANT TEST 8 TORQUEMETER FUNCTION ADJUSTMENT TEST							Service	ATA:71
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00-00-00A-903M-A	POWERPLANT TEST 12-FCU DEAD BAND ADJUSTMENT TEST							Service	ATA:71
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									
71-00-00-00A-903P-A	POWERPLANT TEST 15-FLIGHT IDLE ADJUSTMENT							Service	ATA:71
	MOS/MSC	31-Oct-19	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-00.13	NO. 1 ENGINE - ENGINE PERFORMANCE CHECK							Service	ATA:71
	MOS/MSC	30-Aug-21	A/R						
	HRS	6:54							
	ENC	11							
					PROC. REF: EMM 71-00-00				
71-00-00.14	NO. 1 ENGINE - TORQUEMETER FUNCTION TEST							Service	ATA:71
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 71-00-00				
71-00/101 ^S	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service	ATA:71
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
WC#: 71.010	AFL	455							
					PROC. REF: AMM 71-00-00			PKG:5 WO#: FL7 MIP 2023-00X	
71-00/102 ^S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service	ATA:71
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
					PROC. REF: AMM 71-00-00			PKG:5 WO#: FL7 MIP 2023-00X	
71-00/103	PERFORM COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	01-Oct-21	A/R						
	HRS	7:18							
WC#: 71.040	AFL	12							
					PROC. REF: AMM 71-00-00				
71-00/107 ^S	CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS							Service	ATA:71
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
WC#: 71.030	AFL	455							
					PROC. REF: AMM 71-00-03			PKG:5 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/16	ENGINE (PRE SB 04-009) MOUNTING FRAME							Component	ATA:71
PN:PN	MOS	31-Oct-19		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		18964:11		
WC#: 71.050	AFL	0	27000	TSN 0	27000		26187		
PROC. REF: AMM 71-00-05									
71-00/17	REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS							Service	ATA:71
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	11000		11000		9964:11		
WC#: 71.050	AFL	0							
PROC. REF: GENERIC NO REF									
71-00/204	PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:71
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
PROC. REF: AMM 71-00-00									
								PKG:1 ,2,3,4,5,6,7	
								WO#: FL7 MIP 2023-00X	
71-00/205 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service	ATA:71
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: GENERIC NO REF									
								PKG:6	
								WO#: FL7 MIP 2023-00X	
71-00/209 ^S	ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK							Service	ATA:71
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
PROC. REF: GENERIC NO REF									
								PKG:3	
								WO#: FL7 MIP 2023-00X	
71-00/287	PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.							Service	ATA:71
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	AFL	455							
PROC. REF: AMM 71-00-00									
								PKG:1 ,2,3,4,5,6,7	
								WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/301 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.							Service	ATA:71
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
PROC. REF: AMM 54-20-02								PKG:6 WO#: FL7 MIP 2023-00X	
71-00/327	ENGINE (POST SB 04-009) MOUNTING FRAME							Component	ATA:71
PN:PN	MOS	31-Oct-19		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		23964:11		
	AFL	0	30000	TSN 0	30000		29187		
PROC. REF: GENERIC NO REF									
71-00/38	LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:944.81.21.409	MOS	31-Oct-19		TSN 0				OVERHAUL	
SN:11791	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	2464:11 (+350)		
WC#: 71.063	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:944.81.21.409	MOS	31-Oct-19		TSN 0				OVERHAUL	
SN:11825	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	2464:11 (+350)		
WC#: 71.064	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:944.81.21.409	MOS	31-Oct-19		TSN 0				OVERHAUL	
SN:11802	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	2464:11 (+350)		
WC#: 71.061	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/38	UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component	ATA:71
PN:944.81.21.409	MOS	31-Oct-19		TSN 0				OVERHAUL	
SN:11799	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	2464:11 (+350)		
WC#: 71.060	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/38		UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY						Component	ATA:71
PN:944.81.21.409	MOS	31-Oct-19		TSN 0				OVERHAUL	
SN:11823	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	2464:11 (+350)		
WC#: 71.062	AFL	0		TSN 0					
PROC. REF: AMM 71-00-00									
71-00/401		ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION						Service	ATA:71
	MOS	31-Oct-19						AIRWORTHINESS	
	HRS	0	T:26600		26600		25564:11		
WC#: 71.130	AFL	0	T:35000		35000		34187		
PROC. REF: AMM 71-00-05									
71-00/432^S		EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS						Service	ATA:71
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X									
71-00/476^S		REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY						Service	ATA:71
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X									
71-10/207^S		OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001						Service	ATA:71
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:1 ,2,3,4,5,6,7									
71-10/208		CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR						Service	ATA:71
	MOS/MSC	15-Jun-23	A/R						
	HRS	870:11							
	AFL	689							
PROC. REF: GENERIC NO REF									
PKG:1 ,2,3,4,5,6,7 WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710011	NO. 1 ENGINE - OVERHAUL Service ATA:71							
	MOS	07-Jun-19						OVERHAUL
	HRS	0	3500 (+200)		(3500) 3500	3700	2464:11 (+200)	
	ENC	0						
	PROC. REF: GENERIC NO REF							
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE Service ATA:71							
	MOS	15-Jun-23						
	HRS	870:11	300 (+10%/-10%)					
	ENC							
	PROC. REF: EMM 72-30-05							
	PKG:2 WO#: FL7 MIP 2023-00X							
710021	NO. 1 ENGINE - HOT SECTION INSPECTION Service ATA:71							
	MOS	17-Dec-21						
	HRS	7:18	2000		(2007:18) 2007:18		971:29	
	ENC	12						
	Special Properties: CMT ITEM PROC. REF: EMM 72-00-00							
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION Service ATA:71							
	MOS	18-Nov-22						
	HRS	581:52	600 (+10%/-10%)	Adj 25:26	(1207:18) 1207:18	1267:18	171:29 (+60)	
	ENC	451						
	PROC. REF: EMM 72-00-00							
	WO#: FL7 MIP 2023-00X							
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH Service ATA:71							
	MOS	24-May-23	6 (+10%/-10%)		24-Nov-23	12-Dec-23	45 d (+18)	
	HRS	850:44	300 (+10%/-10%)		(1150:44) 1150:44	1180:44	114:55 (+30)	
	ENC							
	PROC. REF: EMM 71-00-00							
	WO#: FL7 MIP 2023-00X							
710051	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH Service ATA:71							
	MOS	24-May-23	6 (+10%/-10%)		24-Nov-23	12-Dec-23	45 d (+18)	
	HRS	850:44	300 (+10%/-10%)		(1150:44) 1150:44	1180:44	114:55 (+30)	
	ENC							
	PROC. REF: EMM 71-00-00							
	WO#: FL7 MIP 2023-00X							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 71-00-00								
710053	NO. 1 ENGINE - EXTERNAL ENGINE WASH							Service	ATA:71
	MOS	24-May-23	6 (+10%/-10%)		24-Nov-23	12-Dec-23	45 d (+18)		
	HRS	850:44	300 (+10%/-10%)		(1150:44) 1150:44	1180:44	114:55 (+30)		
	ENC								
	PROC. REF: EMM 71-00-00								WO#: FL7 MIP 2023-00X
710055	(WELDED) ENGINE MOUNT							Component	ATA:71
PN:571.20.12.037	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:249	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
	PROC. REF: AMM 71-00-05								
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	MOS	01-Oct-21	12 (+10%/-10%)		31-Oct-23 (M)	06-Dec-23	21 d (+36)		
	HRS	7:18	300 (+10%/-10%)		(1200) 1200 (M)	1230	164:11 (+30)		
	ENC	11							
	PROC. REF: EMM 72-00-00								WO#: FL7 MIP 2023-00X
710070 ^S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION							Service	ATA:71
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
	PROC. REF: EMM 71-00-00								PKG:2 WO#: FL7 MIP 2023-00X
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:PT6A-67P	MOS/MSC		E/C						
SN:PCE-RY0989	HRS								
WC#: 71.EN1	AFL								
	PROC. REF: AMM 71-00-00								
ATA 72 - ENGINE									
72-00-00.6	NO. 1 ENGINE - ENGINE PERFORMANCE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
72-00-00.9.F	NO. 1 ENGINE - BORESCOPE INSPECTION OF THE COMBUSTION CHAMBER LINER							Service	ATA:72
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	ENC	451							
PROC. REF: EMM 72-00-00									
72-00-00.9.G	NO. 1 ENGINE - BORESCOPE INSPECTION OF THE CT STATOR ASSEMBLY							Service	ATA:72
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	ENC	451							
PROC. REF: EMM 72-00-00									
72-00-00.9.H	NO. 1 ENGINE - BORESCOPE INSPECTION OF THE CT BLADES AND SHROUD SEGMENTS							Service	ATA:72
	MOS/MSC	18-Nov-22	A/R						
	HRS	581:52							
	ENC	451							
PROC. REF: EMM 72-00-00									
72-30-05.6	NO. 1 ENGINE - COMPRESSOR ROTOR - BLEND REPAIR OF THE LEADING EDGE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-30-05									
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:PN	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	2464:11 (+200)		
	ENC	0		TSN 0					
PROC. REF: EMM 72-30-04									
720012	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR DEBRIS IN OIL FILTER							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service	ATA:72
	MOS/MSC	01-Oct-21	BF/F						
	HRS	7:18							
	ENC	11							
					PROC. REF: EMM 72-00-00				
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service	ATA:72
	MOS/MSC	01-Oct-21	BF/F						
	HRS	7:18							
	ENC	11							
					PROC. REF: EMM 72-60-00				
720025	NO. 1 ENGINE - OVERTEMPERATURE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
					PROC. REF: GENERIC NO REF			PKG:2 WO#: FL7 MIP 2023-00X	
720035	NO. 1 ENGINE - OVERTORQUE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
					PROC. REF: GENERIC NO REF			PKG:2 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720045	NO. 1 ENGINE - HEAVY/HARD LANDING							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
	PROC. REF: GENERIC NO REF								
	PKG:2 WO#: FL7 MIP 2023-00X								
720055	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
	PROC. REF: GENERIC NO REF								
	PKG:2 WO#: FL7 MIP 2023-00X								
721015	NO. 1 ENGINE - INADVERTENT CUT-OFF AND RELIGHT DURING TAXI							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
721020	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON-METALLIC FOREIGN MATERIAL							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721060	NO. 1 ENGINE - STARTER-GENERATOR REPLACEMENT							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service	ATA:72
	MOS/MSC	01-Oct-21	BF/F						
	HRS	7:18							
	ENC	11							
	PROC. REF: EMM 72-11-00								
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINES							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
	PROC. REF: EMM 72-20-00, EMM 72-20-00								
722011	NO. 1 ENGINE - NO. 1 SECOND STAGE REDUCTION PLANET GEAR							Component	ATA:72
PN:3037719	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBORESCOPE, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
	PROC. REF: EMM 72-20-00								
722025	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								

PKG:2
WO#: FL7 MIP 2023-00X

PKG:2
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722030	NO. 1 ENGINE - IMMERSION IN WATER							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3042701	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:MCAKAXUM170	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24006 (M)		23193		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component	ATA:72
PN:3043063	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:PKAAA829106	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24006 (M)		23193		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
PROC. REF: EMM 72-30-04									
PKG:2 WO#: FL7 MIP 2023-00X									
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040942	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:MCAKAXUM376	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24006 (M)		23193		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723035	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH VOLCANIC ASH OR SMOKE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
PROC. REF: EMM 72-30-01, EMM 72-30-02, EMM 72-30-04									
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040933	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:MCAKAXUM379	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24006 (M)		23193		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040944	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:EAAE000R879	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24006 (M)		23193		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036898	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:FRAEPYCD24	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24006 (M)		23193		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REF									

PKG:2
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00, EMM 72-00-00								
724010	NO. 1 ENGINE - SUSTAINED RUNNING AT OIL TEMPERATURE OUTSIDE LIMITS							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724015	NO. 1 ENGINE - LOSS OF OIL/OIL PRESSURE OR LOW OIL PRESSURE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724020	NO. 1 ENGINE - HIGH OIL PRESSURE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724025	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724030	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
724050	NO. 1 ENGINE - MATERIAL INGESTION							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724055	NO. 1 ENGINE - TEAR OR OPENING FOUND ON MAIN OIL FILTER SECONDARY SCREEN							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
725003	NO. 1 ENGINE - OVERSPEED							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: EMM 72-00-00				
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component	ATA:72
PN:3053740-01	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:YUAB001 N112	HRS	0		TSN 0					
	ENC	0		TSN 0	(8000)		7193		
	ACCCYC	0	8000	TSN 0	8006 (M)				
					PROC. REF: GENERIC NO REF				
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service	ATA:72
	MOS	07-Jun-19						LIFE LIMIT	
	HRS	0	5000		(5000)		3964:11		
	ENC	0			5000				
					PROC. REF: GENERIC NO REF				
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service	ATA:72
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
					PROC. REF: EMM 72-50-05				

PKG:2
WO#: FL7 MIP 2023-00X

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037312	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:A004FW9N	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000)		14193		
	ACCCYC	0	15000	TSN 0	15006 (M)				
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037313	MOS	07-Jun-19		TSN 0				LIFE LIMIT	
SN:YUAB001N441	HRS	0		TSN 0					
	ENC	0		TSN 0	(15000)		14193		
	ACCCYC	0	15000	TSN 0	15006 (M)				
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:3118911-01	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725051	NO. 1 ENGINE - NO. 2 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725052	NO. 1 ENGINE - NO. 3 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725053	NO. 1 ENGINE - NO. 4 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725054	NO. 1 ENGINE - NO. 5 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725055	NO. 1 ENGINE - NO. 6 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725056	NO. 1 ENGINE - NO. 7 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725057	NO. 1 ENGINE - NO. 8 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725058	NO. 1 ENGINE - NO. 9 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725059	NO. 1 ENGINE - NO. 10 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725060	NO. 1 ENGINE - NO. 11 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725061	NO. 1 ENGINE - NO. 12 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725062	NO. 1 ENGINE - NO. 13 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725063	NO. 1 ENGINE - NO. 14 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725064	NO. 1 ENGINE - NO. 15 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725065	NO. 1 ENGINE - NO. 16 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725066	NO. 1 ENGINE - NO. 17 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725067	NO. 1 ENGINE - NO. 18 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725068	NO. 1 ENGINE - NO. 19 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725069	NO. 1 ENGINE - NO. 20 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725070	NO. 1 ENGINE - NO. 21 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725071	NO. 1 ENGINE - NO. 22 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725072	NO. 1 ENGINE - NO. 23 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725073	NO. 1 ENGINE - NO. 24 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725074	NO. 1 ENGINE - NO. 25 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725075	NO. 1 ENGINE - NO. 26 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725076	NO. 1 ENGINE - NO. 27 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725077	NO. 1 ENGINE - NO. 28 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725078	NO. 1 ENGINE - NO. 29 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725079	NO. 1 ENGINE - NO. 30 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725080	NO. 1 ENGINE - NO. 31 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725081	NO. 1 ENGINE - NO. 32 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725082	NO. 1 ENGINE - NO. 33 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725083	NO. 1 ENGINE - NO. 34 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725084	NO. 1 ENGINE - NO. 35 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725085	NO. 1 ENGINE - NO. 36 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725086	NO. 1 ENGINE - NO. 37 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725087	NO. 1 ENGINE - NO. 38 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725088	NO. 1 ENGINE - NO. 39 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725089	NO. 1 ENGINE - NO. 40 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725090	NO. 1 ENGINE - NO. 41 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725091	NO. 1 ENGINE - NO. 42 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725092	NO. 1 ENGINE - NO. 43 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725122	NO. 1 ENGINE - NO. 1 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC	07-Jun-19	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component	ATA:72
PN:PN	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 3500	3700	2464:11 (+200)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726100	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726120	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
726130	NO. 1 ENGINE - PROPELLER ELECTRICAL LEADS SHORTING							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
726160	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN-FLIGHT SHUTDOWN							Service	ATA:72
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 72-00-00								
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-08.7	NO. 1 ENGINE - GOVERNOR PNEUMATIC TURBES INSPECTION/CHECK							Service	ATA:73
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 73-10-08								
73-20-00.7	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) INSPECTION/CHECK							Service	ATA:73
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 73-20-00								
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3040760	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:016868	HRS	0	3500	TSN 0	(3500) 3500		2464:11		
	ENC	0		TSN 0					
	PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	18-Nov-22							
	HRS	581:52	600 (+10%/-10%)	Adj 18:08	(1200) 1200	1260	164:11 (+60)		
	ENC	451							
Special Properties: CMT ITEM			PROC. REF: EMM 73-11-05			WO#: FL7 MIP 2023-00X			
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component	ATA:73
PN:3055748-01	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:C51917	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0		TSN 0					
			PROC. REF: GENERIC NO REF						
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
			PROC. REF: EMM 73-10-02			PKG:2 WO#: FL7 MIP 2023-00X			
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service	ATA:73
PN:3040760	MOS	18-Nov-22							
SN:016868	HRS	581:52	600 (+10%/-10%)		(1181:52) 1181:52	1241:52	146:03 (+60)		
	ENC	451							
Special Properties: CMT ITEM			PROC. REF: EMM 73-10-02			WO#: FL7 MIP 2023-00X			
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
			PROC. REF: EMM 73-10-01			PKG:2 WO#: FL7 MIP 2023-00X			
731050	NO. 1 ENGINE - CHECK FUEL PUMP COUPLING IN-SITU FOR FRETTING AND CORROSION							Service	ATA:73
PN:3040760	MOS/MSC	07-Jun-19	N/A						
SN:016868	HRS	0							
	ENC	0							
			PROC. REF: EMM 73-10-02						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731052	NO. 1 ENGINE - REMOVE FUEL PUMP AND INSPECT THE DRIVE COUPLING AREA AND COVER ACCESSORY GEARBOX SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF STAINS ARE OBSERVED RETURN THE FUEL PUMP TO AN APPROVED OVERHAUL FACILITY.							Service	ATA:73
	MOS/MSC	07-Jun-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02									
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service	ATA:73
PN:3059779-01	MOS	18-Nov-22	REPLACE						
SN:B16289	HRS	581:52	600 (+10%/-10%)		(1181:52) 1181:52	1241:52	146:03 (+60)		
	ENC	451							
Special Properties: CMT ITEM PROC. REF: EMM 73-10-02 WO#: FL7 MIP 2023-00X									
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
PROC. REF: GENERIC NO REF									
PKG:2 WO#: FL7 MIP 2023-00X									
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component	ATA:73
PN:3057249-01	MOS	07-Jun-19	TSN 0 OVERHAUL						
SN:WA59352	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0	TSN 0						
PROC. REF: EMM 73-10-01									
731065	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
	ENC	683							
PROC. REF: GENERIC NO REF									
WO#: FL7 MIP 2023-00X									
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component	ATA:73
PN:3038472	MOS	07-Jun-19	TSN 0 OVERHAUL						
SN:U1222	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0	TSN 0						
PROC. REF: EMM 73-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731085 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
				PROC. REF: EMM 73-10-06				PKG:2 WO#: FL7 MIP 2023-00X	
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3119892-10	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:21738095	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0		TSN 0					
				PROC. REF: EMM 73-20-00					
731091 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
				PROC. REF: EMM 73-10-04				PKG:2 WO#: FL7 MIP 2023-00X	
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component	ATA:73
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
				PROC. REF: GENERIC NO REF					
731100	NO. 1 ENGINE - CLEAN P3 FILTER							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
	ENC								
Special Properties: CMT ITEM				PROC. REF: EMM 73-10-07				WO#: FL7 MIP 2023-00X	
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
				PROC. REF: EMM 73-10-02				PKG:2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component	ATA:73
PN:3059779-01	MOS/MSC	18-Nov-22	H/T	TSN 0					
SN:B16289	HRS	581:52		TSN 0					
	ENC	451		TSN 0					
PROC. REF: EMM 73-10-02							WO#: FL7 MIP 2023-00X		
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
PROC. REF: EMM 73-20-00							PKG:2		
							WO#: FL7 MIP 2023-00X		
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	900 (+10%/-10%)	Adj 29:49	(1800) 1800	1890	764:11 (+90)		
	ENC	683							
Special Properties: CMT ITEM			PROC. REF: EMM 73-10-07						
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service	ATA:73
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)	(1170:11) 1170:11		1200:11	134:22 (+30)		
	ENC	683							
PROC. REF: EMM 73-10-07, EMM 73-10-07							WO#: FL7 MIP 2023-00X		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
Special Properties: CMT ITEM			PROC. REF: AMM 74-00-00					PKG:3 WO#: FL7 MIP 2023-00X	
740010	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3035889	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:NNA19110008	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0		TSN 0					
			PROC. REF: EMM 74-10-00						
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service	ATA:74
	MOS	15-Jun-23							
	HRS	870:11	400 (+10%/-10%)		(1270:11) 1270:11	1310:11	234:22 (+40)		
	ENC	683							
			PROC. REF: EMM 74-10-00					WO#: FL7 MIP 2023-00X	
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service	ATA:74
	MOS	15-Jun-23							
	HRS	870:11	400 (+10%/-10%)		(1270:11) 1270:11	1310:11	234:22 (+40)		
	ENC	683							
Special Properties: CMT ITEM			PROC. REF: EMM 74-20-00					WO#: FL7 MIP 2023-00X	
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service	ATA:74
	MOS	15-Jun-23							
	HRS	870:11	400 (+10%/-10%)		(1270:11) 1270:11	1310:11	234:22 (+40)		
	ENC	683							
			PROC. REF: EMM 74-20-00					WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-00.7	NO. 1 ENGINE - COMPRESSOR BLEED VALVE INSPECTION/CHECK							Service	ATA:75
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 75-30-00								
75-30-00.8	NO. 1 ENGINE - COMPRESSOR BLEED VALVE ADJUSTMENT/TEST							Service	ATA:75
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: EMM 75-30-00								
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3059835-01	MOS	07-Jun-19		TSN 0				OVERHAUL	
SN:AHX1001652	HRS	0	3500 (+500)	TSN 0	(3500) 3500	4000	2464:11 (+500)		
	ENC	0		TSN 0					
	PROC. REF: EMM 75-30-00								
ATA 76 - ENGINE CONTROLS									
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service	ATA:76
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF								
	PKG:5 WO#: FL7 MIP 2023-00X								
76-00/211 ^S	CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service	ATA:76
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
	PROC. REF: GENERIC NO REF								
	PKG:3 WO#: FL7 MIP 2023-00X								
76-00/212 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service	ATA:76
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
	PROC. REF: AMM 76-10-00								
	PKG:2 WO#: FL7 MIP 2023-00X								
Special Properties: CMT ITEM									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/303^S OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE								
	MOS	18-Nov-22	12 (+10%/-10%)					Service ATA:76
	HRS	581:52	1200 (+10%/-10%)					
	AFL	455						
Special Properties: CMT ITEM			PROC. REF: AMM 76-20-00, AMM 76-10-00				PKG:6 WO#: FL7 MIP 2023-00X	
76-00/304^S EXAMINE COCKPIT CONTROL QUADRANT								
	MOS	15-Jun-23	12 (+10%/-10%)					Service ATA:76
	HRS	870:11	300 (+10%/-10%)					
	AFL	689						
			PROC. REF: GENERIC NO REF				PKG:3 WO#: FL7 MIP 2023-00X	
76-10/117 FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES								
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)	Service ATA:76
	HRS	581:52	3000 (+10%/-10%)		3581:52	3881:52	2546:03 (+300)	
WC#: 76.010	AFL	455						
Special Properties: CMT ITEM			PROC. REF: AMM 76-10-02				WO#: FL7 MIP 2023-00X	
760015 MANUAL OVERRIDE CABLE ASSY.								
PN:941.94.11.435	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:76
SN:00029	HRS	0		TSN 0				
WC#: 76.020	AFL	0		TSN 0				
			PROC. REF: AMM 76-20-00					
760020 CONDITION CABLE ASSY.								
PN:941.94.11.436	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:76
SN:00029	HRS	0		TSN 0				
WC#: 76.030	AFL	0		TSN 0				
			PROC. REF: GENERIC NO REF					
760025 POWER CONTROL CABLE ASSY.								
PN:941.94.11.437	MOS/MSC	31-Oct-19	O/C	TSN 0				Component ATA:76
SN:00020	HRS	0		TSN 0				
WC#: 76.040	AFL	0		TSN 0				
			PROC. REF: AMM 76-10-04					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761011 ^S	NO. 1 ENGINE - INSPECT ENGINE CONTROL LINKAGES							Service	ATA:76
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC	683							
				PROC. REF: EMM 72-00-00					
								PKG:2 WO#: FL7 MIP 2023-00X	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-20-01.7 NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS INSPECTION/CHECK Service ATA:77								
	MOS/MSC	07-Jun-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 77-20-01								
77-20-01.9 NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS ADJUSTMENT/TEST Service ATA:77								
	MOS/MSC	07-Jun-19	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 77-20-01								
77-40-03-00A-903A-A TORQUE TRANSDUCER ADJUSTMENT TEST Service ATA:77								
	MOS/MSC	31-Oct-19	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 77-40-03								
770005 TRQ,IPT-51DFP-1000-70D TRANSDUCER Component ATA:77								
PN:975.21.15.206	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:8563-9-295	HRS	0			TSN 0			
WC#: 77.010	AFL	0			TSN 0			
PROC. REF: AMM 77-40-03								
770025 DIFFERENTIAL PRESSURE TRANSDUCER Component ATA:77								
PN:975.21.15.219	MOS/MSC	31-Oct-19	O/C		TSN 0			
SN:11168546	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
771010 NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS Component ATA:77								
PN:3043825-01	MOS/MSC	07-Jun-19	O/C		TSN 0			
SN:NRA105395	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: EMM 77-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-00/214 ^S	EXAMINE EXHAUST STUBS							Service	ATA:78
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
	PROC. REF: GENERIC NO REF							PKG:3	WO#: FL7 MIP 2023-00X
ATA 79 - OIL									
701020	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON-METALLIC FOREIGN MATERIAL							Service	ATA:79
	MOS/MSC	07-Jun-19	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: GENERIC NO REF								
79-00/422 ^S	OPERATIONAL TEST OIL FILLER CAP / DIPSTICK							Service	ATA:79
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	600 (+10%/-10%)						
	AFL	455							
Special Properties: CMT ITEM	PROC. REF: AMM 79-30-06							PKG:5	WO#: FL7 MIP 2023-00X
79-20/289 ^S	EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service	ATA:79
	MOS	18-Nov-22	12 (+10%/-10%)						
	HRS	581:52	1200 (+10%/-10%)						
	AFL	455							
	PROC. REF: GENERIC NO REF							PKG:6	WO#: FL7 MIP 2023-00X
79-20/290 ^S	OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM							Service	ATA:79
	MOS	15-Jun-23	12 (+10%/-10%)						
	HRS	870:11	300 (+10%/-10%)						
	AFL	689							
Special Properties: CMT ITEM	PROC. REF: AMM 79-30-01							PKG:3	WO#: FL7 MIP 2023-00X
79-20/43	OIL COOLER							Component	ATA:79
PN:968.32.14.102	MOS	31-Oct-19		TSN 0				OVERHAUL	
SN:T1958	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	2464:11 (+350)		
WC#: 79.010	AFL	0		TSN 0					
	PROC. REF: AMM 79-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790005	TEMPERATURE BULB							Component	ATA:79
PN:975.11.20.101	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:302732	HRS	0		TSN 0					
WC#: 79.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
790020	PRESSURE,GAGE SWITCH							Component	ATA:79
PN:973.81.14.305	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1866	HRS	0		TSN 0					
WC#: 79.030	AFL	0		TSN 0					
PROC. REF: AMM 79-30-04									
790021	NO. 1 ENGINE - SERVICING OF OIL SYSTEM							Service	ATA:79
	MOS/MSC	07-Jun-19	N/A						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF									
790025	THERMAL ACTUATOR							Component	ATA:79
PN:978.73.01.002	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:2207	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	15-Jun-23	12 (+10%)		15-Jun-24	21-Jul-24	249 d (+36)		
	HRS	870:11	300 (+10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
	ENC	683							
PROC. REF: EMM 79-20-02									
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	18-Nov-22	12 (+10%/-10%)	Adj -18d	31-Oct-23	06-Dec-23	21 d (+36)		
	HRS	581:52	600 (+10%/-10%)		(1181:52) 1181:52	1241:52	146:03 (+60)		
	ENC	451							
Special Properties: CMT ITEM									
PROC. REF: EMM 79-20-02									
WO#: FL7 MIP 2023-00X									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service	ATA:79
	MOS	15-Jun-23							
	HRS	870:11	900 (+10%/-10%)	Adj 29:49	(1800) 1800	1890	764:11 (+90)		
	ENC	683							
Special Properties: CMT ITEM		PROC. REF: EMM 79-20-02							
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service	ATA:79
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)		(1170:11) 1170:11	1200:11	134:22 (+30)		
	ENC	683							
Special Properties: CMT ITEM		PROC. REF: EMM 79-20-02							WO#: FL7 MIP 2023-00X
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service	ATA:79
	MOS	15-Jun-23							
	HRS	870:11	1000 (+10%/-10%)		(1870:11) 1870:11	1970:11	834:22 (+100)		
	ENC	683							
		PROC. REF: EMM 72-60-00							
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service	ATA:79
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
		PROC. REF: GENERIC NO REF							PKG:2 WO#: FL7 MIP 2023-00X
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:79
	MOS	15-Jun-23							
	HRS	870:11	300 (+10%/-10%)						
	ENC								
		PROC. REF: GENERIC NO REF							PKG:2 WO#: FL7 MIP 2023-00X
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:975.21.15.214	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:8389-7-748	HRS	0		TSN 0					
	ENC	0		TSN 0					
		PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792040	NO. 1 ENGINE - LOW OIL PRESSURE SWITCH							Component	ATA:79
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
792050	NO. 1 ENGINE - OIL DRAIN SHUTOFF VALVE							Component	ATA:79
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
792060	NO. 1 ENGINE - OIL LEVEL SIGHT GAGE							Component	ATA:79
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
792070	NO. 1 ENGINE - OIL TANK PRESSURIZING VALVE							Component	ATA:79
PN:PN	MOS/MSC	07-Jun-19	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1914 RegNo: OH-MIP HRS: 1035:49 AFL: 813 As Of: 29-Sep-2023

10-Oct-2023 03:43 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 91 - UNKNOWN									
240120	BATTERY EXT POWER JUNCTION BOX							Component	ATA:91
PN:974.03.38.152	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1202	HRS	0		TSN 0					
WC#: 90.005	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
910010	LEFT HD POWER JCT BOX							Component	ATA:91
PN:974.03.38.144	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1187	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KBT300-5133	HRS	0		TSN 0					
WC#: 90.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KBT300-5131	HRS	0		TSN 0					
WC#: 90.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KBT300-5162	HRS	0		TSN 0					
WC#: 90.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
910035	CO-PILOT RIGHT HD POWER,FE1549R JUNCTION BOX							Component	ATA:91
PN:974.03.38.145	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:1115	HRS	0		TSN 0					
WC#: 90.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	31-Oct-19	O/C	TSN 0					
SN:KBT300-5152	HRS	0		TSN 0					
WC#: 90.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task