



Status Report

PC-12/47E

S/N 1793 UP-PC001

OWNER: DALA AIR LLP
ADDRESS: BOGENBAY BATYR ST. 186/65
ALMATY CITY, A05B8T8 05000
OFFICE: +7 727 293 06 28
FAX: +7 727 293 12 73

OPERATOR: DALA AIR LLP
ADDRESS: BOGENBAY BATYR ST. 186/65
ALMATY CITY, A05B8T8 05000
OFFICE: +7 727 293 06 28
FAX: +7 727 293 12 73

ANALYST: SABEUR SAYARI
EMAIL: SABEUR.SAYARI@CAMPSYSTEMS.EU

+33-1.55.93.47.82 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 1793/UP-PC001	MODEL: PC-12/47E	MANUFACTURER: PILATUS AIRCRAFT LTDX
	CERTIFICATION DATE: 24-MAY-2018	LAST ACTUALS:	
		3125:49 A/C HRS	as of 27-DEC-2024
		1824 AFL	as of 27-DEC-2024
		324 ACH	as of 19-DEC-2024

ENGINE NO. 1	SERIAL/PART: PCE-RY0861/3072955-01	MODEL: PT6A-67P	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
	INSTALLED ON: 16-NOV-2023	LAST ACTUALS:	
	1816:54 ENG. HRS	2411:42 ENG. HRS	as of 27-DEC-2024
	1141 ENC	1472 ENC	as of 27-DEC-2024
	2511:52 A/C HRS		

PROPELLER NO. 1	SERIAL/PART: SA228/HC-E5A-3A/NC10245B	MODEL: HC-E5A-3A	MANUFACTURER: HARTZELL PROPELLER LLC
	INSTALLED ON: 16-NOV-2023	LAST ACTUALS:	
	2166:01 PROP HRS	2760:49 PROP HRS	as of 27-DEC-2024
	0 PRC		
	2511:52 A/C HRS		



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
00-00/121 ^S	AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service	ATA:00
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
00-00/122 ^S	AIRCRAFT - CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service	ATA:00
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
00-00/481 ^S	AIRCRAFT-CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service	ATA:00
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
002501 ^U	FIRST AID KIT INSPECTION							Service	ATA:00
	MOS	25-Mar-24	12		25-Mar-25		74 d		
	HRS	2693:50							
	AFL	1623							
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-190408	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 49.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-190802	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 28							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-191028	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 50.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-191205	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 50.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200413	NO. 1 ENGINE - REVIEW PT6A-67B/-67P MM REV 51.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF 00PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-200429	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF 00PROC. REF: RCF 00								
E072-200504	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200505	NO. 1 ENGINE - REVIEW PWC SB P6A-72-14001 REV 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200521	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-200910	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 51.3							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
E072-201012	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 52.0							Service ATA:00	
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									
E072-201202	NO. 1 ENGINE - REVIEW PWC SB PT6A-72-14002 REV 26							Service ATA:00	
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									
E072-210412	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 53.0							Service ATA:00	
	MOS/MSC	29-Apr-21	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									
E072-210806	NO. 1 ENGINE - REVIEW SB PT6A-72-14002 REV 27							Service ATA:00	
	MOS/MSC	10-Sep-21	-					REQUIREMENT CHANGE FORMS	
	HRS	604:51							
	ENC	566							
PROC. REF: RCF E072PROC. REF: RCF E072									
E072-210913	NO. 1 ENGINE - REVIEW SB PT6A-72-14603 REV 30							Service ATA:00	
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E072PROC. REF: RCF E072									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-211011	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 54.0							Service ATA:00
	MOS/MSC	05-Nov-21	-					REQUIREMENT CHANGE FORMS
	HRS	810:27						
	ENC	670						
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-221010	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 56.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-231009	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 58.0							Service ATA:00
	MOS/MSC	16-Nov-23	-					REQUIREMENT CHANGE FORMS
	HRS	1816:54						
	ENC	1141						
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-240408	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 59.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-241007	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 60.0							Service ATA:00
	MOS/MSC	31-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS	2314:12						
	ENC	1433						
PROC. REF: RCF E072PROC. REF: RCF E072								
P47E-170906	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL TEMPORARY REVISION NO. 05-04							Service ATA:00
	MOS/MSC	24-May-18	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-180524	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 19							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-181129	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 20							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-190503	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 21							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
P47E-191121	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 22							Service	ATA:00
	MOS/MSC	24-May-18	-					REQUIREMENT CHANGE FORMS	
	HRS	0							
	AFL	0							
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-200515	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 23							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-201125	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 24							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-210716	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 25							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF P47EPROC. REF: RCF P47E									
P47E-220520	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 28							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF P47EPROC. REF: RCF P47E									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P47E-220829	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 29							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
P47E-230116	REVIEW PC-12/47E AIRCRAFT MAINTENANCE MANUAL REVISION 30							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF P47EPROC. REF: RCF P47E								
PE5A-200801	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 33							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-200901	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 34							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-200901-1	NO. 1 PROPELLER - REVIEW HC-E5A-3A POM 147 REV 17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 35							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PE5A-210304	NO. 1 PROPELLER - REVIEW SL HC-SL-61-61Y REV 13							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PE5A-210401	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 TR-011							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210601	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 REV. 36							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-210707	NO. 1 PROPELLER - REVIEW HC-SL-61-61Y REV 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-220601	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 38							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-220727	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR HARTZELL PROPELLER TASKS AND DESCRIPTIONS CHANGES							Service ATA:00
	MOS/MSC	25-Aug-22	-					AUDIT SUMMARY CHANGE FORM
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
PE5A-220901	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR ADDITION OF RECOMMENDED APPLICATION OF CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service	ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-221201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 39							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-230501A	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 012, DATED MAY 2023							Service	ATA:00
	MOS/MSC	23-Apr-23	-					REQUIREMENT CHANGE FORMS	
	HRS	2030:33							
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-230501B	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 013, DATED MAY 2023							Service	ATA:00
	MOS/MSC	23-Apr-23	-					REQUIREMENT CHANGE FORMS	
	HRS	2030:33							
PROC. REF: RCF PE5APROC. REF: RCF PE5A									
PE5A-230701	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 20							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
PROC. REF: RCF PE5APROC. REF: RCF PE5A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PE5A-230901	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 41							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-231201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL, REVISION 42							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-231213	NO. 1 PROPELLER - REVIEW HARTZELL SL - PROPELLER - OVERHAUL PERIODS AND SERVICE LIFE LIMITS (SL) HC-SL-61-61Y, REV 15							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-240201	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 43							Service ATA:00
	MOS/MSC	14-Feb-24	-					REQUIREMENT CHANGE FORMS
	HRS	2316:40						
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-240501	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-3A PROPELLER OWNER'S MANUAL (POM) 147 REV 21							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF PE5APROC. REF: RCF PE5A								
PE5A-240918	NO. 1 PROPELLER - REVIEW HC-E5A-3A HARTZELL SERVICE LETTER (SL) HC-SL-61-61Y REV 16							Service ATA:00
	MOS/MSC	11-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS	2619:12						
PROC. REF: RCF PE5APROC. REF: RCF PE5A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 00 - INFORMATION

PE5A-241001	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 44						Service	ATA:00
	MOS/MSC	31-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS	2663:19						
PROC. REF: RCF PE5APROC. REF: RCF PE5A								

PE5A-241001B	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-3A PROPELLER OWNER'S MANUAL (POM) 147 REV 22						Service	ATA:00
	MOS/MSC	31-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS	2663:19						
PROC. REF: RCF PE5APROC. REF: RCF PE5A								

ATA 04 - LIMITATIONS

040001	AIRCRAFT LIMIT OF VALIDITY						Component	ATA:04
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	50000	TSN 0	50000	46874:11		
	AFL	0	60000	TSN 0	60000	58176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY						Component	ATA:04
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000	31874:11		
	AFL	0	43000	TSN 0	43000	41176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY						Component	ATA:04
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000	31874:11		
	AFL	0	43000	TSN 0	43000	41176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

ATA 05 - TIME LIMITS/MAINTENANCE CHECKS

050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)						Service	ATA:05
	MOS	24-May-18						
	HRS	0	25000		25000	21874:11		
	AFL	0	30000		30000	28176		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
PROC. REF: AMM 12-B-05-10-30-00A-280A-APROC. REF: AMM 12-B-05-10-30-00A-280A-A									
050005	AIRCRAFT REGISTRATION - FAR 47.40							Service	ATA:05
	MOS/MSC	24-May-18	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service	ATA:05
	MOS	24-May-18							
	HRS	0	25000		25000		21874:11		
	AFL	0	30000		30000		28176		
PROC. REF: AMM 12-B-20-40-00-00A-901A-A, AMM 12-B-20-40-00-00A-040A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A, AMM 12-B-20-40-00-00A-040A-A									
05200A	JOB SET UP / CLOSE UP PACKAGE							Package	ATA:05
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: AMM 12-B-05-20-00-00A-913A-APROC. REF: AMM 12-B-05-20-00-00A-913A-A									
05401A	300 HOUR INSPECTION							Package	ATA:05
	MOS	04-Oct-24							
	HRS	2964:40	300 (+30/-30)		3264:40	3294:40	138:51 (+30)		
	AFL	1757							
PROC. REF: AMM 12-B-05-40-01-01A-000B-APROC. REF: AMM 12-B-05-40-01-01A-000B-A									
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	04-Oct-24	12 (+1m/-1m)		04-Oct-25	04-Nov-25	267 d (+31)		
	HRS	2964:40	300 (+30/-30)	Adj -17:31	3247:09	3277:09	121:20 (+30)		
	AFL	1757							
PROC. REF: AMM 12-B-05-40-01-02A-000B-APROC. REF: AMM 12-B-05-40-01-02A-000B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05403A	600 HOUR INSPECTION							Package	ATA:05
	MOS	04-Oct-24							
	HRS	2964:40	600 (+60/-60)		3564:40	3624:40	438:51 (+60)		
	AFL	1757							
PROC. REF: AMM 12-B-05-40-01-03A-000B-APROC. REF: AMM 12-B-05-40-01-03A-000B-A									
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package	ATA:05
	MOS	09-Jun-24	12 (+1m/-1m)		09-Jun-25	09-Jul-25	150 d (+30)		
	HRS	2702:23	600 (+60/-60)	Adj -6:41	3295:42	3355:42	169:53 (+60)		
	AFL	1623							
PROC. REF: AMM 12-B-05-40-01-04A-000B-APROC. REF: AMM 12-B-05-40-01-04A-000B-A									
05405A	1200 HOUR OR 12 MONTH INSPECTION							Package	ATA:05
	MOS	09-Jun-24	12 (+1m/-1m)	Adj -61d	09-Apr-25	09-May-25	89 d (+30)		
	HRS	2702:23	1200 (+120/-120)		3902:23	4022:23	776:34 (+120)		
	AFL	1623							
PROC. REF: AMM 12-B-05-40-01-05A-000B-APROC. REF: AMM 12-B-05-40-01-05A-000B-A									
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package	ATA:05
	MOS	09-Jun-24	24 (+1m/-1m)	Adj -64d	06-Apr-26	06-May-26	451 d (+30)		
	HRS	2702:23	2400 (+60/-60)		5102:23	5162:23	1976:34 (+60)		
	AFL	1623							
PROC. REF: AMM 12-B-05-40-01-06A-000B-APROC. REF: AMM 12-B-05-40-01-06A-000B-A									
057010	NO. 1 ENGINE - MINOR INSPECTION							Package	ATA:05
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)	Adj -5:08	(2416:54) 3131:01	2446:54	5:12 (+30)		
	ENC	1329							
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/578 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
								PKG:6	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/579 ^S	ACCESS PANEL, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
								PKG:6	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/582 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
								PKG:5	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/583 ^S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
								PKG:5	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/590 ^S	ACCESS PANEL, ENGINE: 11BR, 21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
								PKG:2	
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/591 ^S	ACCESS PANEL, ENGINE: 11BR,21QZ - INSTALL							Service	ATA:06
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:2	
06-00/592 ^S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service	ATA:06
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:2	
06-00/593 ^S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service	ATA:06
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:2	
06-00/594 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3	
06-00/595 ^S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service	ATA:06
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:3	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/596 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/597 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service	ATA:06
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/598 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/599 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/602 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	04-Oct-24							
	HRS	2964:40	600 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/603 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	04-Oct-24							
	HRS	2964:40	600 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:4	
06-00/604 ^S	ACCESS PANEL, FUSELAGE: 11AL,12EL,21QZ - REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:5	
06-00/605 ^S	ACCESS PANEL, FUSELAGE: 11AL, 12EL,21QZ - INSTALL							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:5	
06-00/606 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:5	
06-00/607 ^S	ACCESS PANEL, WING: 52NB, 52OB, 62NB, 62OB - INSTALL							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/608 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR						Service	ATA:06
	MOS	09-Jun-24	12 (+10m/-10%)					
	HRS	2702:23	1200 (+10/-10%)					
	AFL	1623						
								PKG:6
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/609 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AR, 11BR, 11BL, 11BZ, 11DZ, 12AL, 12AR, 12AB,12AV, 12BL, 12BR, 12BZ, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21OZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL						Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
								PKG:6
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/610 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE						Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
								PKG:6
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/611 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL						Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
								PKG:6
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								
06-00/612 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/613 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/614 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/615 ^S	ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, , 12EL, 12ER, 12CZ, 12EZ, 12FZ, 21JZ - CLOSE AND INSTALL							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/616 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									
06-00/617 ^S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/618 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:7	
06-00/619 ^S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:7	
06-00/620 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:7	
06-00/621 ^S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service	ATA:06
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-06-20-00-00A-040A-APROC. REF: AMM 12-B-06-20-00-00A-040A-A								PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 07 - LIFTING AND SHORING									
07-10/160 ^S	AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND							Service	ATA:07
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:1 ,2,3,4,5,6,7	
<hr/>									
07-10/161 ^S	AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND							Service	ATA:07
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								PKG:1 ,2,3,4,5,6,7	
<hr/>									
071005	LIFT MECHANISM ASSY							Component	ATA:07
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
071010	LIFT CONTROL BOX							Component	ATA:07
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
ATA 08 - LEVELING AND WEIGHING									
080000	WEIGHT CHECK AIRCRAFT							Service	ATA:08
	MOS	06-Apr-22	48		06-Apr-26		451 d		
	HRS	1153:30							
WC#: 08.005	AFL	833							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10/428 ^S	EXTERNAL PROTECTIVE COVERS - EXAMINE. REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.							Service	ATA:10
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
								PKG:3	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

ATA 11 - PLACARDS AND MARKINGS									
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service	ATA:11
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
								PKG:6	
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-040A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-040A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A									

ATA 12 - SERVICING									
12-20/124 ^S	AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO PERFORM THE INSPECTION							Service	ATA:12
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A									

12-20/125 ^S	WINDSHIELDS AND WINDOWS - CLEAN							Service	ATA:12
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: AMM 12-B-12-20-02-00A-902A-APROC. REF: AMM 12-B-12-20-02-00A-902A-A									

12-20/126 ^S	COCKPIT AND CABIN - CLEAN							Service	ATA:12
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
PROC. REF: AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-03-00A-902A-A									
ATA 20 - STANDARD PRACTICES - AIRFRAME									
00-00/45A	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (INTERNAL)							Service	ATA:20
	MOS	09-Jun-24	12 (+1m/-1m)	Adj -72d	29-Mar-25	29-Apr-25	78 d (+31)		
	HRS	2702:23							
WC#: 20.010	AFL	1623							
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									
00-00/45B	AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (EXTERNAL)							Service	ATA:20
	MOS	17-Aug-24	6 (+10%/-10%)		17-Feb-25	05-Mar-25	38 d (+16)		
	HRS	2836:09							
WC#: 20.011	AFL	1681							
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									
ATA 21 - AIR CONDITIONING									
21-20/221 ^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE							Service	ATA:21
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
21-20/317	ECS EMERGENCY SHUT-OFF SYSTEM - CHECK							Service	ATA:21
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -61d	09-Apr-25	15-May-25	89 d (+36)	AIRWORTHINESS	
	HRS	2702:23	3000		5702:23		2576:34		
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
21-30/314 ^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IS FOUND REMOVE AND CLEAN							Service	ATA:21
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
WC#: 21.030	AFL	1623							
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A									

PKG:7

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30/318	PRESSURIZATION DUMP SWITCH MSN 1001-1719 - OPERATIONAL TEST							Service	ATA:21
	MOS/MSC	24-May-18	N/A						
	HRS	0							
WC#: 21.045	AFL	0							
PROC. REF: AMM 12-B-21-30-00-00A-903A-APROC. REF: AMM 12-B-21-30-00-00A-903A-A									
21-30/46	CABIN POSITIVE PRESSURE RELIEF 1001-1719 - FUNCTIONAL TEST							Service	ATA:21
	MOS/MSC	31-May-18	N/A						
	HRS	0							
WC#: 21.040	AFL								
PROC. REF: AMM 12-B-21-30-00-00A-903A-APROC. REF: AMM 12-B-21-30-00-00A-903A-A									
21-30/463	CABIN PRESSURIZATION DUMP CONTROL MSN 1720-9999 - OPERATIONAL TEST							Service	ATA:21
	MOS	09-Jun-24	12 (+10%/-10%)	Adj 31d	10-Jul-25	16-Aug-25	181 d (+37)		
	HRS	2702:23	600		3302:23		176:34		
	AFL	1623							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/464	CABIN PRESSURIZATION MANUAL CONTROL MSN 1720-9999 - OPERATIONAL TEST							Service	ATA:21
	MOS	09-Jun-24	12 (+10%/-10%)	Adj 31d	10-Jul-25	16-Aug-25	181 d (+37)		
	HRS	2702:23	600		3302:23		176:34		
	AFL	1623							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/465	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE MSN 1720-9999 - FUNCTIONAL TEST							Service	ATA:21
	MOS	06-Apr-22	48 (+10%/-10%)	Adj 48d	24-May-26	18-Oct-26	499 d (+147)		
	HRS	1153:30	4800		5953:30		2827:41		
	AFL	833							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/467	CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE MSN 1720-9999 - EXAMINE							Service	ATA:21
	MOS	06-Apr-22	48 (+10%/-10%)	Adj 48d	24-May-26	18-Oct-26	499 d (+147)		
	HRS	1153:30	4800 (+10%/-10%)		5953:30	6433:30	2827:41 (+480)		
	AFL	833							
PROC. REF: AMM 12-B-21-30-05-00A-310A-APROC. REF: AMM 12-B-21-30-05-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-30/468	CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION MSN 1720-9999 - FUNCTIONAL TEST							Service	ATA:21
	MOS	06-Apr-22	48		06-Apr-26		451 d		
	HRS	1153:30	4800		5953:30		2827:41		
	AFL	833							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-30/469	CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING MSN 1720-9999 - FUNCTIONAL TEST							Service	ATA:21
	MOS	06-Apr-22	48		06-Apr-26		451 d		
	HRS	1153:30	4800		5953:30		2827:41		
	AFL	833							
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A									
21-40/128 ^S	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service	ATA:21
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A									
21-40/330 ^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service	ATA:21
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
WC#: 21.140	AFL	1623							
PROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-A									
21-40/331 ^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST							Service	ATA:21
PN:969.67.81.507	MOS	09-Jun-24	12 (+10%/-10%)						
SN:589148	HRS	2702:23	1200 (+10%/-10%)						
WC#: 21.150	AFL	1623							
PROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903A-A, AMM 12-B-21-40-01-00A-903B-A									

PKG:6

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/50 ^S WATER SEPARATOR CONDENSER - CLEAN								Service ATA:21
PN:PN	MOS	09-Jun-24	12 (+10%/-10%)					
SN:UNKNOWN	HRS	2702:23	1200 (+10%/-10%)					
WC#: 21.080	AFL	1623						
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								PKG:6
21-40/51 OVERTEMPERATURE SWITCH - FUNCTIONAL TEST								Service ATA:21
PN:973.81.32.216	MOS	28-Oct-23	60 (+10%/-10%)	Adj -150d	31-May-28	30-Nov-28	1237 d (+183)	
SN:1205	HRS	2466:25	4800 (+10%/-10%)		7266:25	7746:25	4140:36 (+480)	
WC#: 21.130	AFL	1469						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								
21-40/52 DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST								Service ATA:21
PN:973.81.32.214	MOS	28-Oct-23	60 (+10%/-10%)	Adj -157d	24-May-28	24-Nov-28	1230 d (+184)	
SN:1122	HRS	2466:25	4800 (+10%/-10%)		7266:25	7746:25	4140:36 (+480)	
WC#: 21.120	AFL	1469						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
21-40/55 ^S COLD AIR UNIT - ADD OIL								Service ATA:21
	MOS	04-Oct-24						
	HRS	2964:40	600 (+10%/-10%)					
WC#: 21.060	AFL	1757						
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A								PKG:4
21-40/56 ^S HEAT EXCHANGER MATRIX - INSPECT/CHECK								Service ATA:21
	MOS	04-Oct-24						
	HRS	2964:40	600 (+10%/-10%)					
WC#: 21.070	AFL	1757						
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50/223 ^S VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) - EXAMINE Service ATA:21								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-50/433 ^S VAPOR CYCLE COMPRESSOR/CONDENSER MODULE (INCLUDIG MOTOR) (IF INSTALLED) - CLEAN Service ATA:21								
PN:959.90.22.140	MOS	04-Oct-24	12 (+10%/-10%)					
SN:2053	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
21-50/461 VAPOR CYCLE COMPRESSOR MOTOR (CCM P/N 959.90.22.140) (IF INSTALLED) - INSPECT/CHECK Service ATA:21								
PN:959.90.22.140	MOS	24-May-18						
SN:2053	HRS	0						
	AFL	0						
	ACH	0	600 (+10%/-10%)		600	660	276 (+60)	
PROC. REF: AMM 12-B-21-50-03-00A-313A-APROC. REF: AMM 12-B-21-50-03-00A-313A-A								
21-50/462 VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (CCM P/N 959.90.22.140) (IF INSTALLED) - CHECK FOR TENSION Service ATA:21								
PN:959.90.22.140	MOS	24-May-18						
SN:2053	HRS	0						
	AFL	0						
	ACH	0	600 (+10%/-10%)		600	660	276 (+60)	
PROC. REF: AMM 12-B-21-50-01-00A-903A-APROC. REF: AMM 12-B-21-50-01-00A-903A-A								
21-50/58 VAPOOR CYCLE COMPRESSOR MOTOR (IF INSTALLED) - INSPECTION/CHECK Service ATA:21								
PN:959.90.22.140	MOS/MSC		N/A					
SN:2053	HRS							
WC#: 21.110	AFL							
	ACH	0						
PROC. REF: AMM 12-B-21-50-03-00A-313A-APROC. REF: AMM 12-B-21-50-03-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50/59 VAPOR CYCLE COMPRESSOR MOTOR DRIVE BELT (IF INSTALLED) - CHECK FOR TENSION								Service ATA:21
PN:959.90.22.140	MOS/MSC		N/A					
SN:2053	HRS							
WC#: 21.100	AFL							
	ACH	0						
PROC. REF: AMM 12-B-21-50-01-00A-903A-APROC. REF: AMM 12-B-21-50-01-00A-903A-A								
210005 OVERPRESSURE SWITCH								Component ATA:21
PN:973.81.15.105	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1636	HRS	0		TSN 0				
WC#: 21.340	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								
210010 REFRIGERATION PACK								Component ATA:21
PN:959.90.20.111	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2268	HRS	0		TSN 0				
WC#: 21.255	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								
210015 WATER INJECTOR								Component ATA:21
PN:959.90.20.141	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2236	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210020 DUCT TEMP SENSOR								Component ATA:21
PN:959.90.20.121	MOS/MSC	24-May-18	O/C	TSN 0				
SN:5122	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210025 PRIM SHUT OFF VALVE								Component ATA:21
PN:959.90.20.132	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2244	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210030 HP SHUT OFF VALVE								Component ATA:21
PN:959.90.20.131	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2246	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								
210035 WATER SEPARATOR ASSY								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-03-00A-920A-APROC. REF: AMM 12-B-21-40-03-00A-920A-A								
210040 TEMP CONTROL VALVE								Component ATA:21
PN:959.90.20.137	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2247	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
210045 AIR-CONDITIONING - COMPRESSOR/CONDENSER MODULE								Component ATA:21
PN:959.90.22.140	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2053	HRS	0		TSN 0				
WC#: 21.380	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-50-01-00A-920A-APROC. REF: AMM 12-B-21-50-01-00A-920A-A								
210046 VAPOR CYCLE COMPRESSOR MOTOR								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-50-01-00A-920A-APROC. REF: AMM 12-B-21-50-01-00A-920A-A								
210050 CENTER EVAPORATOR MODULE ASSY								Component ATA:21
PN:959.90.22.121	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1134	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210055		RIGHT SIDE EVAPORATOR MODULE						Component	ATA:21
PN:959.90.22.119	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1303	HRS	0		TSN 0					
WC#: 21.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210060		CABIN PRESSURE OUTFLOW VALVE						Component	ATA:21
PN:959.90.91.125	MOS/MSC	24-May-18	O/C	TSN 0					
SN:65053598-00104	HRS	0		TSN 0					
WC#: 21.250	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-30-03-00A-920A-APROC. REF: AMM 12-B-21-30-03-00A-920A-A									
210065		CABIN PRESSURE RELIEVE VALVE						Component	ATA:21
PN:959.90.91.132	MOS/MSC	24-May-18	O/C	TSN 0					
SN:127-F0814	HRS	0		TSN 0					
WC#: 21.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210070		AUXILIARY VOLUME TANK						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210075		CHECK VALVE						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.400	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210080		JET PUMP						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.410	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210085 MANUAL CONTROLLER								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.420	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210090 OUTFLOW VALVE CONTROLLER								Component ATA:21
PN:959.90.91.147	MOS/MSC	24-May-18	O/C	TSN 0				
SN:65000052-00101	HRS	0		TSN 0				
WC#: 21.430	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-03-00A-920A-A, AMM 12-B-21-30-03-00A-920B-APROC. REF: AMM 12-B-21-30-03-00A-920A-A, AMM 12-B-21-30-03-00A-920B-A								
210095 ALT/PX INDICATOR								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.245	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210100 CABIN RATE INDICATOR								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.440	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210105 CABIN DIFF PX SWITCH								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210110 CABIN PX SWITCH								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210115 UNDERFLOOR (FRONT) ELECTRIC HEATER								Component ATA:21
PN:969.67.81.507	MOS/MSC	24-May-18	O/C	TSN 0				
SN:589148	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								
210120 BAY TEMP SENSOR								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.450	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210125 CABIN TEMPERATURE AIR TEMP INDICATOR								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.460	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210130 TEMP CONTROLLER								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.235	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								
210135 LEFT SIDE EVAPORATOR MODULE ASSY								Component ATA:21
PN:959.90.22.118	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1258	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210140 SOLENOID VALVE								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
210145		CABIN (REAR) ELECTRIC HEATER						Component	ATA:21
PN:969.67.81.507	MOS/MSC	24-May-18	O/C	TSN 0					
SN:589153	HRS	0		TSN 0					
WC#: 21.230	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A									
210150		DUAL FLAPPER 25 IN CHECK VALVE						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.470	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210155		MANUALLY OPR SHUTOFF VALVE						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.480	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210160		CABIN HEATER TEMPERATURE TRANSMITTER						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
210165		UNDERFLOOR HEATER TEMPERATURE TRANSMITTER						Component	ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.260	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-60-08-00A-920A-APROC. REF: AMM 12-B-21-60-08-00A-920A-A									
210170		OVERPRESSURE SWITCH						Component	ATA:21
PN:973.81.15.106	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1679	HRS	0		TSN 0					
WC#: 21.340	AFL	0		TSN 0					
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210175 FLOW CONTROL VALVE ACTUATOR								Component ATA:21
PN:959.90.20.162	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1856	HRS	0		TSN 0				
WC#: 21.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-03-01A-920A-APROC. REF: AMM 12-B-21-60-03-01A-920A-A								
210180 CABIN PRESSURE CONTROL UNIT								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.530	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-01-00A-920A-APROC. REF: AMM 12-B-21-30-01-00A-920A-A								
210185 INTEG. ECS CONTROL UNIT								Component ATA:21
PN:959.90.20.129	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0845	HRS	0		TSN 0				
WC#: 21.540	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
210190 FLOOR DUCT TEMP SENSOR								Component ATA:21
PN:959.90.20.121	MOS/MSC	24-May-18	O/C	TSN 0				
SN:5114	HRS	0		TSN 0				
WC#: 21.550	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
210195 MIDDLE CONSOLE DUCT TEMP SENSOR								Component ATA:21
PN:959.90.20.121	MOS/MSC	24-May-18	O/C	TSN 0				
SN:5113	HRS	0		TSN 0				
WC#: 21.560	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210200 FIREWALL 1415-3 SHUT OFF VALVE								Component ATA:21
PN:963.30.11.005	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1066	HRS	0		TSN 0				
WC#: 21.570	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210205 OVERTEMP. BLEEDAIR 1173T083-01 SWITCH								Component ATA:21
PN:973.81.32.216	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1205	HRS	0		TSN 0				
WC#: 21.580	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210210 OVERTEMP. CONDAIR 1173T08 SWITCH								Component ATA:21
PN:973.81.32.214	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1122	HRS	0		TSN 0				
WC#: 21.590	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210215 DUAL FLAPPER 1.5 IN. CHECK VALVE								Component ATA:21
PN:963.30.11.105	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1710B	HRS	0		TSN 0				
WC#: 21.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210220 LH DUAL FLAPPER 2.5 IN. CHECK VALVE								Component ATA:21
PN:963.30.11.106	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3041B	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210225 RH DUAL FLAPPER 2.5 IN. CHECK VALVE								Component ATA:21
PN:963.30.11.106	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3042B	HRS	0		TSN 0				
WC#: 21.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210230 DUAL FLAPPER 2.5 IN. SPANT 15 CHECK VALVE								Component ATA:21
PN:963.30.11.106	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3040B	HRS	0		TSN 0				
WC#: 21.510	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210235 HEAD LINER DUCT TEMP SENSOR								Component ATA:21
PN:959.90.20.121	MOS/MSC	24-May-18	O/C	TSN 0				
SN:5151	HRS	0		TSN 0				
WC#: 21.600	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210237 HEATER,FOOT,X11253-MOD3 UNIT								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210240 INSULATED, WATER SEPERATOR ASSY								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-03-00A-920A-APROC. REF: AMM 12-B-21-40-03-00A-920A-A								
210245 LEFT HAND VENTILATION FAN								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210245 RIGHT HAND VENTILATION FAN								Component ATA:21
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 22 - AUTO FLIGHT								
22-10/233 ^S PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE								Service ATA:22
	MOS	09-Jun-24	24 (+10%/-10%)					
	HRS	2702:23	2400 (+10%/-10%)					
	AFL	1623						

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
22-10/60 ^S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	09-Jun-24	12 (+1m/-1m)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A									
22-10/60 ^S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	09-Jun-24	12 (+1m/-1m)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A									
22-10/60 ^S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service	ATA:22
	MOS	09-Jun-24	12 (+1m/-1m)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-22-10-00-00A-313A-APROC. REF: AMM 12-B-22-10-00-00A-313A-A									
22-20/129 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS - EXAMINE							Service	ATA:22
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-22-20-02-00A-313A-APROC. REF: AMM 12-B-22-20-02-00A-313A-A									
22-20/130 ^S	STICK PUSHER SYSTEM - CHECK							Service	ATA:22
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-22-20-00-00A-903A-APROC. REF: AMM 12-B-22-20-00-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/226 ^S STICK PUSHER SYSTEM - FUNCTIONAL TEST Service ATA:22								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-22-20-00-00A-903A-APROC. REF: AMM 12-B-22-20-00-00A-903A-A								
220005 AUTOPILOT MODE CONTROL Component ATA:22								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220010 ALTITUDE SELECTOR Component ATA:22								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220015 AILERON KSA372,065-00056-0056 ACTUATOR Component ATA:22								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-03-00A-920A-APROC. REF: AMM 12-B-22-10-03-00A-920A-A								
220020 PITCH KSM375,065-00015-0000 MOUNT Component ATA:22								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220025 ELEVATOR KSA372,065-00056-0059 ACTUATOR Component ATA:22								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-02-00A-920A-APROC. REF: AMM 12-B-22-10-02-00A-920A-A								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220030 RUDDER KSM375,065-00015-0001 MOUNT								Component ATA:22
PN:PN	MOS/MSC	24-May-18	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.200	AFL	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220035 RUDDER KSA372,065-00056-0080 ACTUATOR								Component ATA:22
PN:PN	MOS/MSC	24-May-18	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.120	AFL	0			TSN 0			
PROC. REF: AMM 12-B-22-10-04-00A-920A-APROC. REF: AMM 12-B-22-10-04-00A-920A-A								
220040 AILERON KSM375,065-00015-0001 MOUNT								Component ATA:22
PN:PN	MOS/MSC	24-May-18	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.210	AFL	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220045 STICK PUSHER SERVO								Component ATA:22
PN:978.61.11.103	MOS/MSC	24-May-18	O/C		TSN 0			
SN:81146	HRS	0			TSN 0			
WC#: 22.220	AFL	0			TSN 0			
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
220050 PITCH TRIM ADAPTER								Component ATA:22
PN:PN	MOS/MSC	24-May-18	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 22.130	AFL	0			TSN 0			
PROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-APROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-A								
220055 STICK PUSHER CAPSTAN								Component ATA:22
PN:978.61.11.124	MOS/MSC	24-May-18	O/C		TSN 0			
SN:81086	HRS	0			TSN 0			
WC#: 22.140	AFL	0			TSN 0			
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220060 STICK SHAKER								Component ATA:22
PN:978.61.11.143	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1656	HRS	0		TSN 0				
WC#: 22.230	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A								
220065 AUTOPILOT COMPUTER								Component ATA:22
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220070 STICK PUSHER								Component ATA:22
PN:975.44.23.104	MOS/MSC	24-May-18	O/C	TSN 0				
SN:138350	HRS	0		TSN 0				
WC#: 22.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								
220075 KMC 9200 FLIGHT CONTROLLER								Component ATA:22
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220085 ELEVATOR KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:985.99.12.133	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KSM375-B3617	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220090 RUDDER KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:985.99.12.133	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KSM375-B3608	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220095 AILERON KSM 375 A/P SERVO MOUNT								Component ATA:22
PN:985.99.12.133	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KSM375-B3606	HRS	0		TSN 0				
WC#: 22.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220100 RUDDER KSA 2700 SERVO								Component ATA:22
PN:985.99.12.275	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KSA2700-3670	HRS	0		TSN 0				
WC#: 22.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220105 ELEVATOR KSA 2700 SERVO								Component ATA:22
PN:985.99.12.275	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KSA2700-3675	HRS	0		TSN 0				
WC#: 22.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220110 AILERON KSA 2700 SERVO								Component ATA:22
PN:985.99.12.275	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KSA2700-3669	HRS	0		TSN 0				
WC#: 22.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220115 KMC 9200 VNAV FLIGHT CONTROLLER								Component ATA:22
PN:985.99.12.204	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMC9200-1931	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 23 - COMMUNICATIONS								
23-10/322 ^S AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST								Service ATA:23
	MOS	09-Jun-24	24 (+10%/-10%)					
	HRS	2702:23	2400 (+10%/-10%)					
	AFL	1623						

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A									
23-10/323 ^S	EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST							Service	ATA:23
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PKG:7									
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A									
230005	VHF/NAV SYSTEM I VHF COMM ANTENNA							Component	ATA:23
PN:984.81.10.203	MOS/MSC	24-May-18	O/C	TSN 0					
SN:310-31504	HRS	0		TSN 0					
WC#: 23.020	AFL	0		TSN 0					
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A									
230010	VHF/NAV SYSTEM II VHF COMM ANTENNA							Component	ATA:23
PN:984.81.10.203	MOS/MSC	24-May-18	O/C	TSN 0					
SN:310-31507	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A									
230015	COMM/NAV 25 KHZ SYSTEM							Component	ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230020	COMM/NAV 25 KHZ SYSTEM							Component	ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230025		AUDIO SUMMING AMPLIFIER					Component		ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230030		AUDIO SELECTOR					Component		ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230035		CONTROL DISPLAY PS440 UNIT					Component		ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230040		IRIDIUM/GPS,S67-1575-109 ANTENNA					Component		ATA:23
PN:984.81.10.210	MOS/MSC	24-May-18	O/C	TSN 0					
SN:430-15271	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A									
230045		NO. 1 KTR 2280 MULTI-MODE DIGITAL RADIO					Component		ATA:23
PN:985.99.12.254	MOS/MSC	24-May-18	O/C	TSN 0					
SN:4866	HRS	0		TSN 0					
WC#: 23.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A									
230050		NO. 2 KTR 2280 MULTI-MODE DIGITAL RADIO					Component		ATA:23
PN:985.99.12.254	MOS/MSC	24-May-18	O/C	TSN 0					
SN:4888	HRS	0		TSN 0					
WC#: 23.080	AFL	0		TSN 0					
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
230055 PILOT KMA 29 AUDIO/MARKER PANEL								Component ATA:23
PN:985.99.12.020	MOS/MSC	24-May-18	O/C	TSN 0				
SN:P02255-Q	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
230060 CO-PILOT KMA 29 AUDIO/MARKER PANEL								Component ATA:23
PN:985.99.12.020	MOS/MSC	24-May-18	O/C	TSN 0				
SN:P02254-Q	HRS	0		TSN 0				
WC#: 23.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
230061 HF ANTENNA ,KAC1052 COUPLER								Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-03-00A-920A-APROC. REF: AMM 12-B-23-11-03-00A-920A-A								
230063 HF POWER ,KPA1052 AMPLIFIER								Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-06-00A-920A-APROC. REF: AMM 12-B-23-11-06-00A-920A-A								
230065 HF RECEIVER/,KRX1053 EXCITER								Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-02-00A-920A-APROC. REF: AMM 12-B-23-11-02-00A-920A-A								
230070 WHITE VHF COMM								Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-02-00A-920A-A, AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A, AMM 12-B-23-12-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
230075		ATG 5000 UNIT							Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230080		AIRCELL CONIF MODULE							Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230085		NO. 1 COMANT CI-5500 COMDAT ANTENNA							Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
230090		NO. 2 COMANT CI-5500 COMDAT ANTENNA							Component ATA:23
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 24 - ELECTRICAL POWER									
24-30/309		GENERATOR 1 (P/N 978.91.23.437) - BRUSH CHECK							Service ATA:24
PN:23085-031	MOS/MSC	16-Nov-23	N/A						
SN:P1025	HRS	2511:52		TAC 78:57					
WC#: 24.210	AFL	1487							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A									
24-30/310		STARTER/GENERATOR 2 (P/N 978.91.23.437) - BRUSH CHECK							Service ATA:24
PN:23085-031	MOS/MSC	16-Nov-23	N/A						
SN:P1886	HRS	2511:52		TAC 78:57					
WC#: 24.026	AFL	1487							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-30/311	GENERATOR CONTROL UNIT, GCU 1- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION							Service	ATA:24
PN:PN	MOS	09-Jun-24	12 (+10%/-10%)	Adj -61d	09-Apr-25	15-May-25	89 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2702:23	3000		5702:23		2576:34		
WC#: 24.015	AFL	1623							
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A									
24-30/311	GENERATOR CONTROL UNIT, GCU 2- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION							Service	ATA:24
PN:PN	MOS	09-Jun-24	12 (+10%/-10%)	Adj -61d	09-Apr-25	15-May-25	89 d (+36)	AIRWORTHINESS	
SN:UNKNOWN	HRS	2702:23	3000		5702:23		2576:34		
WC#: 24.025	AFL	1623							
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A									
24-30/312 ^S	EMERGENCY POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST							Service	ATA:24
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A									
24-30/313 ^S	DC ELECTRICAL SYSTEM - FUNCTIONAL TEST							Service	ATA:24
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-71-00-00-00A-903D-APROC. REF: AMM 12-B-71-00-00-00A-903D-A									
24-30/339	NO.1 NICAD BATTERY - REMOVE AND SERVICE							Service	ATA:24
PN:976.17.31.302 - 31406-002	MOS	27-Dec-24	12 (+10%/-10%)		27-Dec-25	02-Feb-26	351 d (+37)		
SN:11702182	HRS	3125:49	400 (+10%/-10%)	Adj -23:26	3502:23	3542:23	376:34 (+40)		
WC#: 24.060	AFL	1824							
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-30/339		NO.2 NICAD BATTERY - REMOVE AND SERVICE						Service	ATA:24
PN:976.17.31.302 - 31406-002	MOS	26-Dec-24	12 (+10%/-10%)		26-Dec-25	01-Feb-26	350 d (+37)		
SN:11702185	HRS	3125:49	400 (+10%/-10%)	Adj -23:26	3502:23	3542:23	376:34 (+40)		
WC#: 24.061	AFL	1824							
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
24-30/340		NO. 1 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST						Service	ATA:24
PN:PN	MOS/MSC	24-May-18	N/A						
SN:NOT INSTALLED	HRS	0							
WC#: 24.010	AFL	0							
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A									
24-30/340		NO. 2 LEAD ACID BATTERY - REMOVE AND DO A CAPACITY TEST						Service	ATA:24
PN:PN	MOS/MSC	24-May-18	N/A						
SN:NOT INSTALLED	HRS	0							
WC#: 24.010	AFL	0							
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A									
24-30/473		GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK						Service	ATA:24
PN:23085-031	MOS	31-Oct-24							
SN:P1025	HRS	3028:19	600 (+10%/-10%)		3628:19	3688:19	502:30 (+60)		
	AFL	1785							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A									
24-30/474		STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK						Service	ATA:24
PN:23085-031	MOS	31-Oct-24							
SN:P1886	HRS	3028:19	600 (+10%/-10%)		3628:19	3688:19	502:30 (+60)		
	AFL	1785							
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A									
24-30/492		GENERATOR 1 (P/N 978.91.23.407) - OVERHAUL						Service	ATA:24
PN:23085-031	MOS	16-Nov-23						OVERHAUL	
SN:P1025	HRS	2511:52	1200 (+10%/-10%)	TAC 78:57	3632:55	3752:55	507:06 (+120)		
	AFL	1487							
PROC. REF: AMM 12-B-05-10-10-00A-281A-APROC. REF: AMM 12-B-05-10-10-00A-281A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/493 STARTER/GENERATOR 2 (P/N 978.91.23.407) - OVERHAUL Service ATA:24								
PN:23085-031	MOS	16-Nov-23						OVERHAUL
SN:P1886	HRS	2511:52	1200 (+10%/-10%)	TAC 78:57	3632:55	3752:55	507:06 (+120)	
	AFL	1487						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/496 GENERATOR 1 (P/N 978.91.23.437) - OVERHAUL Service ATA:24								
PN:23085-031	MOS/MSC	16-Nov-23	N/A					
SN:P1025	HRS	2511:52		TAC 78:57				
	AFL	1487						
PROC. REF: AMM 12-B-05-10-10-00A-281A-APROC. REF: AMM 12-B-05-10-10-00A-281A-A								
24-30/497 STARTER/GENERATOR 2 (P/N 978.91.23.437) - OVERHAUL Service ATA:24								
PN:23085-031	MOS/MSC	16-Nov-23	N/A					
SN:P1886	HRS	2511:52		TAC 78:57				
	AFL	1487						
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-40/229 ^S EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE Service ATA:24								
	MOS	09-Jun-24	24 (+10%/-10%)					
	HRS	2702:23	2400 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
24-50/70 EMERGENCY POWER SUPPLY - REMOVE AND CAP TEST Service ATA:24								
PN:985.83.14.953	MOS	24-Apr-24	12 (+10%/-10%)		24-Apr-25	30-May-25	104 d (+36)	
SN:83867	HRS							
WC#: 24.050	AFL							
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
24-60/133 ^S COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE Service ATA:24								
	MOS	09-Jun-24	24 (+10%/-10%)					
	HRS	2702:23	2400 (+10%/-10%)					
	AFL	1623						

PKG:7

PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
240005	VOLTAGE REGULATOR 1							Component	ATA:24
PN:988.21.14.111	MOS/MSC	24-May-18	O/C	TSN 0					
SN:P4518	HRS	0		TSN 0					
WC#: 24.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A									
<hr/>									
240010	GENERATOR 1 300A CONTACTOR							Component	ATA:24
PN:974.03.38.113	MOS/MSC	24-May-18	O/C	TSN 0					
SN:800	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
240015	GENERATOR 2 300A CONTACTOR							Component	ATA:24
PN:974.03.38.113	MOS/MSC	24-May-18	O/C	TSN 0					
SN:825	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
240020	400A CONTACTOR							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
240025	GENERATOR 2 2ND GENCON UNIT							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
240035	RCCB CROSS TIE BUSBAR							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240040	RCCB CROSS TIE BUSBAR							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240045	STARTER RELAY							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240050	BATTERY RELAY							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240055	EPU RELAY							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240060	EXTERNAL POWER CONTROL UNIT							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240065	OVERHEAD PANEL							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.190	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A									
240075	ELECTRICAL HEATING CONTROLLER							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240080	A241 26 VAC,SC3(A) INVERTER							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240085	A242 26 VAC,SC3(A) INVERTER							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
240090	S102 DC CURRENT SENSOR							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.080	AFL	0		TSN 0					
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A									
240095	LH S105 DC CURRENT SENSOR							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A									
240100	RH S108 DC CURRENT SENSOR							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.100	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
240105 S103 DC CURRENT SENSOR Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
240110 S104 DC CURRENT SENSOR Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
240115 S106 DC CURRENT SENSOR Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
240120 Component ATA:24								
PN:974.03.38.152	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1074	HRS	0		TSN 0				
WC#: 90.005	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240125 BATTERY/ EXIT POWER JUNCTION (BEPJB) BOX Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								
240135 NO. 1 LEAD ACID BATTERY Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 24.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
240140 NO. 2 LEAD ACID BATTERY Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NOT INSTALLED	HRS	0		TSN 0				
WC#: 24.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
243010 NO. 2 STARTER-GENERATOR Component ATA:24								
PN:23085-031	MOS/MSC	16-Nov-23	O/C					
SN:P1886	HRS	2511:52		TSO 78:57				
WC#: 24.215	AFL	1487						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
243020 NO. 1 (GCU 1) GENERATOR CONTROL UNIT Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243030 NO. 2 (GCU 2) GENERATOR CONTROL UNIT Component ATA:24								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243080 EMERGENCY POWER SUPPLY Component ATA:24								
PN:985.83.14.953	MOS/MSC	09-Jun-24	O/C					
SN:83867	HRS	2702:23						
WC#: 24.050	AFL	1623						
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243100	NO. 1 NICAD BATTERY							Component	ATA:24
PN:976.17.31.302 - 31406-002	MOS/MSC	27-Dec-24	O/C						
SN:11702182	HRS	3125:49							
WC#: 24.060	AFL	1824							
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
243105	NO. 2 NICAD BATTERY							Component	ATA:24
PN:976.17.31.302 - 31406-002	MOS/MSC	26-Dec-24	O/C						
SN:11702185	HRS	3125:49							
WC#: 24.061	AFL	1824							
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A									
243160	NO. 1 STARTER GENERATOR							Component	ATA:24
PN:23085-031	MOS/MSC	16-Nov-23	O/C						
SN:P1025	HRS	2511:52		TSO 78:57					
WC#: 24.205	AFL	1487							
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A									
243170	110 VOLT STATIC ,SS50 INVERTER							Component	ATA:24
PN:975.02.15.107	MOS/MSC	24-May-18	O/C		TSN 0				
SN:7988	HRS	0			TSN 0				
WC#: 24.220	AFL	0			TSN 0				
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A									
243175	HALL EFFECT,FE1263 GEN 1 TRANSDUCER							Component	ATA:24
PN:975.50.85.111	MOS/MSC	24-May-18	O/C		TSN 0				
SN:N4688	HRS	0			TSN 0				
WC#: 24.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
243180	HALL EFFECT,FE1263 GEN 2 TRANSDUCER							Component	ATA:24
PN:975.50.85.111	MOS/MSC	24-May-18	O/C		TSN 0				
SN:N4731	HRS	0			TSN 0				
WC#: 24.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
243185	CC0079P-MMR71B RELAY							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 24 - ELECTRICAL POWER									
243190	VOLTAGE REGULATOR 2							Component	ATA:24
PN:988.21.14.111	MOS/MSC	24-May-18	O/C	TSN 0					
SN:P4542	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A									
ATA 24 - ELECTRICAL POWER									
243200	FGS UNIT							Component	ATA:24
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/134 ^S	EXAMINE CREW SEAT BELTS							Service	ATA:25
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PKG:3									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/135 ^S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service	ATA:25
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PKG:2									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/294	CO-PILOT SEAT BELT							Component	ATA:25
PN:PN	MOS	24-May-18	144	TSN 0	24-May-30		1960 d	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/294	CREW SEAT BELTS							Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/294	PILOT SEAT BELT							Component	ATA:25
PN:PN	MOS	24-May-18	144	TSN 0	24-May-30		1960 d	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-10/296 ^S	REMOVE CREW SEATS AS NECESSARY TO DO INSPECTION							Service	ATA:25
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PKG:1 ,2,3,4,5,6,7									
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
25-10/297 ^S	INSTALL CREW SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PKG:1 ,2,3,4,5,6,7									
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10/300 ^S	CREW SEATS - REMOVE CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service	ATA:25
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
PKG:6									
25-20/136 ^S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service	ATA:25
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
25-20/137 ^S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service	ATA:25
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:6									
25-20/295	NO. 1 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/295	NO. 2 PASSENGER SEAT BELT							Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/295		NO. 3 PASSENGER SEAT BELT						Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/295		NO. 4 PASSENGER SEAT BELT						Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/295		NO. 5 PASSENGER SEAT BELT						Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/295		NO. 6 PASSENGER SEAT BELT						Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/295		PASSENGER SEAT BELTS						Component	ATA:25
PN:PN	MOS	24-May-18	144 (+6m/-6m)	TSN 0	24-May-30	24-Nov-30	1960 d (+184)	OVERHAUL	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-20/298 ^S		REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION						Service	ATA:25
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-A									

PKG:1 ,2,3,4,5,6,7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-20/299 ^S	INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:25
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A, AMM 12-B-25-22-01-00A-920A-A									
25-20/302 ^S	EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service	ATA:25
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
								PKG:2	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-60/231 ^S	OPERATIONAL TEST ELT							Service	ATA:25
PN:985.13.80.882	MOS	04-Oct-24	12 (+10%/-10%)						
SN:LX1100538008	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
								PKG:3	
PROC. REF: AMM 12-B-25-63-00-00A-903A-A, AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903A-A, AMM 12-B-25-63-00-00A-903B-A									
25-60/232 ^S	EXAMINE ELT INSTALLATION							Service	ATA:25
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
								PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-62/642	EXAMINE COPILOTS LIFE VEST							Service	ATA:25
PN:904.92.17.915	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)		
SN:L6349273	HRS	2988:41							
	AFL	1769							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/642 EXAMINE NO. 1 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)	Service ATA:25
SN:L6185460	HRS	2988:41						
	AFL	0						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642 EXAMINE NO. 2 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)	Service ATA:25
SN:L6185461	HRS	2988:41						
	AFL	1769						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642 EXAMINE NO. 3 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)	Service ATA:25
SN:L6185462	HRS	2988:41						
	AFL	1769						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642 EXAMINE NO. 4 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)	Service ATA:25
SN:L6185465	HRS	2988:41						
	AFL	1769						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642 EXAMINE NO. 5 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)	Service ATA:25
SN:L6185466	HRS	2988:41						
	AFL	1769						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								
25-62/642 EXAMINE NO. 6 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)	Service ATA:25
SN:L6185467	HRS	2988:41						
	AFL	1769						
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/642		EXAMINE NO. 7 LIFE VEST						Service	ATA:25
PN:904-92-17-913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)		
SN:L6185468	HRS	2988:41							
	AFL	1769							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE NO. 8 LIFE VEST						Service	ATA:25
PN:904-92-17-913	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)		
SN:L6185469	HRS	2988:41							
	AFL	1769							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE PILOTS LIFE VEST						Service	ATA:25
PN:904.92.17.915	MOS	31-Mar-24	12 (+10%/-10%)		31-Mar-25	06-May-25	80 d (+36)		
SN:L6364410	HRS	2988:41							
	AFL	1769							
PROC. REF: AMM 12-B-25-62-00-00A-310A-APROC. REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/643		DISCARD COPILOTS LIFE VEST						Service	ATA:25
PN:904.92.17.915	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD	
SN:L6349273	HRS	2988:41							
	AFL	1769							
		Manufacture Date:: 31-Mar-24							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-62/643		DISCARD NO. 1 LIFE VEST						Service	ATA:25
PN:904.92.17.913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD	
SN:L6185460	HRS	2988:41							
	AFL	0							
		Manufacture Date:: 31-Mar-24							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/643 DISCARD NO. 2 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD
SN:L6185461	HRS	2988:41						
	AFL	1769						
Manufacture Date:: 31-Mar-24								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 DISCARD NO. 3 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD
SN:L6185462	HRS	2988:41						
	AFL	1769						
Manufacture Date:: 31-Mar-24								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 DISCARD NO. 4 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD
SN:L6185465	HRS	2988:41						
	AFL	1769						
Manufacture Date:: 31-Mar-24								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 DISCARD NO. 5 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD
SN:L6185466	HRS	2988:41						
	AFL	1769						
Manufacture Date:: 31-Mar-24								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643 DISCARD NO. 6 LIFE VEST								
PN:904.92.17.913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD
SN:L6185467	HRS	2988:41						
	AFL	1769						
Manufacture Date:: 31-Mar-24								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62/643		DISCARD NO. 7 LIFE VEST						Service	ATA:25
PN:904-92-17-913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD	
SN:L6185468	HRS	2988:41							
	AFL	1769							
Manufacture Date:: 31-Mar-24									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-62/643		DISCARD NO. 8 LIFE VEST						Service	ATA:25
PN:904-92-17-913	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD	
SN:L6185469	HRS	2988:41							
	AFL	1769							
Manufacture Date:: 31-Mar-24									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-62/643		DISCARD PILOTS LIFE VEST						Service	ATA:25
PN:904.92.17.915	MOS	31-Mar-24	120		31-Mar-34		3367 d	DISCARD	
SN:L6364410	HRS	2988:41							
	AFL	1769							
Manufacture Date:: 31-Mar-24									
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									
25-63/23		ELT BATTERY						Component	ATA:25
PN:BAT200 (S1840510-01)	MOS/MSC	09-Jun-24	DUE	TSN 0	01-Mar-30 (M)		1876 d	DISCARD	
SN:UNKNOWN	HRS	2702:23		TSN 0					
WC#: 25.020	AFL	1623		TSN 0					
Expiry Date: : 01-Mar-30									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
25-63/434		DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED)						Service	ATA:25
PN:985.13.80.881	MOS	24-May-18	120 (+6m/-6m)		24-May-28	24-Nov-28	1230 d (+184)	DISCARD	
SN:LX1100508074	HRS	0	16000 (+500/-500)		16000	16500	12874:11 (+500)		
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250005 REMOTE CONTROL PANEL								Component ATA:25
PN:985.13.80.817	MOS/MSC	24-May-18	O/C	TSN 0				
SN:TM0000107344	HRS	0		TSN 0				
WC#: 25.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250010 EMERGENCY LOCATOR TRANSMITTER								Component ATA:25
PN:985.13.80.882	MOS/MSC	24-May-18	O/C	TSN 0				
SN:LX1100538008	HRS	0		TSN 0				
WC#: 25.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-00-00A-920A-APROC. REF: AMM 12-B-25-63-00-00A-920A-A								
250015 IPECO PILOT SEAT								Component ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
250020 IPECO CO-PILOT SEAT								Component ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A								
250021 L/H NO. 1 AFSS PASSENGER SEAT								Component ATA:25
PN:959.30.01.821	MOS/MSC	24-May-18	O/C	TSN 0				
SN:63438	HRS	0		TSN 0				
WC#: 25.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250022 R/H NO. 2 AFSS PASSENGER SEAT								Component ATA:25
PN:959.30.01.822	MOS/MSC	24-May-18	O/C	TSN 0				
SN:63439	HRS	0		TSN 0				
WC#: 25.125	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250023 L/H NO. 3 FFSS PASSENGER SEAT								Component ATA:25
PN:959.30.01.835	MOS/MSC	24-May-18	O/C	TSN 0				
SN:63440	HRS	0		TSN 0				
WC#: 25.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250024 R/H NO. 4 FFSS PASSENGER SEAT								Component ATA:25
PN:959.30.01.836	MOS/MSC	24-May-18	O/C	TSN 0				
SN:63441	HRS	0		TSN 0				
WC#: 25.135	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250025 L/H NO. 5 FFSS PASSENGER SEAT								Component ATA:25
PN:959.30.01.837	MOS/MSC	24-May-18	O/C	TSN 0				
SN:63442	HRS	0		TSN 0				
WC#: 25.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250026 R/H NO. 6 FFSS PASSENGER SEAT								Component ATA:25
PN:959.30.01.838	MOS/MSC	24-May-18	O/C	TSN 0				
SN:63443	HRS	0		TSN 0				
WC#: 25.145	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-21-01-00A-920A-APROC. REF: AMM 12-B-25-21-01-00A-920A-A								
250027 L/H NO. 7 STANDARD PASSENGER SEAT								Component ATA:25
PN:525.22.12.011	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2088	HRS	0		TSN 0				
WC#: 25.150	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-22-01-00A-920A-A								
250028 R/H NO. 8 STANDARD PASSENGER SEAT								Component ATA:25
PN:525.22.12.012	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2136	HRS	0		TSN 0				
WC#: 25.155	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
250029	R/H NO. 9 STANDARD PASSENGER RIGHT SEAT							Component	ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-25-22-01-00A-920A-APROC. REF: AMM 12-B-25-22-01-00A-920A-A									
250630	KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY (IF KANNAD ELT NAV INTERFACE IS INSTALLED) MODULE							Component	ATA:25
PN:985.13.80.881	MOS/MSC	24-May-18	O/C	TSN 0					
SN:LX1100508074	HRS	0		TSN 0					
WC#: 25.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-25-63-03-00A-920A-APROC. REF: AMM 12-B-25-63-03-00A-920A-A									
256015	CABLE ,S1825503-01 ASSEMBLY							Component	ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256020	LH BLACK PILOT SEAT							Component	ATA:25
PN:959.30.01.165	MOS/MSC	24-May-18	O/C	TSN 0					
SN:89732	HRS	0		TSN 0					
WC#: 25.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
256025	RH BLACK CO-PILOT SEAT							Component	ATA:25
PN:959.30.01.166	MOS/MSC	24-May-18	O/C	TSN 0					
SN:89921	HRS	0		TSN 0					
WC#: 25.100	AFL	0		TSN 0					
PROC. REF: AMM 12-B-25-10-01-00A-920A-APROC. REF: AMM 12-B-25-10-01-00A-920A-A									
256027	COPILOT SEAT BLACK SOFT CUSHION							Component	ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256030	PC12/47E ENTERTAINMENT SYSTEM							Component	ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256035	SEAT FRAME,PASS,STD,RH,5PC22900-55 UNIT							Component	ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
256040	SEAT FRAME,PASSENGER,STD,LH UNIT							Component	ATA:25
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
258010	PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)							Service	ATA:25
	MOS	25-Mar-24	12		25-Mar-25		74 d		
	HRS	2693:50							
WC#: 25.110	AFL	1623							
PROC. REF: AMM 12-B-25-63-00-00A-903A-APROC. REF: AMM 12-B-25-63-00-00A-903A-A									
258020 ^S	RENEW NOAA 406 MHZ ELT REGISTRATION							Service	ATA:25
	MOS/MSC		DUE						
	HRS								
	AFL								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PC12A256CA110	PILOT VEST							Component	ATA:25
PN:904.92.17.915	MOS/MSC	31-Mar-24	H/T	TSN 0					
SN:L6364410	HRS	2988:41		TSN 0					
	AFL	1769		TSN 0					
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA120 COPILOT VEST								Component ATA:25
PN:904.92.17.915	MOS/MSC	31-Mar-24	H/T					
SN:L6349273	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA210 NO. 1 VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Mar-24	H/T		TSN 0			
SN:L6185460	HRS	2988:41		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA220 NO. 2 VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Mar-24	H/T		TSN 0			
SN:L6185461	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA230 NO. 3 VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Mar-24	H/T		TSN 0			
SN:L6185462	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA240 NO. 4 VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Mar-24	H/T		TSN 0			
SN:L6185465	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA250 NO. 5 VEST								Component ATA:25
PN:904.92.17.913	MOS/MSC	31-Mar-24	H/T		TSN 0			
SN:L6185466	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA260		NO. 6 VEST			Component ATA:25			
PN:904.92.17.913	MOS/MSC	31-Mar-24	H/T	TSN 0				
SN:L6185467	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA270		NO. 7 VEST			Component ATA:25			
PN:904-92-17-913	MOS/MSC	31-Mar-24	H/T	TSN 0				
SN:L6185468	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
PC12A256CA280		NO. 8 VEST			Component ATA:25			
PN:904-92-17-913	MOS/MSC	31-Mar-24	H/T	TSN 0				
SN:L6185469	HRS	2988:41		TSN 0				
	AFL	1769		TSN 0				
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20/2		CABIN FIRE EXTINGUISHER 1.5 KG							Component ATA:26
PN:BA51015R-5	MOS	14-May-20	120		11-Dec-29		1796 d	LIFE LIMIT	
SN:116088	HRS	269:13		TSN 0					
WC#: 26.030	AFL	337		TSN 0					
Manufacture Date:: 11-Dec-19									
PROC. REF: AMM 12-B-26-20-02-00A-920A-APROC. REF: AMM 12-B-26-20-02-00A-920A-A									
26-20/2		COCKPIT FIRE EXTINGUISHER							Component ATA:26
PN:959.08.06.219	MOS	01-Jan-18	120	TSN 0	01-Jan-28		1086 d	LIFE LIMIT	
SN:108150	HRS			TSN 0					
WC#: 26.010	AFL			TSN 0					
Manufacture Date:: 01-Jan-18									
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A									
26-20/24		CABIN FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)							Service ATA:26
PN:BA51015R-5	MOS	25-Mar-24	12 (+10%/-10%)	Adj 5d	30-Mar-25	06-May-25	79 d (+37)		
SN:116088	HRS	2693:50							
	AFL	1623							
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A									
26-20/24		COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)							Service ATA:26
PN:959.08.06.219	MOS	25-Mar-24	12 (+1m/-1m)	Adj 5d	30-Mar-25	30-Apr-25	79 d (+31)		
SN:108150	HRS	2693:50							
WC#: 26.010	AFL	1623							
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A									
260005		FIRE/OVERHEAT DETECTOR							Component ATA:26
PN:975.12.10.012	MOS/MSC	24-May-18	O/C	TSN 0					
SN:215786	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 12-B-26-10-01-00A-920A-APROC. REF: AMM 12-B-26-10-01-00A-920A-A									
ATA 27 - FLIGHT CONTROLS									
27-00/138 ^S		AILERON, ELEVATOR AND RUDDER CONTROLS - OPERATE, MAKE SURE FULL AND FREE TRAVEL							Service ATA:27
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
	AFL	1757						PKG:2	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-00/402	EXAMINE - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service	ATA:27
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 27.255	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service	ATA:27
	MOS	28-Oct-23	60 (+10%/-10%)	Adj -150d	31-May-28	30-Nov-28	1237 d (+183)		
	HRS	2466:25	4800 (+10%/-10%)		7266:25	7746:25	4140:36 (+480)		
WC#: 27.010	AFL	1469							
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A									
27-10/139 ^S	AILERON LH AND RH - EXAMINE AND LUBRICATE THE TRIMHINGES WITH MINIMUM QUANTITY OFCPC (MAT. NO. P10-001)							Service	ATA:27
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757						PKG:3	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-10/235 ^S	EXAMINE AILERON ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/236 ^S	AILERON CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A									
PKG:6									
27-10/237 ^S	CHECK AILERON CABLE TENSION							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A									
PKG:6									
27-10/238 ^S	FUNCTIONAL TEST AILERONS							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A									
PKG:7									
27-10/394	AILERON CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 27.155	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A									
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 27.160	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/396 EDDY CURRENT INSPECTION - AILERON CONTROL RODS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
WC#: 27.165	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397 MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
WC#: 27.170	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-10/398 AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
WC#: 27.175	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A								
27-10/400 EDDY CURRENT INSPECTION - LEFT WING AILERON HINGE POINTS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
WC#: 27.215	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/400 EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/444 FLIGHT CONTROL CABLES, AILERON Component ATA:27								
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11	
	AFL	0	27000	TSN 0	27000		25176	
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10/445	AUTOPILOT CONTROL CABLE, AILERON							Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A									
27-10/470 ^S	LUBRICATE AILERON CONTROL SYSTEM BEARINGS							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A									
27-15/239 ^S	FUNCTIONAL TEST AILERON TRIM							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A									
27-20/140 ^S	INSPECTION/CHECK RUDDER							Service	ATA:27
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A									
27-20/240 ^S	EXAMINE RUDDER STATIC DISCHARGERS							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20/241 ^S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A								PKG:6	
27-20/243 ^S	CHECK RUDDER CABLE TENSION							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:6	
27-20/244 ^S	FUNCTIONAL TEST RUDDER							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								PKG:7	
27-20/245 ^S	FUNCTIONAL TEST RUDDER TRIM							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A								PKG:7	
27-20/246 ^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374 RUDDER CONTROL SYSTEM - EXAMINE Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
WC#: 27.180	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A								
27-20/376 EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:32500		32500		29374:11	
WC#: 27.190	AFL	0	T:42000		42000		40176	
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A								
27-20/430 RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION Service ATA:27								
	MOS/MSC	30-Apr-20	O/C					COMPLETED
	HRS	267:02						
	AFL	329						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/431 RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER) Service ATA:27								
	MOS/MSC		A/R					
	HRS	0						
	AFL							
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/446 FLIGHT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11	
	AFL	0	27000	TSN 0	27000		25176	
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A								
27-20/447 AUTOPILOT CONTROL CABLES, RUDDER Component ATA:27								
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11	
	AFL	0	27000	TSN 0	27000		25176	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A									
27-20/575	REPLACE RUDDER BELLCRANK							Service	ATA:27
PN:PN	MOS	24-May-18						LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		16874:11		
	AFL	0	27000		27000		25176		
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A									
27-30/141 ^S	EXAMINE ELEVATORS							Service	ATA:27
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-30/247 ^S	EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-30/248 ^S	EXAMINE ELEVATOR STATIC DISCHARGERS							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-30/249 ^S	ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/250 ^S	CHECK ELEVATOR CABLE TENSION							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PKG:6									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/251 ^S	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PKG:7									
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT HAD AN ANNUAL INSPECTION COMPLETED							Service	ATA:27
	MOS/MSC	30-Apr-20	O/C						
	HRS	267:02							
WC#: 27.150	AFL	329							
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/334	CHECK FLIGHT CONTROL CABLES, ELEVATOR ELEVATOR CONTROL CABLES TENSION - AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service	ATA:27
	MOS/MSC		A/R						
	HRS	0							
	AFL								
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A									
27-30/363	ELEVATOR - CONTROL SYSTEM - EXAMINE							Service	ATA:27
	MOS	24-May-18					AIRWORTHINESS		
	HRS	0	T:32500		32500		29374:11		
WC#: 27.195	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30/364		EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS						Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 27.200	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A									
27-30/365		MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS						Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 27.205	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A									
27-30/366		EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER						Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 27.210	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A									
27-30/448		FLIGHT CONTROL CABLES, ELEVATOR						Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A									
27-30/449		AUTOPILOT CONTROL CABLES, ELEVATOR						Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A									
27-30/450		STICK PUSHER CABLES						Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/514 ^S EXAMINE - ELEVATOR STOPS Service ATA:27								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								
27-40/1 HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR) Service ATA:27								
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -61d	09-Apr-25	15-May-25	89 d (+36)	AIRWORTHINESS
	HRS	2702:23	3000		5702:23		2576:34	
WC#: 27.021	AFL	1623						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/142 ^S OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES Service ATA:27								
	MOS	04-Oct-24	12 (+10%/-10%)					
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/252 ^S INSPECTION / CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS Service ATA:27								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								
27-40/26 OVERHAUL PITCH TRIM ACTUATOR Service ATA:27								
PN:978.73.14.203	MOS	09-Jun-24	84	TAC 60	09-Jun-26		515 d	OVERHAUL
SN:1978	HRS	2702:23	3400	TAC 2591:32	3510:51		385:02	
	AFL	1623		TAC 1459				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/291 ^S OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM								
	MOS	04-Oct-24						Service ATA:27
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/292 ^S FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM								
	MOS	09-Jun-24	12 (+10%/-10%)					Service ATA:27
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/3 REPLACE PITCH TRIM ACTUATOR								
PN:978.73.14.203	MOS	09-Jun-24		TAC 60				Service ATA:27
								LIFE LIMIT
SN:1978	HRS	2702:23	20000	TAC 2591:32	20110:51		16985:02	
	AFL	1623	27000	TAC 1459	27164		25340	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-40/307 PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT PARTS (IPC 12-20-00-7)								
PN:PN	MOS	24-May-18		TSN 0				Component ATA:27
								LIFE LIMIT
SN:UNKNOWN	HRS	0	10000	TSN 0	10000		6874:11	
WC#: 27.036	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								
27-40/574 DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161								
PN:974.20.01.221	MOS	09-Jun-24	12 (+10%/-10%)		09-Jun-25	15-Jul-25	150 d (+36)	Service ATA:27
								DISCARD
SN:UNKNOWN	HRS	2702:23	1200 (+10%/-10%)		3902:23	4022:23	776:34 (+120)	
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/143 ^S	LOWER FLAPS TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION							Service	ATA:27
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2,3,4,5,6,7	
27-50/144 ^S	EXAMINE FLAPS AND FLAP SUPPORT MECHANISM							Service	ATA:27
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3	
27-50/253 ^S	EXAMINE FLAPS ELECTRICAL BONDING STRAPS							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6	
27-50/254 ^S	EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6	
27-50/255 ^S	FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST							Service	ATA:27
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/28		FLAP POWER DRIVE UNIT						Component	ATA:27
PN:978.73.20.003	MOS	24-May-18		TSN 0				OVERHAUL	
SN:1643	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	6874:11 (+500)		
WC#: 27.030	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11676 (+500)		
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A									
27-50/31		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.205	MOS	24-May-18		TSN 0				DISCARD	
SN:S8051	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	6874:11 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11676 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/31		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.206	MOS	24-May-18		TSN 0				DISCARD	
SN:S8025	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	6874:11 (+500)		
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11676 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/31		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.205	MOS	24-May-18		TSN 0				DISCARD	
SN:S8052	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	6874:11 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11676 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/31		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:945.02.02.206	MOS	24-May-18		TSN 0				DISCARD	
SN:S8026	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	6874:11 (+500)		
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	11676 (+500)		
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A									
27-50/386		FLAP MECHANISM - EXAMINE						Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 27.220	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/387	EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
WC#: 27.225	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A									
27-50/388	EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 27.230	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 27.235	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 27.240	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FITTINGS							Service	ATA:27
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/391 EDDY CURRENT INSPECTION - FLAP AFT LINKS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:30000		30000		26874:11	
WC#: 27.245	AFL	0	T:39000		39000		37176	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/392 EDDY CURRENT INSPECTION - FLAP BELLCRANKS Service ATA:27								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	T:30000		30000		26874:11	
WC#: 27.250	AFL	0	T:39000		39000		37176	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/414 LEFT HAND FLAP Component ATA:27								
PN:557.05.12.025	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:1473M	HRS	0	25000	TSN 0	25000		21874:11	
WC#: 57.060	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/414 RIGHT HAND FLAP Component ATA:27								
PN:557.05.12.026	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:1473M	HRS	0	25000	TSN 0	25000		21874:11	
WC#: 57.060	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/437 INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK Service ATA:27								
	MOS	09-Jun-24	12 (+10%/-10%)	Adj 31d	10-Jul-25	16-Aug-25	181 d (+37)	AIRWORTHINESS
	HRS	2702:23	600 (+10%/-10%)		3302:23	3362:23	176:34 (+60)	
	AFL	1623						
PROC. REF: AMM 12-B-27-51-00-00A-313A-APROC. REF: AMM 12-B-27-51-00-00A-313A-A								
27-50/443 ^S SERVICE FLAP UP AND DOWN LIMIT SWITCHES Service ATA:27								
	MOS	04-Oct-24	12 (+10%/-10%)					
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 27 - FLIGHT CONTROLS

PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A

27-50/451 LEFT INBOARD FLAP TENSION RODS								Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

27-50/451 LEFT MID FLAP TENSION ROD								Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

27-50/451 LEFT OUTBOARD FLAP TENSION ROD								Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

27-50/451 RIGHT INBOARD FLAP TENSION ROD								Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

27-50/451 RIGHT MID FLAP TENSION ROD								Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/451		RIGHT OUTBOARD FLAP TENSION ROD						Component	ATA:27
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11		
	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/475 ^S		RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION						Service	ATA:27
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PKG:1 ,2,3,4,5,6,7									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/485		LEFT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	24-May-18		TSN 0				DISCARD	
SN:6490	HRS	0	20000	TSN 0	20000		16874:11		
WC#: 27.040	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		LEFT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	24-May-18		TSN 0				DISCARD	
SN:6493	HRS	0	20000	TSN 0	20000		16874:11		
WC#: 27.041	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		RIGHT INBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	24-May-18		TSN 0				DISCARD	
SN:6480	HRS	0	20000	TSN 0	20000		16874:11		
WC#: 27.050	AFL	0	27000	TSN 0	27000		25176		
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A									
27-50/485		RIGHT OUTBOARD FLAP ACTUATOR						Component	ATA:27
PN:978.73.20.309	MOS	24-May-18		TSN 0				DISCARD	
SN:6491	HRS	0	20000	TSN 0	20000		16874:11		
WC#: 27.051	AFL	0	27000	TSN 0	27000		25176		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/495 BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR Service ATA:27								
PN:978.73.20.309	MOS	09-Jun-24	24 (+10%/-10%)	Adj -9d	31-May-26	12-Aug-26	506 d (+73)	
SN:6490	HRS	2702:23	2400 (+10%/-10%)		5102:23	5342:23	1976:34 (+240)	
WC#: 27.040	AFL	1623	3200 (+10%/-10%)		4823	5143	2999 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:978.73.20.309	MOS	09-Jun-24	24 (+10%/-10%)	Adj -9d	31-May-26	12-Aug-26	506 d (+73)	
SN:6493	HRS	2702:23	2400 (+10%/-10%)		5102:23	5342:23	1976:34 (+240)	
WC#: 27.041	AFL	1623	3200 (+10%/-10%)		4823	5143	2999 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR Service ATA:27								
PN:978.73.20.309	MOS	09-Jun-24	24 (+10%/-10%)	Adj -9d	31-May-26	12-Aug-26	506 d (+73)	
SN:6480	HRS	2702:23	2400 (+10%/-10%)		5102:23	5342:23	1976:34 (+240)	
WC#: 27.050	AFL	1623	3200 (+10%/-10%)		4823	5143	2999 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495 BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR Service ATA:27								
PN:978.73.20.309	MOS	09-Jun-24	24 (+10%/-10%)	Adj -9d	31-May-26	12-Aug-26	506 d (+73)	
SN:6491	HRS	2702:23	2400 (+10%/-10%)		5102:23	5342:23	1976:34 (+240)	
WC#: 27.051	AFL	1623	3200 (+10%/-10%)		4823	5143	2999 (+320)	
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/506 OVERHAUL LEFT INBOARD FLAP ACTUATOR Service ATA:27								
PN:978.73.20.309	MOS	24-May-18						OVERHAUL
SN:6490	HRS	0	5000 (+10%/-10%)		5000	5500	1874:11 (+500)	
WC#: 27.040	AFL	0	7000 (+500/-500)		7000	7500	5176 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/506		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	24-May-18						OVERHAUL	
SN:6493	HRS	0	5000 (+10%/-10%)		5000	5500	1874:11 (+500)		
WC#: 27.041	AFL	0	7000 (+500/-500)		7000	7500	5176 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	24-May-18						OVERHAUL	
SN:6480	HRS	0	5000 (+10%/-10%)		5000	5500	1874:11 (+500)		
WC#: 27.050	AFL	0	7000 (+500/-500)		7000	7500	5176 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/506		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	24-May-18						OVERHAUL	
SN:6491	HRS	0	5000 (+10%/-10%)		5000	5500	1874:11 (+500)		
WC#: 27.051	AFL	0	7000 (+500/-500)		7000	7500	5176 (+500)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
27-50/576 ^S		LUBRICATE LEFT INBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	04-Oct-24	12 (+10%/-10%)						
SN:6490	HRS	2964:40	300 (+10%/-10%)						
WC#: 27.040	AFL	1757							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									
PKG:3									
27-50/576 ^S		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR						Service	ATA:27
PN:978.73.20.309	MOS	04-Oct-24	12 (+10%/-10%)						
SN:6493	HRS	2964:40	300 (+10%/-10%)						
WC#: 27.041	AFL	1757							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									
PKG:3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50/576 ^S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	04-Oct-24	12 (+1m/-1m)						
SN:6480	HRS	2964:40	300 (+10%/-10%)						
WC#: 27.050	AFL	1757							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									
PKG:3									
27-50/576 ^S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:978.73.20.309	MOS	04-Oct-24	12 (+1m/-1m)						
SN:6491	HRS	2964:40	300 (+10%/-10%)						
WC#: 27.051	AFL	1757							
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A									
PKG:3									
270003		HORIZONTAL TAIL ASSY							Component ATA:27
PN:555.10.12.037	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1622	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									
270015		ELEVATOR LH ASSY							Component ATA:27
PN:555.20.12.041	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1718	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A									
270023		ELEVATOR RH ASSY							Component ATA:27
PN:555.20.12.042	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1712	HRS	0		TSN 0					
WC#: 27.023	AFL	0		TSN 0					
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A									
270025		RUDDER TRIM LINEAR ACTUATOR							Component ATA:27
PN:978.73.18.138	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1762	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270030 FIN ASSY								Component ATA:27
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.031	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A								
270033 RUDDER ASSY								Component ATA:27
PN:555.40.12.040	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1472M	HRS	0		TSN 0				
WC#: 27.033	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A								
270035 FLAP CONTROL AND WARNING UNIT								Component ATA:27
PN:978.73.20.017	MOS/MSC	24-May-18	O/C	TSN 0				
SN:138206	HRS	0		TSN 0				
WC#: 27.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A								
270041 RUDDER BELLCRANK								Component ATA:27
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								
270045 LH INBOARD TRANSMITTER								Component ATA:27
PN:978.73.20.021	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1750071DY	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								
270050 LH ROTATION TRANSMITTER								Component ATA:27
PN:978.73.20.602	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2711	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270060		LH OUTBOARD TRANSMITTER						Component	ATA:27
PN:978.73.20.021	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1780045DY	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A									
270070		RH INBOARD TRANSMITTER						Component	ATA:27
PN:978.73.20.021	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1780032DY	HRS	0		TSN 0					
WC#: 27.100	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A									
270075		RH ROTATION,C70016705 TRANSMITTER						Component	ATA:27
PN:978.73.20.602	MOS/MSC	24-May-18	O/C	TSN 0					
SN:2712	HRS	0		TSN 0					
WC#: 27.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A									
270080		KTA2810,TRIM ADAPTER						Component	ATA:27
PN:527.40.12.424A	MOS/MSC	12-Jun-19	O/C	TSN 0					
SN:N/A	HRS	139:54		TSN 0					
WC#: 22.135	AFL	181		TSN 0					
PROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-APROC. REF: AMM 12-B-22-10-07-00A-920A-A, AMM 12-B-22-10-07-00A-920B-A									
270090		AILERON LINEAR ACTUATOR						Component	ATA:27
PN:978.73.18.138	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1774	HRS	0		TSN 0					
WC#: 27.140	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A									
270095		RH OUTBOARD TRANSMITTER						Component	ATA:27
PN:978.73.20.021	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1780103DX	HRS	0		TSN 0					
WC#: 27.110	AFL	0		TSN 0					
PROC. REF: AMM 12-B-27-50-06-00A-920A-APROC. REF: AMM 12-B-27-50-06-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274020		PITCH TRIM ACTUATOR					Component		ATA:27
PN:978.73.14.203	MOS/MSC	09-Jun-24	H/T	TSN 60					
SN:1978	HRS	2702:23	TSN 2591:32						
	AFL	1623	TSN 1459						
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A									
274030		MANUAL PITCH TRIM RELAYS					Component		ATA:27
PN:974.20.01.221	MOS/MSC	09-Jun-24	H/T	TSN 0					
SN:UNKNOWN	HRS	2702:23	TSN 0						
	AFL	1623	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 28 - FUEL									
28-10/145 ^S		EXAMINE FUEL TANK FILLER CAPS					Service		ATA:28
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
28-10/146 ^S		SAMPLE FUEL - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER					Service		ATA:28
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-28-10-02-00A-901A-APROC. REF: AMM 12-B-28-10-02-00A-901A-A									
28-10/306		OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE					Service		ATA:28
	MOS	20-Sep-23							
	HRS	2370:28	2400 (+10%/-10%)	Adj 29:32	4800	5040	1674:11 (+240)		
WC#: 28.029	AFL	1426							
PROC. REF: AMM 12-B-28-10-01-00A-903A-APROC. REF: AMM 12-B-28-10-01-00A-903A-A									

PKG:3

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/147 ^S	OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR							Service	ATA:28
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-28-20-07-00A-903A-APROC. REF: AMM 12-B-28-20-07-00A-903A-A									
PKG:3									
28-20/148 ^S	REMOVE/CLEAN FUEL FILTER ELEMENT							Service	ATA:28
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-28-20-01-00A-920A-A, AMM 12-B-28-20-01-00A-250A-APROC. REF: AMM 12-B-28-20-01-00A-920A-A, AMM 12-B-28-20-01-00A-250A-A									
PKG:3									
28-20/149 ^S	OPERATE FIREWALL SHUTOFF VALVE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (4-4.5 N)							Service	ATA:28
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:5									
28-20/150 ^S	EXAMINE ENGINE DRIVEN PUMP							Service	ATA:28
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
28-20/256 ^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED / REMOVED IN THIS INSPECTION PACKAGE							Service	ATA:28
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:7									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-20/32		OVERHAUL ENGINE DRIVEN PUMP					Service		ATA:28
PN:968.84.51.108	MOS	24-May-18		TSN 0				OVERHAUL	
SN:B6243	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)		
WC#: 28.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-20-03-00A-920A-APROC. REF: AMM 12-B-28-20-03-00A-920A-A									
280005		LOW PRESSURE FUEL PUMP					Component		ATA:28
PN:968.84.51.108	MOS/MSC	24-May-18	O/C	TSN 0					
SN:B6243	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-20-03-00A-920A-APROC. REF: AMM 12-B-28-20-03-00A-920A-A									
280010		FUEL FLOW TRANSMITTER					Component		ATA:28
PN:975.35.12.108	MOS/MSC	24-May-18	O/C	TSN 0					
SN:AAR0575	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 12-B-73-30-01-00A-920A-APROC. REF: AMM 12-B-73-30-01-00A-920A-A									
280012		FUEL CONTROL MONITORING UNIT					Component		ATA:28
PN:975.37.31.336	MOS/MSC	24-May-18	O/C	TSN 0					
SN:981	HRS	0		TSN 0					
WC#: 28.155	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-40-04-00A-920A-A, AMM 12-B-73-20-01-00A-920A-APROC. REF: AMM 12-B-28-40-04-00A-920A-A, AMM 12-B-73-20-01-00A-920A-A									
280015		FIREWALL FUEL,SHUT-OFF VALVE					Component		ATA:28
PN:963.87.22.301	MOS/MSC	24-May-18	O/C	TSN 0					
SN:3893	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-20-08-00A-920A-APROC. REF: AMM 12-B-28-20-08-00A-920A-A									
280020		MAINTENANCE FUEL SHUT-OFF VALVE					Component		ATA:28
PN:963.87.22.301	MOS/MSC	24-May-18	O/C	TSN 0					
SN:3903	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-20-12-00A-920A-APROC. REF: AMM 12-B-28-20-12-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280025 FUEL FILTER ASSY								Component ATA:28
PN:968.35.21.001	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2017FFT2355	HRS	0		TSN 0				
WC#: 28.025	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-01-00A-920A-APROC. REF: AMM 12-B-28-20-01-00A-920A-A								
280030 FUEL LOW PRESSURE SWITCH								Component ATA:28
PN:973.81.14.102	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3009	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-02-00A-920A-APROC. REF: AMM 12-B-28-20-02-00A-920A-A								
280035 EJECTOR,TRANSFER LH PUMP								Component ATA:28
PN:968.84.71.104	MOS/MSC	24-May-18	O/C	TSN 0				
SN:B6547	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-05-00A-920A-APROC. REF: AMM 12-B-28-20-05-00A-920A-A								
280040 EJECTOR,DELIVERY LH PUMP								Component ATA:28
PN:968.84.71.105	MOS/MSC	24-May-18	O/C	TSN 0				
SN:B6206	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-06-00A-920A-APROC. REF: AMM 12-B-28-20-06-00A-920A-A								
280045 FUEL QUANTITY OUTER LH SENSOR								Component ATA:28
PN:975.37.31.253	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2750	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280050 FUEL QUANTITY,CENTRAL LH SENSOR								Component ATA:28
PN:975.37.31.252	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2712	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280055 FUEL QUANTITY, INNER LH SENSOR								Component ATA:28
PN:975.37.31.251	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2685	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280060 FUEL QUANTITY, COLLECTOR LH SENSOR								Component ATA:28
PN:975.37.31.250	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2677	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								
280065 FUEL, BOOSTER LH PUMP								Component ATA:28
PN:968.84.11.405	MOS/MSC	24-May-18	O/C	TSN 0				
SN:C-998	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-04-00A-920A-APROC. REF: AMM 12-B-28-20-04-00A-920A-A								
280070 EJECTOR, TRANSFER RH PUMP								Component ATA:28
PN:968.84.71.104	MOS/MSC	24-May-18	O/C	TSN 0				
SN:B6528	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-05-00A-920A-APROC. REF: AMM 12-B-28-20-05-00A-920A-A								
280075 EJECTOR, DELIVERY RH PUMP								Component ATA:28
PN:968.84.71.105	MOS/MSC	24-May-18	O/C	TSN 0				
SN:B6214	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-20-06-00A-920A-APROC. REF: AMM 12-B-28-20-06-00A-920A-A								
280080 FUEL QUANTITY, COLLECTOR RH SENSOR								Component ATA:28
PN:975.37.31.250	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2688	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280085	FUEL QUANTITY, INNER RH SENSOR							Component	ATA:28
PN:975.37.31.251	MOS/MSC	24-May-18	O/C	TSN 0					
SN:2683	HRS	0		TSN 0					
WC#: 28.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A									
280090	FUEL QUANTITY,CENTRAL RH SENSOR							Component	ATA:28
PN:975.37.31.252	MOS/MSC	24-May-18	O/C	TSN 0					
SN:2724	HRS	0		TSN 0					
WC#: 28.070	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A									
280095	FUEL QUANTITY, OUTER RH SENSOR							Component	ATA:28
PN:975.37.31.253	MOS/MSC	24-May-18	O/C	TSN 0					
SN:2751	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-40-01-00A-920A-APROC. REF: AMM 12-B-28-40-01-00A-920A-A									
280100	FUEL, BOOSTER RH PUMP							Component	ATA:28
PN:968.84.11.405	MOS/MSC	24-May-18	O/C	TSN 0					
SN:C-994	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-28-20-04-00A-920A-APROC. REF: AMM 12-B-28-20-04-00A-920A-A									
280105	TOP CHECK VALVE							Component	ATA:28
PN:963.04.23.105	MOS/MSC	24-May-18	O/C	TSN 0					
SN:4088	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
280110	BOTTOM CHECK VALVE							Component	ATA:28
PN:963.04.23.105	MOS/MSC	24-May-18	O/C	TSN 0					
SN:4090	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280115 LH FUEL QUANTITY, TANK HARNESS								Component ATA:28
PN:975.37.31.335	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1944	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
280120 RH FUEL QUANTITY, TANK HARNESS								Component ATA:28
PN:975.37.31.335	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1943	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
ATA 29 - HYDRAULIC POWER								
29-10/418 NITROGEN ACCUMULATOR (IF INSTALLED)								Component ATA:29
PN:PN	MOS/MSC	24-May-18	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-10-02-00A-920A-APROC. REF: AMM 12-B-29-10-02-00A-920A-A								
<hr/>								
290015 PRESSURE GAGE SWITCH								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
290025 SERVICE SELECTOR VALVE								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-03-00A-920A-APROC. REF: AMM 12-B-32-30-03-00A-920A-A								
<hr/>								
290030 PRESSURE GAUGE								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
290035 (K 601) RELAY								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
290040 HAND PUMP								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-20-01-00A-920A-APROC. REF: AMM 12-B-29-20-01-00A-920A-A								
<hr/>								
290050 PRESSURE NITROGEN SWITCH								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-10-07-00A-920A-APROC. REF: AMM 12-B-29-10-07-00A-920A-A								
<hr/>								
291010 HYDRAULIC POWER PACK								Component ATA:29
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-29-10-01-00A-920A-APROC. REF: AMM 12-B-29-10-01-00A-920A-A								
<hr/>								
ATA 30 - ICE AND RAIN PROTECTION								
30-10/154 ^S INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS								Service ATA:30
	MOS	04-Oct-24	12 (+10%/-10%)					
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								
<hr/>								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10/155 ^S	OPERATIONAL TEST INERTIAL SEPARATION SYSTEM							Service	ATA:30
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A								PKG:5	
30-10/260 ^S	FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM							Service	ATA:30
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-30-10-00-00A-903A-A, AMM 12-B-30-10-00-00A-903B-APROC. REF: AMM 12-B-30-10-00-00A-903A-A, AMM 12-B-30-10-00-00A-903B-A								PKG:6	
30-10/79	APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1							Service	ATA:30
	MOS	17-Aug-24	6 (+10%/-10%)		17-Feb-25	05-Mar-25	38 d (+16)		
	HRS	2836:09							
WC#: 30.010	AFL	1681							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
30-20/156 ^S	EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS, NONE ARE PERMITTED							Service	ATA:30
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3	
30-20/261 ^S	EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001							Service	ATA:30
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-30/329 ^S FUNCTIONAL TEST PROBES DE-ICE SYSTEM Service ATA:30								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A								
30-40/262 ^S OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM Service ATA:30								
	MOS	09-Jun-24	24 (+10%/-10%)					
	HRS	2702:23	2400 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								
30-60/158 ^S INSPECTION/CHECK PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-30-60-00-00A-313A-A, AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313A-A, AMM 12-B-30-60-00-00A-313B-A								
30-60/159 ^S OPERATIONAL TEST PROPELLER DE-ICE SYSTEM Service ATA:30								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-30-60-00-00A-903A-A, AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903C-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903A-A, AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903C-A, AMM 12-B-30-60-00-00A-903D-A								
300005 PROP DE-ICE CONTROLLER Component ATA:30								
PN:968.29.13.227	MOS/MSC	24-May-18	O/C	TSN 0				
SN:U4045	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300010 LPMI LINEAR ACTUATOR								Component ATA:30
PN:978.73.15.302	MOS/MSC	24-May-18	O/C	TSN 0				
SN:F00427	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300015 REGULATOR-RELIEVER ASSY								Component ATA:30
PN:959.89.01.012	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172998	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300020 L606 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:959.89.01.008	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172500	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300025 L605 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:959.89.01.008	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172496	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300035 L601 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:959.89.01.008	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172959	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300040 L600 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:959.89.01.008	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172962	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300045 EMPENAGE PRESSURE GAGE SWITCH								Component ATA:30
PN:973.81.14.312	MOS/MSC	24-May-18	O/C	TSN 0				
SN:9272	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300050 WATER SEPARATOR								Component ATA:30
PN:959.89.01.010	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172917	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300055 DE-ICING SYSTEM TIMER								Component ATA:30
PN:959.89.01.044	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UA310	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
300060 LEFT WINDSHIELD DE ICE CONTROLLER								Component ATA:30
PN:972.81.32.202	MOS/MSC	24-May-18	O/C	TSN 0				
SN:138449	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
300065 RIGHT WINDSHIELD DE ICE CONTROLLER								Component ATA:30
PN:972.81.32.202	MOS/MSC	24-May-18	O/C	TSN 0				
SN:138445	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
300070 S133 LOWER SURF INBD WING PRESSURE GAGE SWITCH								Component ATA:30
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300075 S134 UPPER SURF INBD WING PRESSURE GAGE SWITCH								Component ATA:30
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300080 S135 LOWER SURF OUTBD WING PRESSURE GAGE SWITCH								Component ATA:30
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300085 S136 UPPER SURF OUTBD WING PRESSURE GAGE SWITCH								Component ATA:30
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300090 LH HORIZ STAB DE-ICER BOOT								Component ATA:30
PN:959.89.01.041	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NEH4580	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-16-01-00A-920A-APROC. REF: AMM 12-B-30-16-01-00A-920A-A								
300095 RH HORIZ STAB DE-ICER BOOT								Component ATA:30
PN:959.89.01.042	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NEH1230	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-16-01-00A-920A-APROC. REF: AMM 12-B-30-16-01-00A-920A-A								
300100 RH INBD-WING DE-ICER BOOT								Component ATA:30
PN:959.89.01.038	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NED1020	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300105 RH OUTBD-WING DE-ICER BOOT								Component ATA:30
PN:959.89.01.040	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NEH2690	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300110 LH AOA PLATE TEMP CONTROLLER								Component ATA:30
PN:975.44.21.418	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UG546	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
300115 LH INBD-WING DE-ICER BOOT								Component ATA:30
PN:959.89.01.037	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NEE0230	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300120 LH OUTBD-WING DE-ICER BOOT								Component ATA:30
PN:959.89.01.039	MOS/MSC	24-May-18	O/C	TSN 0				
SN:NEI8940	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-14-01-00A-920A-APROC. REF: AMM 12-B-30-14-01-00A-920A-A								
300125 RH AOA PLATE TEMP CONTROLLER								Component ATA:30
PN:975.44.21.418	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UG518	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
300130 S601 LOWER SURF.INBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:973.81.14.312	MOS/MSC	24-May-18	O/C	TSN 0				
SN:9170	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300135 S600 UPPER SURF.INBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:973.81.14.312	MOS/MSC	24-May-18	O/C	TSN 0				
SN:9101	HRS	0		TSN 0				
WC#: 30.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300140 S602 LOWER SURF.OUTBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:973.81.14.312	MOS/MSC	24-Jan-19	O/C	TSN 0				
SN:9611	HRS	34:06		TSN 0				
WC#: 30.190	AFL	32		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300145 S603 UPPER SURF.OUTBD.WING PRESSURE,GAGE SWITCH								Component ATA:30
PN:973.81.14.312	MOS/MSC	24-May-18	O/C	TSN 0				
SN:9161	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300150 L602 EMPENAGE EJECTOR FLOW CONTROL VALVE								Component ATA:30
PN:959.89.01.008	MOS/MSC	24-May-18	O/C	TSN 0				
SN:N172963	HRS	0		TSN 0				
WC#: 30.200	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
300155 R/H WING STALL STRIP								Component ATA:30
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-30-USER-001 ^U FLOW METER								Component ATA:30
PN:TFF1573-20	MOS/MSC	16-Nov-23	O/C					
SN:AAR0491	HRS	2511:52						
	AFL	1487						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-00/CFR TEST/INSPECT COPILOT ALTIMETER (14 CFR 91.411) Service ATA:31								
	MOS/MSC	09-Jun-24	N/A					
	HRS	2702:23						
	AFL	1623						
PROC. REF: GENERIC NO REF, CFR CFR 91.411PROC. REF: GENERIC NO REF, CFR CFR 91.411								
31-00/CFR TEST/INSPECT PILOT ALTIMETER (14 CFR 91.411) Service ATA:31								
	MOS/MSC	09-Jun-24	N/A					
	HRS	2702:23						
	AFL	1623						
PROC. REF: GENERIC NO REF, CFR CFR 91.411PROC. REF: GENERIC NO REF, CFR CFR 91.411								
31-30/421^S OPERATIONAL TEST COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT LDR (IF INSTALLED) Service ATA:31								
PN:985.99.20.146	MOS	09-Jun-24	12 (+10%/-10%)					
SN:001212433	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-31-30-01-00A-903A-APROC. REF: AMM 12-B-31-30-01-00A-903A-A								
310005 PILOT ALTIMETER Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310010 PILOT VERTICAL SPEED INDICATOR Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310015 PILOT ATTITUDE INDICATOR Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310020		FLAP POSITION INDICATOR						Component	ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310025		COPILOT ALTIMETER						Component	ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310030		VERTICAL SPEED INDICATOR						Component	ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310035		CAWS COMPUTER						Component	ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310040		CAWS DISPLAY						Component	ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310045		TRIM TRIPLE INDICATOR						Component	ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 31.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310050 DIGITAL CLOCK Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-20-12-00A-920A-APROC. REF: AMM 12-B-31-20-12-00A-920A-A								
310055 PILOT AIRSPEED INDICATOR Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310060 AIRSPEED INDICATOR Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310069 KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310070 CO-PILOT KMC 2210 DISPLAY CONTROLLER Component ATA:31								
PN:985.99.12.178	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMC2210-3135	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310075 NO. 1 MAU ADVANCED GRAPHIC MODULE Component ATA:31								
PN:985.99.12.292	MOS/MSC	03-Jul-24	O/C					
SN:08040772	HRS	2725:19						
WC#: 31.240	AFL	1637						
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310077 NO. 2 MAU ADVANCED GRAPHIC MODULE								Component ATA:31
PN:985.99.12.292	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1712F053	HRS	0		TSN 0				
WC#: 31.270	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310080 NO. 2 RH MAU SINGLE NETWORK I/F CARD								Component ATA:31
PN:985.99.12.231	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1708J638	HRS	0		TSN 0				
WC#: 31.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310085 OVERHEAD CONTROL BASIC PANEL								Component ATA:31
PN:972.81.21.155	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0828	HRS	0		TSN 0				
WC#: 31.260	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								
310087 OVHD CTRL PNL PC-12E (R/L/P) UNIT								Component ATA:31
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								
310090 KMC2220 MF CONTOLLER								Component ATA:31
PN:985.99.12.189	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMC2220-2204	HRS	0		TSN 0				
WC#: 31.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310095 PILOT KMC 2210 DISPLAY CONTROLLER								Component ATA:31
PN:985.99.12.178	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMC2210-3139	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
310100		NO. 1 MAU ACTUATOR I/O PROCESSOR MODULE						Component	ATA:31
PN:985.99.12.190	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1711R042	HRS	0		TSN 0					
WC#: 31.230	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
310102		NO. 2 MAU ACTUATOR I/O PROCESSOR MODULE						Component	ATA:31
PN:985.99.12.190	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1712R069	HRS	0		TSN 0					
WC#: 31.230	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
310105		MODULAR AVIONICS ,12SLOT UNIT						Component	ATA:31
PN:985.99.12.147	MOS/MSC	24-May-18	O/C	TSN 0					
SN:18019685	HRS	0		TSN 0					
WC#: 31.150	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-41-00-00A-920A-APROC. REF: AMM 12-B-31-41-00-00A-920A-A									
310110		NO. 1 LH MAU SINGLE NETWORK I/F CARD						Component	ATA:31
PN:985.99.12.231	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1707J484	HRS	0		TSN 0					
WC#: 31.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
310115		NO. 1 LH MAU POWER SUPPLY MODULE						Component	ATA:31
PN:985.99.12.346	MOS/MSC	24-May-18	O/C	TSN 0					
SN:16084713	HRS	0		TSN 0					
WC#: 31.220	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									
310120		NO. 2 RH MAU POWER SUPPLY MODULE						Component	ATA:31
PN:985.99.12.346	MOS/MSC	24-May-18	O/C	TSN 0					
SN:17116116	HRS	0		TSN 0					
WC#: 31.220	AFL	0		TSN 0					
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310125 MAU DUAL GENERIC I/O MODULE								Component ATA:31
PN:985.99.12.252	MOS/MSC	24-May-18	O/C	TSN 0				
SN:16111870	HRS	0		TSN 0				
WC#: 31.250	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310130 MAU CUSTOM I/O MODULE DUAL CH UNIT								Component ATA:31
PN:985.99.12.251	MOS/MSC	24-May-18	O/C	TSN 0				
SN:18012039	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
310135 CO-PILOT PFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:985.99.12.103	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2890008690	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310140 UPPER MFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:985.99.12.103	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2890008609	HRS	0		TSN 0				
WC#: 31.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310145 PILOT PFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:985.99.12.103	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2890008890	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310150 LOWER MFD KDU 1080 FLAT PANEL DISPLAY								Component ATA:31
PN:985.99.12.103	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2890008610	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310155 REV CTL PNL,4-POT DISPLAY								Component ATA:31
PN:972.81.21.120	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0194	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310160 NO. 1 LH AIRCRAFT PERSONALITY MODULE								Component ATA:31
PN:985.83.14.204	MOS/MSC	24-May-18	O/C	TSN 0				
SN:40826576	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310165 NO. 2 RH AIRCRAFT PERSONALITY MODULE								Component ATA:31
PN:985.83.14.204	MOS/MSC	24-May-18	O/C	TSN 0				
SN:40826599	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310167 CC-500 CONTROL UNIT								Component ATA:31
PN:985.99.12.202	MOS/MSC	24-May-18	O/C	TSN 0				
SN:37803	HRS	0		TSN 0				
WC#: 31.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310170 CCD INTERNAL ELECTRICAL ASSEMBLY								Component ATA:31
PN:985.99.12.328	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0161	HRS	0		TSN 0				
WC#: 31.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310175 REAR CENTRE CONS PNL PC-12 47/E								Component ATA:31
PN:972.81.21.154	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0815	HRS	0		TSN 0				
WC#: 31.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310177 MIDDLE CENTRE CONS PANEL Component ATA:31								
PN:972.81.21.146	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0799	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310180 COCKPIT AREA MICROPHONE Component ATA:31								
PN:985.99.20.137	MOS/MSC	24-May-18	O/C	TSN 0				
SN:001249026	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
310185 COCKPIT VOICE FLIGHT DATA RECORDER (LDR) UNIT Component ATA:31								
PN:985.99.20.146	MOS/MSC	24-May-18	O/C	TSN 0				
SN:001212433	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								
310190 PC-12E APX100 APEX SYS SOFTWARE Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310202 VIDEO INTERFACE MODULE Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-60-10-00A-920A-APROC. REF: AMM 12-B-31-60-10-00A-920A-A								
310205 PRIMUS APEX TOOLS DISK Component ATA:31								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/162	^S	LUBRICATE MAIN LANDING GEAR						Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								PKG:5	
<hr/>									
32-10/163	^S	EXAMINE MAIN LANDING GEAR LEGS						Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5	
<hr/>									
32-10/164	^S	EXAMINE MAIN LANDING GEAR COMPARTMENTS						Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5	
<hr/>									
32-10/165	^S	CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE						Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A								PKG:5	
<hr/>									
32-10/263	^S	EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS						Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -63d	07-Apr-25	13-May-25	87 d (+36)		
	HRS	2702:23	2400 (+10%/-10%)		5102:23	5342:23	1976:34 (+240)		
WC#: 32.010	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-A									
32-10/345	LEFT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:532.10.12.055	MOS/MSC	24-May-18	O/C	TSN 0					
SN:VLG1172	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/345	RIGHT MAIN LANDING GEAR ASSEMBLY							Component	ATA:32
PN:532.10.12.056	MOS/MSC	24-May-18	O/C	TSN 0					
SN:VLG1174	HRS	0		TSN 0					
WC#: 32.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/346	LEFT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (ELECTRO MECHANICAL LANDING GEAR)							Service	ATA:32
	MOS	24-May-18					AIRWORTHINESS		
	HRS	0	T:25000		25000		21874:11		
	AFL	0	T:30000		30000		28176		
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
32-10/346	RIGHT MLG YOKE FITTING OVERHAUL AND EDDY CURRENT INSPECTION (ELECTRO MECHANICAL LANDING GEAR)							Service	ATA:32
	MOS	24-May-18					AIRWORTHINESS		
	HRS	0	T:25000		25000		21874:11		
WC#: 32.215	AFL	0	T:30000		30000		28176		
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
32-10/347	LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	24-May-18					AIRWORTHINESS		
	HRS	0	T:25000		25000		21874:11		
	AFL	0	T:30000		30000		28176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-10/347	RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION							Service	ATA:32
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
WC#: 32.220	AFL	0	T:30000		30000		28176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-10/436	EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -71d	30-Mar-25	06-May-25	79 d (+37)		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/438	EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	09-Jun-24	72		09-Jun-30		1976 d		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/438	EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT							Service	ATA:32
	MOS	09-Jun-24	72		09-Jun-30		1976 d		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/439	EXAMINE LEFT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	09-Jun-24	72		09-Jun-30		1976 d		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/439	EXAMINE RIGHT MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	09-Jun-24	72		09-Jun-30		1976 d		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/440 EXAMINE LEFT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS Service ATA:32								
	MOS	09-Jun-24	72		09-Jun-30		1976 d	
	HRS	2702:23						
	AFL	1623						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/440 EXAMINE RIGHT MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS Service ATA:32								
	MOS	09-Jun-24	72		09-Jun-30		1976 d	
	HRS	2702:23						
	AFL	1623						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441 EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS Service ATA:32								
	MOS	24-May-18	120		24-May-28		1230 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441 EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS Service ATA:32								
	MOS	24-May-18	120		24-May-28		1230 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/80 LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS Service ATA:32								
PN:025-350-0	MOS/MSC	09-Jun-24	12 (+1m/-1m) / T/C	Adj -71d	30-Mar-25	30-Apr-25	79 d (+31)	
SN:0298T00253	HRS	2702:23						
	AFL	1623						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80 LUBRICATE NOSE WHEEL BEARINGS Service ATA:32								
PN:959.56.02.302	MOS/MSC	09-Jun-24	12 (+1m/-1m) / T/C	Adj -71d	30-Mar-25	30-Apr-25	79 d (+31)	
SN:1767	HRS	2702:23						
	AFL	1623						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80 LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS Service ATA:32								
PN:025-350-0	MOS/MSC	09-Jun-24	12 (+1m/-1m) / T/C	Adj -71d	30-Mar-25	30-Apr-25	79 d (+31)	
SN:0295T00268	HRS	2702:23						
	AFL	1623						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/166 ^S CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE Service ATA:32								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								
32-20/167 ^S LUBRICATE NOSE LANDING GEAR Service ATA:32								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-20/168 ^S EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.13-4) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING. Service ATA:32								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/169 ^S EXAMINE NOSE LANDING GEAR COMPARTMENT Service ATA:32								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/265 ^S EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS Service ATA:32								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/335 NOSE LANDING GEAR TORQUE TUBE Component ATA:32								
PN:PN	MOS	24-May-18	120	TSN 0	24-May-28		1230 d	LIFE LIMIT
SN:UNKNOWN	HRS	0	11000	TSN 0	11000		7874:11	
WC#: 32.190	AFL	0	15000	TSN 0	15000		13176	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/338 INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK Service ATA:32								
PN:PN	MOS/MSC	24-May-18	N/A					
SN:UNKNOWN	HRS	0						
WC#: 32.195	AFL	0						
Special Properties: TRACKED ITEM								
PROC. REF: AMM 12-B-32-20-06-00A-313A-APROC. REF: AMM 12-B-32-20-06-00A-313A-A								
32-20/403 NOSE LANDING GEAR - OVERHAUL Component ATA:32								
PN:PN	MOS	24-May-18		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	T:25000 (+500/-500)	TSN 0	25000	25500	21874:11 (+500)	
WC#: 32.200	AFL	0	T:30000 (+500/-500)	TSN 0	30000	30500	28176 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/416 NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK Component ATA:32								
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		21874:11	
WC#: 32.225	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: AMM 12-B-32-20-05-00A-920A-APROC. REF: AMM 12-B-32-20-05-00A-920A-A								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/170 ^S FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM								
	MOS	09-Jun-24	12 (+10%/-10%)					Service ATA:32
	HRS	2702:23	1200 (+10%/-10%)					
	AFL	1623						
PKG:6								
PROC. REF: AMM 12-B-32-30-00-00A-903A-APROC. REF: AMM 12-B-32-30-00-00A-903A-A								
32-30/423 LEFT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:959.56.01.823	MOS	24-May-18		TSN 0				Component ATA:32
								LIFE LIMIT
SN:733	HRS	0		TSN 0				
	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-A								
32-30/423 NOSE LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:PN	MOS	24-May-18		TSN 0				Component ATA:32
								LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-A								
32-30/423 RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL LANDING GEAR ACTUATOR								
PN:959.56.01.823	MOS	24-May-18		TSN 0				Component ATA:32
								LIFE LIMIT
SN:734	HRS	0		TSN 0				
	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A, AMM 12-B-32-30-01-00A-920B-A								
32-30/424 OPERATIONAL TEST EMERGENCY GEAR EXTENSION SYSTEM - ELECTRO MECHANICAL LANDING GEAR ONLY								
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -63d	07-Apr-25	13-May-25	87 d (+36)	Service ATA:32
	HRS	2702:23	2000		4702:23		1576:34	
	AFL	1623						
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/425 ^S	EXAMINE ELECTRO MECHANICAL LANDING GEAR EXTENSION AND RETRACTION MECHNAISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PKG:5									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-30/426	FUNCTION TEST TIME DELAY RELAYS AND POWER CONTACTORS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -73d	28-Mar-25	04-May-25	77 d (+37)		
	HRS	2702:23	2000		4702:23		1576:34		
	AFL	1623							
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A									
32-30/429	CHECK MAIN LANDING GEAR SPRING STRUT - LOOSEN AND MOVE THE SPRING STRUT COVER TO EXAMINE THE SPRINGS - ELECTRO MECHANICAL LANDING GEAR ONLY							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -71d	30-Mar-25	06-May-25	79 d (+37)		
	HRS	2702:23	2000		4702:23		1576:34		
	AFL	1623							
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A									
32-30/435	DISCARD LEFT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10176 (+500)		
PROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-A									
32-30/435	DISCARD NOSE LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10176 (+500)		
PROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-30/435	DISCARD RIGHT MAIN LANDING GEAR ELECTRO-MECHANICAL ACTUATORS ANTI-ROTATION PADS							Service	ATA:32
	MOS							DISCARD	
	HRS								
	AFL	0	12000 (+500/-500)		12000	12500	10176 (+500)		
PROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A, AMM 12-B-32-30-02-01A-920B-A									
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	09-Jun-24	72		09-Jun-30		1976 d		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service	ATA:32
	MOS	09-Jun-24	72		09-Jun-30		1976 d		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-APROC. REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	24-May-18	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service	ATA:32
	MOS/MSC	24-May-18	N/A						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/171 ^S	EXAMINE MAINWHEELS. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:5

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40/172 ^S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
32-40/173 ^S	EXAMINE NOSEWHEEL. ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service	ATA:32
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/174 ^S	EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE							Service	ATA:32
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A									
32-40/175 ^S	EXAMINE BRAKE SYSTEM - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service	ATA:32
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
32-40/176 ^S	CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY							Service	ATA:32
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-50/404		EXAMINE - NLG STEERING MECHANISM					Service		ATA:32
	MOS		24-May-18						
	HRS	0		T:32500 (+500/-500)	32500	33000	29374:11 (+500)		
WC#: 32.230	AFL	0		T:42000 (+500/-500)	42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A									
320005		PILOT LH BRAKE MASTER CYLINDER					Component		ATA:32
PN:959.47.51.131	MOS/MSC		24-May-18	O/C	TSN 0				
SN:7411	HRS	0			TSN 0				
WC#: 32.130	AFL	0			TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A									
320006		STEREER SELECTOR, LANDING GEAR VALVE					Component		ATA:32
PN:PN	MOS/MSC		24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.040	AFL	0			TSN 0				
PROC. REF: AMM 12-B-32-30-03-00A-920A-APROC. REF: AMM 12-B-32-30-03-00A-920A-A									
320010		PILOT RH BRAKE MASTER CYLINDER					Component		ATA:32
PN:959.47.51.131	MOS/MSC		24-May-18	O/C	TSN 0				
SN:7413	HRS	0			TSN 0				
WC#: 32.130	AFL	0			TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A									
320015		PARK BRAKE VALVE					Component		ATA:32
PN:959.47.51.121	MOS/MSC		24-May-18	O/C	TSN 0				
SN:3114	HRS	0			TSN 0				
WC#: 32.140	AFL	0			TSN 0				
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A									
320020		NOSE WHEEL					Component		ATA:32
PN:959.56.02.302	MOS/MSC		09-Jun-24	O/C					
SN:1767	HRS		2702:23						
WC#: 32.150	AFL		1623						
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320021 NOSE LANDING GEAR TIRE								Component ATA:32
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.155	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
320022 LEFT MAIN LANDING GEAR WHEEL								Component ATA:32
PN:025-350-0	MOS/MSC	09-Jun-24	O/C	TSN 39				
SN:0298T00253	HRS	2702:23		TSN 2329:07				
WC#: 32.160	AFL	1623		TSN 1176				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320023 LEFT MAIN LANDING GEAR TIRE								Component ATA:32
PN:025-350-0	MOS/MSC	22-Sep-22	O/C	TSN 0				
SN:2172T00259	HRS	1583:36		TSN 0				
WC#: 32.160	AFL	1039		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								
320024 RIGHT MAIN LANDING GEAR WHEEL								Component ATA:32
PN:025-350-0	MOS/MSC	09-Jun-24	O/C	TSN 39				
SN:0295T00268	HRS	2702:23		TSN 2329:07				
WC#: 32.165	AFL	1623		TSN 1176				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320025 SHIMMY DAMPER ASSY								Component ATA:32
PN:532.20.12.215	MOS/MSC	24-May-18	O/C	TSN 0				
SN:VLG983	HRS	0		TSN 0				
WC#: 32.100	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
320026 RIGHT MAIN LANDING GEAR TIRE								Component ATA:32
PN:025-350-0	MOS/MSC	22-Sep-22	O/C	TSN 0				
SN:2174T00259	HRS	1583:36		TSN 0				
WC#: 32.165	AFL	1039		TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320030 COPILOT LH BRAKE MASTER CYLINDER								Component ATA:32
PN:959.47.51.131	MOS/MSC	24-May-18	O/C	TSN 0				
SN:7414	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320035 COPILOT RH BRAKE MASTER CYLINDER								Component ATA:32
PN:959.47.51.131	MOS/MSC	24-May-18	O/C	TSN 0				
SN:7415	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
320040 NOSE FOLDING STRUT SPRING PACK ASSY								Component ATA:32
PN:532.20.12.305	MOS/MSC	24-May-18	O/C	TSN 0				
SN:VLG132	HRS	0		TSN 0				
WC#: 32.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
320045 NOSE LANDING GEAR STRUT ASSY								Component ATA:32
PN:532.20.12.044	MOS/MSC	24-May-18	O/C	TSN 0				
SN:VLG1170	HRS	0		TSN 0				
WC#: 32.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
320055 RIGHT SHOCK ABSORBER ASSY								Component ATA:32
PN:532.10.12.230	MOS/MSC	24-May-18	O/C	TSN 0				
SN:VLG1542	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A								
320060 LH BRAKE ASSY								Component ATA:32
PN:959.56.01.517	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3656	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320065 INNER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3904	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320066 OUTER LEFT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3922	HRS	0		TSN 0				
WC#: 32.205	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320080 LEFT SHOCK ABSORBER ASSY								Component ATA:32
PN:532.10.12.230	MOS/MSC	24-May-18	O/C	TSN 0				
SN:VLG1539	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920A-A, AMM 12-B-32-10-03-00A-920B-A								
320085 RH BRAKE ASSY								Component ATA:32
PN:959.56.01.517	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3662	HRS	0		TSN 0				
WC#: 32.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920A-A, AMM 12-B-32-40-03-00A-920B-A								
320090 INNER RIGHT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3887	HRS	0		TSN 0				
WC#: 32.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
320091 OUTER RIGHT WHEEL & COVER ASSY								Component ATA:32
PN:959.56.01.503	MOS/MSC	24-May-18	O/C	TSN 0				
SN:3905	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320104 NOSE LANDING GEAR 72A74-01 "UP" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	24-May-18	O/C	TSN 0				
SN:6863	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320105 MAIN LANDING GEAR 72A74-01 RH "UP" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	24-May-18	O/C	TSN 0				
SN:6695	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320110 MAIN LANDING GEAR 72A74-01 RH "WOW" PROXIMITY SWITCH								Component ATA:32
PN:532.69.21.026	MOS/MSC	19-Sep-23	O/C	TSN 0				
SN:5862	HRS	2370:28		TSN 0				
WC#: 32.180	AFL	1426		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320115 NOSE LANDING GEAR 72A74-01 "DOWN" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	24-May-18	O/C	TSN 0				
SN:6842	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320120 MAIN LANDING GEAR 72A74-01 LH "UP" PROXIMITY SWITCH								Component ATA:32
PN:973.30.33.116	MOS/MSC	24-May-18	O/C	TSN 0				
SN:6865	HRS	0		TSN 0				
WC#: 32.175	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320125 MAIN LANDING GEAR 72A74-01 LH "WOW" PROXIMITY SWITCH								Component ATA:32
PN:532.69.21.026	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2892	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320130	L/H BOLT							Component ATA:32
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320135	R/H BOLT							Component ATA:32
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320140	INTERMEDIATE CABLE ASSY							Component ATA:32
PN:959.56.01.816	MOS/MSC	24-May-18	O/C	TSN 0				
SN:00404	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-A								
320140	MAIN GEAR CABLE ASSY							Component ATA:32
PN:959.56.01.814	MOS/MSC	24-May-18	O/C	TSN 0				
SN:00411	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-A								
320140	NOSE GEAR CABLE ASSY							Component ATA:32
PN:959.56.01.815	MOS/MSC	24-May-18	O/C	TSN 0				
SN:00367	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A, AMM 12-B-32-30-10-03A-920A-A, AMM 12-B-32-30-10-04A-920A-A								
320145	EXTENSION GEAR EMERGENCY HANDLE							Component ATA:32
PN:959.56.01.838	MOS/MSC	24-May-18	O/C	TSN 0				
SN:00404	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320150		FRONT HIGH CURRENT RELAY					Component		ATA:32
PN:974.09.26.112	MOS/MSC	24-May-18	O/C	TSN 0					
SN:948	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320150		REAR HIGH CURRENT RELAY					Component		ATA:32
PN:974.09.26.112	MOS/MSC	24-May-18	O/C	TSN 0					
SN:958	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320155		LEFT HAND SPRING PACK ASSY					Component		ATA:32
PN:532.34.12.120	MOS/MSC	24-May-18	O/C	TSN 0					
SN:653	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320155		RIGHT HAND SPRING PACK ASSY					Component		ATA:32
PN:532.34.12.120	MOS/MSC	24-May-18	O/C	TSN 0					
SN:650	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320160		MLG L/H WOW NLG UP SWITCH ASSY					Component		ATA:32
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
320160		MLG R/H WOW NLG UP SWITCH ASSY					Component		ATA:32
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320165	NO. 1 ELNDG DOWN & LOCK MICROSWITCH							Component	ATA:32
PN:PN	MOS/MSC	24-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
320165RH	NO. 2 ELNDG DOWN & LOCK MICROSWITCH							Component	ATA:32
PN:PN	MOS/MSC	24-May-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
320190	LEFT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	24-May-18	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
<hr/>									
320190	RIGHT MAIN LANDING GEAR YOKE FITTING							Component	ATA:32
PN:PN	MOS/MSC	24-May-18	H/T		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
<hr/>									
ATA 33 - LIGHTS									
33-40/177 ^S	OPERATIONAL TEST EXTERIOR LIGHTING							Service	ATA:33
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A									
<hr/>									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-41/178 ^S	EXAMINE LANDING LIGHTS							Service	ATA:33
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-33-41-01-00A-200B-APROC. REF: AMM 12-B-33-41-01-00A-200B-A									
PKG:3									
33-42/179 ^S	EXAMINE TAXI LIGHTS							Service	ATA:33
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-33-42-01-00A-200B-APROC. REF: AMM 12-B-33-42-01-00A-200B-A									
PKG:3									
33-43/180 ^S	EXAMINE NAVIGATION AND STROBE LIGHTS							Service	ATA:33
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
33-44/181 ^S	EXAMINE RECOGNITION LIGHTS (IF INSTALLED)							Service	ATA:33
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-33-44-00-00A-903A-APROC. REF: AMM 12-B-33-44-00-00A-903A-A									
PKG:3									
33-46/182 ^S	EXAMINE BEACON LIGHTS (IF INSTALLED)							Service	ATA:33
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330005 DIM UNIT Component ATA:33								
PN:975.02.15.205	MOS/MSC	24-May-18	O/C	TSN 0				
SN:138108	HRS	0		TSN 0				
WC#: 33.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A								
330010 DE-ICE LIGHT ASSY Component ATA:33								
PN:972.87.67.111	MOS/MSC	24-May-18	O/C	TSN 0				
SN:4044653	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330015 LH HIDL WING Component ATA:33								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330020 RH HIDL WING Component ATA:33								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330025 TOP SIDE ANTI COLLISION RED LIGHT ASSY Component ATA:33								
PN:972.87.87.347	MOS/MSC	24-May-18	O/C	TSN 0				
SN:196325-2-5	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920A-APROC. REF: AMM 12-B-33-46-00-00A-920A-A								
330030 BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY Component ATA:33								
PN:972.87.87.347	MOS/MSC	24-May-18	O/C	TSN 0				
SN:196325-2-1	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920A-APROC. REF: AMM 12-B-33-46-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330035 LH WING POWER SUPPLY UNIT								Component ATA:33
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920A-APROC. REF: AMM 12-B-33-43-03-00A-920A-A								
330040 LEFT HAND WING TIP WARNING LIGHT ASSEMBLY								Component ATA:33
PN:972.87.87.344	MOS/MSC	19-Sep-23	O/C	TSN 0				
SN:5960658	HRS	2370:28		TSN 0				
WC#: 33.030	AFL	1426		TSN 0				
PROC. REF: AMM 12-B-33-43-02-00A-920A-APROC. REF: AMM 12-B-33-43-02-00A-920A-A								
330045 RH WING POWER SUPPLY UNIT								Component ATA:33
PN:972.87.87.179	MOS/MSC	24-May-18	O/C	TSN 0				
SN:196963-1-24	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920A-APROC. REF: AMM 12-B-33-43-03-00A-920A-A								
330050 RIGHT HAND WING TIP WARNING LIGHT ASSEMBLY								Component ATA:33
PN:972.87.87.345	MOS/MSC	24-May-18	O/C	TSN 0				
SN:198853-5-1	HRS	0		TSN 0				
WC#: 33.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-02-00A-920A-APROC. REF: AMM 12-B-33-43-02-00A-920A-A								
330055 NAVIGATION (FC), LED GREEN LIGHT								Component ATA:33
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-01-00A-920A-APROC. REF: AMM 12-B-33-43-01-00A-920A-A								
330060 NAVIGATION (FC), LED RED LIGHT								Component ATA:33
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-01-00A-920A-APROC. REF: AMM 12-B-33-43-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330065 NAVIGATION (FC), LED WHITE LIGHT								Component ATA:33
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-01-00A-920A-APROC. REF: AMM 12-B-33-43-01-00A-920A-A								
330070 NOSE LANDING GEAR TAXI LIGHT								Component ATA:33
PN:972.87.69.429	MOS/MSC	24-May-18	O/C	TSN 0				
SN:194593-2-3	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-42-01-00A-920A-APROC. REF: AMM 12-B-33-42-01-00A-920A-A								
330075 L/H 1X0005287-10 LANDING LIGHT								Component ATA:33
PN:972.87.69.427	MOS/MSC	24-May-18	O/C	TSN 0				
SN:187604-1-8	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-41-01-00A-920A-APROC. REF: AMM 12-B-33-41-01-00A-920A-A								
330076 R/H 1X0005287-10 LANDING LIGHT								Component ATA:33
PN:972.87.69.427	MOS/MSC	24-May-18	O/C	TSN 0				
SN:189536-1-13	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-41-01-00A-920A-APROC. REF: AMM 12-B-33-41-01-00A-920A-A								
330080 3060-S PULSELITE CONTROLLER								Component ATA:33
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330085 LEFT HAND RECOGNITION LED LIGHT								Component ATA:33
PN:972.87.69.428	MOS/MSC	24-May-18	O/C	TSN 0				
SN:195678-2-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-44-00-00A-920C-APROC. REF: AMM 12-B-33-44-00-00A-920C-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
330085	RIGHT HAND RECOGNITION LED LIGHT							Component	ATA:33
PN:972.87.69.428	MOS/MSC	24-May-18	O/C	TSN 0					
SN:195678-2-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-33-44-00-00A-920C-APROC. REF: AMM 12-B-33-44-00-00A-920C-A									
ATA 34 - NAVIGATION									
34-00/183 ^S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service	ATA:34
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34-00/184 ^S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service	ATA:34
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34-11/185 ^S	EXAMINE PITOT TUBE							Service	ATA:34
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
34-11/186 ^S	EXAMINE STATIC PORTS							Service	ATA:34
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:7

PKG:3

PKG:3

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11/268 ^S	DRAIN PITOT AND STATIC SYSTEM							Service	ATA:34
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A									
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT							Service	ATA:34
	MOS	09-Jun-24	24	Adj -64d	06-Apr-26		451 d		
	HRS	2702:23							
WC#: 34.565	AFL	1623							
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A									
34-11/82	LEAK CHECK STATIC SYSTEM							Service	ATA:34
	MOS	09-Jun-24	24	Adj -64d	06-Apr-26		451 d		
	HRS	2702:23							
WC#: 34.010	AFL	1623							
PROC. REF: AMM 12-B-34-11-00-00A-903A-APROC. REF: AMM 12-B-34-11-00-00A-903A-A									
34-11/CFR	PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)							Service	ATA:34
	MOS/MS	09-Jun-24	N/A						
	HRS	2702:23							
	AFL	1623							
PROC. REF: GENERIC NO REF, CFR CFR 91.411PROC. REF: GENERIC NO REF, CFR CFR 91.411									
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS (IF INSTALLED)							Service	ATA:34
	MOS/MS	31-May-18	N/A						
	HRS								
WC#: 34.560	AFL								
PROC. REF: AMM 12-B-34-21-00-00A-903A-APROC. REF: AMM 12-B-34-21-00-00A-903A-A									
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM)							Service	ATA:34
	MOS	09-Jun-24	24		09-Jun-26		515 d		
	HRS	2702:23							
WC#: 34.570	AFL	1623							
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-26/484	CHECK SWING ESIS MAGNETIC HEADING REFERENCE SYSTEM (IF INSTALLED)							Service	ATA:34
	MOS	09-Jun-24	24 (+10%/-10%)	Adj -26d	14-May-26	26-Jul-26	489 d (+73)		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-34-26-40-00A-903B-APROC. REF: AMM 12-B-34-26-40-00A-903B-A									
34-54/86	FUNCTIONAL TEST TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS)							Service	ATA:34
	MOS	09-Jun-24	24	Adj -64d	06-Apr-26		451 d		
	HRS	2702:23							
WC#: 34.050	AFL	1623							
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A									
34-54/CFR	TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)							Service	ATA:34
	MOS/MSC	09-Jun-24	N/A						
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A									
34-54/CFR	TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)							Service	ATA:34
	MOS/MSC	09-Jun-24	N/A						
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A									
340005	NO. 1 ATC MODE A/C/S,KT70 SC+ XPNDR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
340010	DME/IFF ANTENNA							Component	ATA:34
PN:984.81.10.240	MOS/MSC	24-May-18	O/C	TSN 0					
SN:261-127154	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A									
340015	MARKER,KR21 RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340020	MARKER ANTENNA							Component	ATA:34
PN:984.81.10.260	MOS/MSC	24-May-18	O/C	TSN 0					
SN:101-8586	HRS	0		TSN 0					
WC#: 34.100	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A									
340025	EFIS 1 SG465 SYMBOL GENERATOR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340030	EFIS 1 CONTROL,CP467 PANEL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340035	PILOT UPPER EADI/EHSI ED551A DISPLAY							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340040	PILOT LOWER EADI/EHSI ED551A DISPLAY							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.170	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340045	UPPER EADI/EHSI DISPLAY							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340050	LOWER EADI/EHSI DISPLAY							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340055	WITH HARM FILTER,KN63 DME							Component	ATA:34
PN:985.99.11.101	MOS/MSC	24-May-18	O/C	TSN 0					
SN:39863	HRS	0		TSN 0					
WC#: 34.200	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-52-01-00A-920A-APROC. REF: AMM 12-B-34-52-01-00A-920A-A									
<hr/>									
340060	AHRN NO 1 LCR-92,WSYNCHR,124210-2022 AHRU							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A									
<hr/>									
340065	WX-RADAR RT UNIT							Component	ATA:34
PN:985.99.11.507	MOS/MSC	24-May-18	O/C	TSN 0					
SN:15791	HRS	0		TSN 0					
WC#: 34.360	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-02-00A-920A-APROC. REF: AMM 12-B-34-41-02-00A-920A-A									
<hr/>									
340070	RADAR CONTROL PANEL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340075	WX,VERTICAL ANTENNA							Component	ATA:34
PN:985.99.11.504	MOS/MSC	24-May-18	O/C	TSN 0					
SN:8600	HRS	0		TSN 0					
WC#: 34.370	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-12-00A-920A-APROC. REF: AMM 12-B-34-41-12-00A-920A-A									
340080	TRANSPONDER DME/IFF ANTENNA							Component	ATA:34
PN:984.81.10.240	MOS/MSC	24-May-18	O/C	TSN 0					
SN:261-127188	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A									
340085	ADF,KA44B ANTENNA							Component	ATA:34
PN:985.99.11.167	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KA44B-A95188	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A									
340090	GPS BRNAV,KLN90B UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.340	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A									
340095	VHF/NAV SYSTEM II NAV,DUAL,KN40 CONVERTER							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340100	FRONT KA92 ANTENNA							Component	ATA:34
PN:985.99.11.200	MOS/MSC	24-May-18	O/C	TSN 0					
SN:49311103	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A									
340101	REAR KA92 GPS ANTENNA							Component	ATA:34
PN:985.99.11.200	MOS/MSC	24-May-18	O/C	TSN 0					
SN:49311125	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A									
340105	LH NAV/GS ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-51-03-00A-920A-APROC. REF: AMM 12-B-34-51-03-00A-920A-A									
340110	NO. 1 CAL PROM AHRS,LCR-92 UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340115	VR/LC/GS/CV,KI204 INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.220	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340120	PILOT SIDE RMI,KNI582-1 INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.210	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340125	COPILOT SIDE RMI,KNI582-1 INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.210	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340130 AIR DATA COMPUTER Component ATA:34								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.400	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340131 KCM 805 CONFIGURATION MODULE Component ATA:34								
PN:985.99.11.884	MOS/MSC	24-May-18	O/C	TSN 0				
SN:19913	HRS	0		TSN 0				
WC#: 34.410	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
340135 STANDBY MAGNETIC COMPASS Component ATA:34								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-21-00-00A-920A-APROC. REF: AMM 12-B-34-21-00-00A-920A-A								
340140 RADOME Component ATA:34								
PN:985.79.00.005	MOS/MSC	24-May-18	O/C	TSN 0				
SN:682	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-02-00A-920A-A, AMM 12-B-34-41-05-00A-920A-APROC. REF: AMM 12-B-34-41-02-00A-920A-A, AMM 12-B-34-41-05-00A-920A-A								
340145 ANTENNA,VHF NAV COUPLER Component ATA:34								
PN:984.81.10.412	MOS/MSC	24-May-18	O/C	TSN 0				
SN:9250	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-11-03-00A-920A-APROC. REF: AMM 12-B-23-11-03-00A-920A-A								
340150 EFIS 2 SG465 SYMBOL GENERATOR Component ATA:34								
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340155	LEFT SIDE RAD ALT,S67-2002 ANTENNA							Component	ATA:34
PN:984.81.29.101	MOS/MSC	24-May-18	O/C	TSN 0					
SN:543-88582	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-42-02-00A-920A-APROC. REF: AMM 12-B-34-42-02-00A-920A-A									
<hr/>									
340160	RIGHT SIDE RAD ALT,S67-2002 ANTENNA							Component	ATA:34
PN:984.81.29.101	MOS/MSC	24-May-18	O/C	TSN 0					
SN:543-88584	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-42-02-00A-920A-APROC. REF: AMM 12-B-34-42-02-00A-920A-A									
<hr/>									
340161	BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA							Component	ATA:34
PN:985.99.11.869	MOS/MSC	24-May-18	O/C	TSN 0					
SN:31365	HRS	0		TSN 0					
WC#: 34.430	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340162	TOP DIRECTIONAL KA815 - IHAS ANTENNA							Component	ATA:34
PN:985.99.11.869	MOS/MSC	24-May-18	O/C	TSN 0					
SN:31539	HRS	0		TSN 0					
WC#: 34.430	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340165	DATA BASE,ATLANTIC,KLN90 UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
340170	ALTIMETER,RADAR,KRA405B TRANSMITTER							Component	ATA:34
PN:985.99.11.524	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KRA405B-19670	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 12-B-34-42-01-00A-920A-APROC. REF: AMM 12-B-34-42-01-00A-920A-A									
340175	EFIS 2 CONTROL,CP467 PANEL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340180	NO. 2 CAL PROM AHRS,LCR-92 UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.390	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340185	KA138 RELAY							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.450	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340190	ADF,W/SUPERFLAG,KR87SC+ RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.280	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340195	MULTI FUNCTION DISPLAY							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340200	PCB MODULE,KAC501 WX RADAR UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.460	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340205	PCB MODULE,KAC502 EGPWS UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340207	EGPWS MK VI UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-45-01-00A-920A-APROC. REF: AMM 12-B-34-45-01-00A-920A-A									
340210	PCB MODULE,KAC504 TCAS UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.480	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340215	AHRN NO2 AHRU,LCR-92,WSYNCHR,124210-2022 UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.320	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A									
340220	STORMSCOPE WX-500 PROCESSOR							Component	ATA:34
PN:985.99.18.006	MOS/MSC	24-May-18	O/C	TSN 0					
SN:103629	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A									
340223	KMH820 TAWS/TAS PROCESSOR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.260	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: AMM 12-B-34-44-01-00A-920A-APROC. REF: AMM 12-B-34-44-01-00A-920A-A									
340225	STORMSCOPE WX-500 ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-41-32-00A-920A-APROC. REF: AMM 12-B-34-41-32-00A-920A-A									
340230	RH NAV/GS ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-51-03-00A-920A-APROC. REF: AMM 12-B-34-51-03-00A-920A-A									
340235	AOA SENSOR RH UNIT							Component	ATA:34
PN:975.44.21.424	MOS/MSC	24-May-18	O/C	TSN 0					
SN:2017	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340240	FLUX,KMT112 VALVE							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340245	CONFIGURATION MODULE INSTLN,ART2000 KIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.490	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340246	ART 2000 RADAR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340250	OUTSIDE AIR TEMPERATURE PROBE							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340255	AOA SENSOR LH UNIT							Component	ATA:34
PN:975.44.21.423	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1912	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340260	FLUX,KMT112 VALVE							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.350	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340265	DME/IFF--ATC DIV. ANTENNA							Component	ATA:34
PN:984.81.10.240	MOS/MSC	24-May-18	O/C	TSN 0					
SN:261-127215	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A									
340270	LEFT PITOT STATIC TUBE							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340275	RIGHT PITOT STATIC TUBE							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340280 OUTBOARD KMG 7010 MAGNETOMETER								Component ATA:34
PN:985.99.12.114	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMG7010-5197	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-A								
340283 KMG 7010 MAGNETOMETER								Component ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-APROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-A								
340285 INBOARD KMG 7010 MAGNETOMETER								Component ATA:34
PN:985.99.12.114	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMG7010-5188	HRS	0		TSN 0				
WC#: 34.520	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920A-A, AMM 12-B-34-25-02-00A-920B-A								
340290 KMH920 TAWS B,TCAS 1 UNIT								Component ATA:34
PN:985.99.11.887	MOS/MSC	24-May-18	O/C	TSN 0				
SN:KMH920-B2027	HRS	0		TSN 0				
WC#: 34.545	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340295 RH COAX SWITCH								Component ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.530	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340300 LH COAX SWITCH								Component ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.530	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340301	LOWER COAX SWITCH							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340303	UPPER COAX SWITCH							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340305	NO. 1 LH KGS200,GPS SENSOR UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A									
340310	NO. 2 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:066-01198-0102	MOS/MSC	03-Dec-18	O/C						
SN:KXP2290A-1386	HRS	23:15							
WC#: 34.540	AFL	23							
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
340315	NO. 1 KXP 2290 MODE S TRANSPONDER							Component	ATA:34
PN:985.99.12.269	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KXP2290A-3755	HRS	0		TSN 0					
WC#: 34.540	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A									
340320	LH OAT SENSOR							Component	ATA:34
PN:534.13.12.025	MOS/MSC	24-May-18	O/C	TSN 0					
SN:06390	HRS	0		TSN 0					
WC#: 34.525	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340325	RH OAT SENSOR							Component	ATA:34
PN:534.13.12.025	MOS/MSC	24-May-18	O/C	TSN 0					
SN:06400	HRS	0		TSN 0					
WC#: 34.525	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340330	KSG 7200 DUAL CHANNEL AD AHRS UNIT							Component	ATA:34
PN:985.99.12.272	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KSG7200-B2747	HRS	0		TSN 0					
WC#: 34.505	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A									
340335	NO. 2 RH KGS200,GPS SENSOR UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.550	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A									
340340	STANDBY INSTRUMENT PANEL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.510	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-26-40-00A-920A-APROC. REF: AMM 12-B-34-26-40-00A-920A-A									
340345	XM RADIO ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.515	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340350	XM RADIO, XMD 157, UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.515	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340355	LH NAV/WHITE ANTENNA							Component	ATA:34
PN:984.81.10.280	MOS/MSC	24-May-18	O/C	TSN 0					
SN:168-12077	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
340357	RH NAV/WHITE ANTENNA							Component	ATA:34
PN:984.81.10.280	MOS/MSC	24-May-18	O/C	TSN 0					
SN:168-12078	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341021	CO-PILOT FRONT KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341023	CO-PILOT REAR KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341025	LH FRAME 18 KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341027	RH FRAME 18 KBT 300 TTP BUS RES TERMINAL							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
341031	NO. 1 KGS200,GPS WAAS RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920B-APROC. REF: AMM 12-B-34-57-01-00A-920B-A									
<hr/>									
341033	NO. 2 KGS200,GPS WAAS RECEIVER							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920B-APROC. REF: AMM 12-B-34-57-01-00A-920B-A									
<hr/>									
341035	NO. 1 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:985.99.12.253	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KGS200-3274	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A									
<hr/>									
341037	NO. 2 KGS200,SBAS GNSSU UNIT							Component	ATA:34
PN:985.99.12.253	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KGS200-3276	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-01-00A-920A-APROC. REF: AMM 12-B-34-57-01-00A-920A-A									
<hr/>									
341039	MAG-3100 MAGNETOMETER							Component	ATA:34
PN:985.90.03.058	MOS/MSC	24-May-18	O/C	TSN 0					
SN:80983	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-APROC. REF: AMM 12-B-34-26-45-00A-920B-A, AMM 12-B-34-26-45-00A-920C-A									
<hr/>									
341040	PHASING COUPLER							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341045	ESI-1000 STANDBY SYSTEM							Component	ATA:34
PN:975.96.11.247	MOS/MSC	24-May-18	O/C	TSN 0					
SN:3591	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
341050	TCAS I, KTA 910 PROCESSOR							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-44-01-00A-920A-APROC. REF: AMM 12-B-34-44-01-00A-920A-A									
341055	GPS GA35 (WAAS) ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-57-02-00A-920A-APROC. REF: AMM 12-B-34-57-02-00A-920A-A									
341060	NO. 1 ADAHRS UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A									
341060	NO. 2 ADAHRS UNIT							Component	ATA:34
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A									
ATA 35 - OXYGEN									
35-10/187 ^S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) - MAKE SURE THAT IT IS NOT DAMAGE							Service	ATA:35
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
	AFL	1757						PKG:3	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
35-10/188 ^S	CHECK OXYGEN SYSTEM CONTENTS							Service	ATA:35
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757						PKG:2	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
35-10/269 ^S	EXAMINE OXYGEN PIPELINES AND EQUIPMENT							Service	ATA:35
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623						PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
35-10/458 ^S	OPERATIONAL TEST CREW OXYGEN SYSTEM							Service	ATA:35
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623						PKG:6	
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A									
35-10/6	OXYGEN BOTTLE							Component	ATA:35
PN:957.12.12.211	MOS	30-Nov-21	180		09-Nov-35		3955 d	AIRWORTHINESS	
SN:C21010251	HRS	863:25		TSN 0					
WC#: 35.010	AFL	698		TSN 0					
		Manufacture Date:: 09-Nov-20							
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A									
35-10/6	REAR FUSELAGE OXYGEN CYLINDER							Component	ATA:35
PN:PN	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED	
SN:UNKNOWN	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A								
35-10/7 HYDROSTATIC TEST OXYGEN BOTTLE Service ATA:35								
PN:957.12.12.211	MOS	09-Nov-20	60		09-Nov-25		303 d	AIRWORTHINESS
SN:C21010251	HRS							
WC#: 35.010	AFL							
HydroCheck Date: : 09-Nov-20								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-10/7 HYDROSTATIC TEST REAR FUSELAGE OXYGEN CYLINDER Service ATA:35								
PN:PN	MOS/MSC		N/A					N/A EQUIPMENT NOT INSTALLED
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-20/453 DISCARD NO. 1 PASSENGER OXYGEN MASK CARTRIDGE Service ATA:35								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A								
35-20/453 DISCARD NO. 2 PASSENGER OXYGEN MASK CARTRIDGE Service ATA:35								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A								
35-20/453 DISCARD NO. 3 PASSENGER OXYGEN MASK CARTRIDGE Service ATA:35								
PN:PN	MOS/MSC		N/A					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-20/453	DISCARD NO. 4 PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A									
35-20/453	DISCARD NO. 5 PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A									
35-20/453	DISCARD NO. 6 PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A									
35-20/453	DISCARD NO. 7 PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A									
35-20/453	DISCARD NO. 8 PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A									
35-20/453	DISCARD NO. 9 PASSENGER OXYGEN MASK CARTRIDGE							Service	ATA:35
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 12-B-35-20-07-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/459 OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED) Service ATA:35								
	MOS	09-Jun-24						
	HRS	2702:23	600		3302:23		176:34	
	AFL	1623						
PROC. REF: AMM 12-B-35-00-00-00A-903A-APROC. REF: AMM 12-B-35-00-00-00A-903A-A								
35-20/87 INSPECTION/CHECK PASSENGER OXYGEN MASKS Service ATA:35								
	MOS	09-Jun-24	36 (+10%/-10%)	Adj -9d	31-May-27	18-Sep-27	871 d (+110)	
	HRS	2702:23						
WC#: 35.010	AFL	1623						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								
350020 PILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:957.12.01.210	MOS/MSC	24-May-18	O/C	TSN 0				
SN:B132096	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350025 COPILOT QUICK DONNING MASK-REGULATOR ASSY Component ATA:35								
PN:957.12.01.210	MOS/MSC	24-May-18	O/C	TSN 0				
SN:B132100	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350030 PRESSURE,GAGE,OXYGEN SWITCH Component ATA:35								
PN:973.81.14.401	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1666	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350035 CONTR,3-POSITION,37071-03 VALVE Component ATA:35								
PN:963.32.11.102	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0604	HRS	0		TSN 0				
WC#: 35.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350040 ALTITUDE SENSING SWITCH								Component ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350050 OXYGEN GAGE ASSY								Component ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-05-00A-920A-APROC. REF: AMM 12-B-35-20-05-00A-920A-A								
350055 OXYGEN PRESS TRANSDUCER								Component ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 35.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350067 OXYGEN SHUT-OFF VALVE								Component ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-06-00A-920A-APROC. REF: AMM 12-B-35-20-06-00A-920A-A								
350071 NO. 1 PASSENGER OXYGEN MASK ASSEMBLY								Component ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A								
350072 NO. 2 PASSENGER OXYGEN MASK ASSEMBLY								Component ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350073	NO. 3 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350074	NO. 4 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350075	NO. 5 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350076	NO. 6 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350077	NO. 7 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
350078	NO. 8 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350079	NO. 9 PASSENGER OXYGEN MASK ASSEMBLY							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-03-00A-920A-A									
<hr/>									
350080	NO. 1 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
<hr/>									
350081	NO. 2 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
<hr/>									
350082	NO. 3 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
<hr/>									
350083	NO. 4 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
<hr/>									
350084	NO. 5 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350085	NO. 6 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350086	NO. 7 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350087	NO. 8 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
350088	NO. 9 PASSENGER OXYGEN MASK CARTRIDGE							Component	ATA:35
PN:PN	MOS/MSC	24-May-18	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM NO REFPROC. REF: AMM NO REF									
ATA 45 - CENTRAL MAINT SYSTEM									
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS-EXPORT FAULT HISTORY - SEND TO LOCAL STORAGE - DOWNLOAD							Service	ATA:45
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A									

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
46-26/320 ^S OPERATIONAL TEST PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES								
	MOS	04-Oct-24	12 (+10%/-10%)					Service ATA:46
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM 12-B-46-30-05-00A-903A-A, AMM 12-B-46-30-06-00A-903A-A, AMM 12-B-46-30-05-00A-903A-A, AMM 12-B-46-30-06-00A-903A-A								
46-26/321 ^S OPERATIONAL TEST ADAHRS SENSOR SOURCE SELECT SWITCHES								
	MOS	04-Oct-24	12 (+10%/-10%)					Service ATA:46
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM 12-B-46-30-02-00A-903A-A, AMM 12-B-46-30-02-00A-903A-A								
460105 WIRELESS DATA LOADING DEVICE								
PN:975.96.32.456	MOS/MSC	07-Aug-19	O/C	TSN 0				Component ATA:46
SN:2746	HRS	160:54		TSN 0				
	AFL	198		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 52 - DOORS								
52-10/189 ^S EXAMINE PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY P0-9-002 FRENCH CHALK								
	MOS	09-Jun-24	12 (+10%/-10%)					Service ATA:52
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/190 ^S EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS								
	MOS	09-Jun-24	12 (+10%/-10%)					Service ATA:52
	HRS	2702:23	600 (+10%/-10%)					
	AFL	1623						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN - MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH P10-001 AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5	
52-10/192 ^S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:5	
52-10/271 ^S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6	
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service	ATA:52
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 52.070	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A									
52-10/405	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR PIANO HINGE							Service	ATA:52
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 52.100	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10/406	EDDY CURRENT INSPECTION - PASSENGER/CREW DOOR SKIN							Service	ATA:52
	MOS	24-May-18							
	HRS	0	T:25000 (+500/-500)		25000	25500	21874:11 (+500)		
WC#: 52.110	AFL	0	T:30000 (+500/-500)		30000	30500	28176 (+500)		
PROC. REF: AMM 12-B-52-10-01-00A-353A-APROC. REF: AMM 12-B-52-10-01-00A-353A-A									
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service	ATA:52
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 52.010	AFL	1039							
PROC. REF: AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A, AMM 12-B-52-10-00-00A-313A-APROC. REF: AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A, AMM 12-B-52-10-00-00A-313A-A									
52-20/272 ^S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-20/273 ^S	EXAMINE EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service	ATA:52
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 52.080	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/193 ^S	EXAMINE CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, AND APPLY P0-9-002 FRENCH CHALK							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-30/194 ^S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM.							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-52-30-00-00A-313A-APROC. REF: AMM 12-B-52-30-00-00A-313A-A									
52-30/195 ^S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-30/274 ^S	EXAMINE CARGO DOOR							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service	ATA:52
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 52.090	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-30/407	EDDY CURRENT INSPECTION - CARGO DOOR PIANO HINGE							Service	ATA:52
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 52.120	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A									
52-30/408	EDDY CURRENT INSPECTION - CARGO DOOR SKIN							Service	ATA:52
	MOS	24-May-18							
	HRS	0	T:25000 (+500/-500)		25000	25500	21874:11 (+500)		
WC#: 52.130	AFL	0	T:30000 (+500/-500)		30000	30500	28176 (+500)		
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A									
52-30/8	CARGO DOOR LOWER LUG (QTY 3) FITTINGS							Component	ATA:52
PN:PN	MOS	24-May-18		TSN 0				AIRWORTHINESS	
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		9874:11		
WC#: 52.020	AFL	0	17000	TSN 0	17000		15176		
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A									
52-30/89	EXAMINE CARGO DOOR WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service	ATA:52
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 52.030	AFL	1039							
PROC. REF: AMM 12-B-52-30-00-00A-313A-A, AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-APROC. REF: AMM 12-B-52-30-00-00A-313A-A, AMM 12-B-25-21-03-00A-920A-A, AMM 12-B-25-22-03-00A-920A-A									
52-70/275 ^S	OPERATIONAL TEST DOOR WARNING SYSTEM							Service	ATA:52
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-52-70-00-00A-903A-APROC. REF: AMM 12-B-52-70-00-00A-903A-A									
520005	PASSENGER DOOR							Component	ATA:52
PN:552.05.12.043	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1472M	HRS	0		TSN 0					
WC#: 52.050	AFL	0		TSN 0					

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-B-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-B-52-10-01-00A-920B-A									
520010	FREIGHT OF 10SERIE DOOR ASSY							Component	ATA:52
PN:552.05.12.044	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1472M	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A									
520015	EMERGENCY 6 SERIE EXIT							Component	ATA:52
PN:552.05.12.038	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1472M	HRS	0		TSN 0					
WC#: 52.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-52-20-01-00A-920A-APROC. REF: AMM 12-B-52-20-01-00A-920A-A									
ATA 53 - FUSELAGE									
53-00/196 ^S	EXAMINE FUSELAGE EXTERNAL SURFACE. FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.							Service	ATA:53
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/276 ^S	EXAMINE REAR PRESSURE BULKHEAD							Service	ATA:53
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/277 ^S	EXAMINE FLOOR TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service	ATA:53
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:3

PKG:6

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/278 ^S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service	ATA:53
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PKG:7									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/279 ^S	EXAMINE BAGGAGE COMPARTMENT							Service	ATA:53
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PKG:7									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/280 ^S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service	ATA:53
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PKG:6									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/324	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	25000		25000		21874:11		
	AFL	0	30000		30000		28176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
53-00/337 ^S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service	ATA:53
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PKG:6									
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/351	UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.100	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A									
53-00/352	FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.110	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A									
53-00/353	FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.120	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A									
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.130	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A									
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.140	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A									
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:28300		28300		25174:11		
WC#: 53.150	AFL	0	T:37000		37000		35176		
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.160	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A									
53-00/359	FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 53.180	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-57-00-03-00A-353A-APROC. REF: AMM 12-B-57-00-03-00A-353A-A									
53-00/360	FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 53.190	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A									
53-00/361	FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 53.200	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/419	EDDY CURRENT INSPECTION - FRAME 40							Service	ATA:53
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 53.210	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE							Service	ATA:53
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	20000		20000		16874:11		
WC#: 53.010	AFL	0	27000		27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-00/90	EXAMINE FRONT PRESSURE BULKHEAD (WITH INSULATION ON ENGINE AND COCKPIT SIDES REMOVED)							Service	ATA:53
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 53.030	AFL	1039							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/91	EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)							Service	ATA:53
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 53.040	AFL	1039							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/92	EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED							Service	ATA:53
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 53.070	AFL	1039							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/93	EXAMINE STRUCTURE AROUND WINDOWS							Service	ATA:53
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 53.050	AFL	1039							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
53-00/94	EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES							Service	ATA:53
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 53.060	AFL	1039							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA							Service	ATA:53
	MOS	25-Mar-24	12		25-Mar-25		74 d		
	HRS	2693:50							
WC#: 34.575	AFL	1623							
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A									
530005	FUS ASPC12 10 SERIE A T-1/2 ASSY							Component	ATA:53
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 53.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
530070	FUSELAGE AB 1003 TEIL1							Component	ATA:53
PN:553.05.12.029	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1472M	HRS	0		TSN 0					
WC#: 53.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
530075	FUSELAGE PART 1/2 PACK							Component	ATA:53
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 55 - STABILIZERS									
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE							Service	ATA:55
	MOS	24-May-18					AIRWORTHINESS		
	HRS	0	20000		20000		16874:11		
	AFL	0	27000		27000		25176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service	ATA:55
	MOS	24-May-18					AIRWORTHINESS		
	HRS	0	25000		25000		21874:11		
	AFL	0	30000		30000		28176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10/197 ^S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service	ATA:55
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:3									
55-10/319 ^S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service	ATA:55
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A									
PKG:6									
55-10/415	HORIZONTAL STABILIZER							Component	ATA:55
PN:PN	MOS	24-May-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		21874:11		
WC#: 55.090	AFL	0	30000	TSN 0	30000		28176		
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A									
55-10/638	HORIZONTAL STABILIZER - EXAMINE WITH BORESCOPE							Service	ATA:55
	MOS	24-May-18	T:240		24-May-38		4882 d		
	HRS	0	T:10000		10000		6874:11		
	AFL	0							
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A									
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service	ATA:55
	MOS	09-Jun-24	72 (+10%/-10%)		09-Jun-30	15-Jan-31	1976 d (+220)		
	HRS	2702:23							
	AFL	1623							
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service	ATA:55
	MOS	24-May-18	120 (+6m/-10%)		24-May-28	24-Nov-28	1230 d (+184)		
	HRS	0							
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A									
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service	ATA:55
	MOS	06-Apr-22	48 (+10%/-10%)	Adj 48d	24-May-26	18-Oct-26	499 d (+147)	MODERATE CORROSION ZONE	
	HRS	1153:30	4000 (+10%/-10%)		5153:30	5553:30	2027:41 (+400)		
	AFL	833							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-20/362	EXAMINE LEFT WING ELEVATOR							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.100	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A									
55-20/362	EXAMINE RIGHT WING ELEVATOR							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A									
55-20/367	EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.110	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-20/368	EDDY CURRENT INSPECTION - LEFT WING ELEVATOR HINGES							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.120	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20/368	EDDY CURRENT INSPECTION - RIGHT WING ELEVATOR HINGES							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A									
55-30/198 ^S	EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS.							Service	ATA:55
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A									
55-30/281 ^S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service	ATA:55
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
55-30/369	EXAMINE - VERTICAL STABILIZER							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.130	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A									
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.140	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A									
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.150	AFL	0	T:42000		42000		40176		

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
PROC. REF: AMM 12-B-55-00-00A-353A-APROC. REF: AMM 12-B-55-00-00A-353A-A									
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.160	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A									
55-30/420	EDDY CURRENT INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service	ATA:55
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 55.190	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A									
55-40/373	EXAMINE - RUDDER							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.170	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A									
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service	ATA:55
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 55.180	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A									
55-40/410	EXAMINE - RUDDER TRIM TAB							Service	ATA:55
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 55.200	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A									
ATA 56 - WINDOWS									
56-11/12	COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE IF CRACKED							Service	ATA:56
	MOS/MSC	24-May-18	A/R					AIRWORTHINESS	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
	HRS	0							
WC#: 56.020	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
56-11/13	COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS- REPLACE IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS), CRAZING, SCRATCHED, BUBBLES OR DELAMINATED							Service	ATA:56
	MOS/MSC	24-May-18	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSY, (LH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:959.81.10.109	MOS/MSC	24-May-18	A/R						
SN:16319H1309	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/14	REPLACE RIGHT HAND WINDSHIELD ASSY, (RH) (INNER LAMINATION CRACKED)							Service	ATA:56
PN:959.81.10.110	MOS/MSC	24-May-18	A/R						
SN:17193H0850	HRS	0							
	AFL	0							
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
56-11/15	LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:959.81.10.109	MOS/MSC	24-May-18	A/R						
SN:16319H1309	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
56-11/15	RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)							Service	ATA:56
PN:959.81.10.110	MOS/MSC	24-May-18	A/R						
SN:17193H0850	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-11/200 ^S	EXAMINE WINDSHIELD LH AND RH							Service	ATA:56
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PKG:3									
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									
56-11/332	INSPECTION/CHECK COCKPIT SIDE WINDOWS							Service	ATA:56
	MOS	24-May-18	120 (+6m/-6m)		24-May-28	24-Nov-28	1230 d (+184)		
	HRS	0	11000 (+500/-500)		11000	11500	7874:11 (+500)		
WC#: 56.100	AFL	0							
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A									
56-11/378	WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WIND-SHIELD AND SIDE WINDOWS REMOVED							Service	ATA:56
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 56.110	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A									
56-11/517 ^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service	ATA:56
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PKG:6									
PROC. REF: GENERIC NO REF, AMM NO REFPROC. REF: GENERIC NO REF, AMM NO REF									
56-20/201 ^S	EXAMINE COCKPIT AND CABIN WINDOWS							Service	ATA:56
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PKG:3									
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560015 SIDE,LH WINDOW								Component ATA:56
PN:959.81.10.111	MOS/MSC	24-May-18	O/C	TSN 0				
SN:17039H8253	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
560020 SIDE,RH WINDOW								Component ATA:56
PN:959.81.10.112	MOS/MSC	24-May-18	O/C	TSN 0				
SN:17020H6550	HRS	0		TSN 0				
WC#: 56.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
560025 RH NO 1 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-006	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560030 RH NO 2 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-009	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560035 RH NO 3 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-002	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560040 RH NO 4 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-010	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560045 RH NO 5 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002678124-008	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560050 LH NO 1 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-007	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560055 LH NO 2 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-004	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560060 LH NO 3 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-001	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560065 LH NO 4 CABIN WINDOW								Component ATA:56
PN:556.20.12.029	MOS/MSC	24-May-18	O/C	TSN 0				
SN:0002632484-005	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-20-01-00A-920A-APROC. REF: AMM 12-B-56-20-01-00A-920A-A								
560070 DV-WINDOW ASSY								Component ATA:56
PN:556.14.12.099	MOS/MSC	24-May-18	O/C	TSN 0				
SN:17311H1162	HRS	0		TSN 0				
WC#: 56.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561010	LEFT HAND WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:959.81.10.109	MOS/MSC	24-May-18	O/C	TSN 0				AIRWORTHINESS	
SN:16319H1309	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
ATA 56 - WINDOWS									
561011	RIGHT HAND WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:959.81.10.110	MOS/MSC	24-May-18	O/C	TSN 0				AIRWORTHINESS	
SN:17193H0850	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A									
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	20000		20000		16874:11		
WC#: 57.010	AFL	0	27000		27000		25176		
PROC. REF: AMM 12-B-57-00-00-00A-040A-APROC. REF: AMM 12-B-57-00-00-00A-040A-A									
ATA 57 - WINGS									
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	20000		20000		16874:11		
WC#: 57.010	AFL	0	27000		27000		25176		
PROC. REF: AMM 12-B-57-00-00-00A-040A-APROC. REF: AMM 12-B-57-00-00-00A-040A-A									
ATA 57 - WINGS									
57-00/202 ^S	EXAMINE WING EXTERNAL SURFACES							Service	ATA:57
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/282 ^S	EXAMINE WING TIP STATIC DISCHARGERS							Service	ATA:57
	MOS	09-Jun-24	24 (+10%/-10%)						
	HRS	2702:23	2400 (+10%/-10%)						
	AFL	1623							
PKG:7									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH PANELS REMOVED							Service	ATA:57
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PKG:6									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/284 ^S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service	ATA:57
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PKG:6									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	25000		25000		21874:11		
	AFL	0	30000		30000		28176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/326	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	25000		25000		21874:11		
	AFL	0	30000		30000		28176		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 57.100	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A									
57-00/380	WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:30000		30000		26874:11		
WC#: 57.110	AFL	0	T:39000		39000		37176		
PROC. REF: AMM 12-B-57-00-03-00A-353A-A, AMM 12-B-57-00-03-01A-353A-APROC. REF: AMM 12-B-57-00-03-00A-353A-A, AMM 12-B-57-00-03-01A-353A-A									
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
WC#: 57.120	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A									
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A									
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
WC#: 57.130	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A									
57-00/384	EDDY CURRENT INSPECTION - LEFT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
WC#: 57.140	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A									
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING SPARS AND AUXILIARY STRUCTURE - WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A									
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
WC#: 57.150	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A									
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:25000		25000		21874:11		
	AFL	0	T:30000		30000		28176		
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A									
57-00/412	EXAMINE - WING TIPS							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 57.170	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-57-33-00-00A-310A-APROC. REF: AMM 12-B-57-33-00-00A-310A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	24-May-18							
	HRS	0	T:25000 (+500/-500)		25000	25500	21874:11 (+500)		
WC#: 57.180	AFL	0	T:30000 (+500/-500)		30000	30500	28176 (+500)		
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A									
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service	ATA:57
	MOS	24-May-18							
	HRS	0	T:25000 (+500/-500)		25000	25500	21874:11 (+500)		
	AFL	0	T:30000 (+500/-500)		30000	30500	28176 (+500)		
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A									
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	16000		16000		12874:11		
	AFL	0	22500		22500		20676		
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A									
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	16000		16000		12874:11		
	AFL	0	22500		22500		20676		
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A									
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service	ATA:57
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 57.020	AFL	1039							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service	ATA:57
	MOS	22-Sep-22	48 (+10%/-10%)	Adj -114d	31-May-26	24-Oct-26	506 d (+146)	MODERATE CORROSION ZONE	
	HRS	1583:36	4000 (+10%/-10%)		5583:36	5983:36	2457:47 (+400)		
WC#: 57.030	AFL	1039							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service	ATA:57
	MOS	24-May-18	120 (+6m/-6m)		24-May-28	24-Nov-28	1230 d (+184)		
	HRS	0	11000 (+500/-500)		11000	11500	7874:11 (+500)		
WC#: 57.040	AFL	0							
PROC. REF: AMM 12-B-57-00-00-00A-313A-APROC. REF: AMM 12-B-57-00-00-00A-313A-A									
57-60/393	EXAMINE - RIGHT WING AILERON							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A									
57-60/393	EXAMINE - LEFT WING AILERON							Service	ATA:57
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:32500		32500		29374:11		
WC#: 57.160	AFL	0	T:42000		42000		40176		
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A									
57-60/411	EXAMINE - AILERON TRIM TAB							Service	ATA:57
	MOS	24-May-18							
	HRS	0	T:32500 (+500/-500)		32500	33000	29374:11 (+500)		
WC#: 57.190	AFL	0	T:42000 (+500/-500)		42000	42500	40176 (+500)		
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A									
570005	AILERON LH 10A SERIE ASSY							Component	ATA:57
PN:557.60.12.371	MOS/MSC	24-May-18	O/C	TSN 0					
SN:3473M	HRS	0		TSN 0					
WC#: 57.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-57-60-02-00A-920A-APROC. REF: AMM 12-B-57-60-02-00A-920A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570010 AILERON RH 10A SERIE ASSY								Component ATA:57
PN:557.60.12.372	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.050	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-60-02-00A-920A-APROC. REF: AMM 12-B-57-60-02-00A-920A-A								
570035 WING LE 10A SERIE STRUCTURE								Component ATA:57
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
570045 WING RE 10A SERIE STRUCTURE								Component ATA:57
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
570050 L/H WING								Component ATA:57
PN:557.05.12.049	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1472M	HRS	0		TSN 0				
WC#: 57.080	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-00-00-00A-520A-A, AMM 12-B-57-00-00-00A-520B-A, AMM 12-B-57-00-00-00A-720A-A, AMM 12-B-57-00-00-00A-720B-APROC. REF: AMM 12-B-57-00-00-00A-520A-A, AMM 12-B-57-00-00-00A-520B-A, AMM 12-B-57-00-00-00A-720A-A, AMM 12-B-57-00-00-00A-720B-A								
570055 R/H WING								Component ATA:57
PN:557.05.12.050	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1472M	HRS	0		TSN 0				
WC#: 57.090	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-00-00-00B-520A-A, AMM 12-B-57-00-00-00B-520B-A, AMM 12-B-57-00-00-00B-720A-A, AMM 12-B-57-00-00-00B-720B-APROC. REF: AMM 12-B-57-00-00-00B-520A-A, AMM 12-B-57-00-00-00B-520B-A, AMM 12-B-57-00-00-00B-720A-A, AMM 12-B-57-00-00-00B-720B-A								
ATA 61 - PROPELLERS/PROPULSORS								
61-10-01-00A-920B FIVE BLADED PROPELLER REMOVAL INSTALLATION								Component ATA:61
PN:HC-E5A-3A	MOS/MSC	16-Nov-23	O/C					
SN:SA228	HRS	2511:52						
	AFL	1487						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
PROC. REF: AMM 12-B-61-10-01-00A-920B-A, AMM 12-B-61-10-01-00A-830B-A, AMM 12-B-61-10-01-00A-840B-APROC. REF: AMM 12-B-61-10-01-00A-920B-A, AMM 12-B-61-10-01-00A-830B-A, AMM 12-B-61-10-01-00A-840B-A									
61-20/286 ^S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service	ATA:61
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
610000	NO. 1 PROPELLER - OVERHAUL							Service	ATA:61
	MOS	21-Jun-23	72		21-Jun-29		1623 d	OVERHAUL	
	HRS	2166:01	4000		(6166:01) 6531:01		3405:12		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
611010	NO. 1 PROPELLER - PERIODIC INSPECTION							Service	ATA:61
	MOS	30-Jun-24	12 (+10%/-10%)		30-Jun-25	06-Aug-25	171 d (+37)	OPERATORS DISCRETION	
	HRS	2379:28	400 (+10%/-10%)		(2779:28) 3144:28	2819:28	18:39 (+40)		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
611020	NO. 1 PROPELLER - LUBRICATE							Service	ATA:61
	MOS	30-Jun-24	12		30-Jun-25		171 d		
	HRS	2379:28	400		(2779:28) 3144:28		18:39		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
611025	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service	ATA:61
	MOS	30-Jun-24	12		30-Jun-25		171 d		
	HRS	2379:28	400		(2779:28) 3144:28		18:39		
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
611101	NO. 1 PROPELLER - NO. 1 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	13-Nov-23	O/C		TSO 0				
SN:B4980	HRS	2166:01			TSN 2166, TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
611102	NO. 1 PROPELLER - NO. 2 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	13-Nov-23	O/C		TSO 0				
SN:B5670	HRS	2166:01			TSN 2166, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
611103	NO. 1 PROPELLER - NO. 3 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	13-Nov-23	O/C		TSO 0				
SN:B5307	HRS	2166:01			TSN 2166, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
611104	NO. 1 PROPELLER - NO. 4 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	13-Nov-23	O/C		TSO 0				
SN:B5623	HRS	2166:01			TSN 2166, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
611105	NO. 1 PROPELLER - NO. 5 PROPELLER BLADE							Component	ATA:61
PN:NC10245B	MOS/MSC	13-Nov-23	O/C		TSO 0				
SN:B5660	HRS	2166:01			TSN 2166, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
611110	NO. 1 PROPELLER - PERIODIC COIN-TAP INSPECTIONS FOR COMPOSITE BLADES - EXPOSED SECTION OF BLADE							Service	ATA:61
	MOS	21-Jun-23							
	HRS	2166:01	1200		(3366:01) 3731:01		605:12		
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70									
611120	NO. 1 PROPELLER - PERIODIC COIN-TAP INSPECTIONS FOR COMPOSITE BLADES - EROSION SHIELD SURFACE							Service	ATA:61
	MOS	30-Jun-24	12		30-Jun-25		171 d		
	HRS	2379:28	600		(2979:28) 3344:28		218:39		
PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
611230	NO. 1 PROPELLER - DEICE SYSTEM 200 HOUR INSPECTION							Service	ATA:61
	MOS	15-Nov-24	12		15-Nov-25		309 d		
	HRS	2693:39	600		(3293:39) 3658:39		532:50		
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80									
611240	NO. 1 PROPELLER - ANTI-ICE SYSTEM 200 HOUR INSPECTION							Service	ATA:61
	MOS/MSC	11-Jan-23	N/A						
	HRS	1688:05							
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80									
611250	NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL							Service	ATA:61
	MOS	21-Jun-23	72		21-Jun-29		1623 d	OVERHAUL	
	HRS	2166:01	4000		(6166:01) 6531:01		3405:12		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component	ATA:61
PN:8210-137J	MOS	12-Oct-23		TSO 0				OVERHAUL	
SN:21129378	HRS	1816:54	3500 (+500)	TSO 0	(5316:54) 6031:01	5816:54	2905:12 (+500)		
	ENC	1141		TSO 0					
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00									
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component	ATA:61
PN:210949-01	MOS	12-Oct-23		TSO 0				OVERHAUL	
SN:21131451	HRS	1816:54	3500 (+500)	TSO 0	(5316:54) 6031:01	5816:54	2905:12 (+500)		
	ENC	1141		TSO 0					
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00									
614050 ^U	NO. 1 PROPELLER - PROPELLER CARBON BLOCK ASSY							Component	ATA:61
PN:968.29.11.375	MOS/MSC	17-Aug-20	O/C	TSN 0					
SN:N/A	HRS	624:25		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
619000	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service ATA:61
	MOS/MSC	13-Jul-17	PR/C					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
619010	NO. 1 PROPELLER - OPERATIONAL CHECK							Service ATA:61
	MOS/MSC	13-Jul-17	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
619020	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service ATA:61
	MOS/MSC	13-Jul-17	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
619030	NO. 1 PROPELLER - LIGHTNING STRIKE							Service ATA:61
	MOS/MSC	13-Jul-17	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: MM 30-61-80, POM 61-00-47PROC. REF: MM 30-61-80, POM 61-00-47								
619040	NO. 1 PROPELLER - FOREIGN OBJECT STRIKE/GROUND STRIKE							Service ATA:61
	MOS/MSC	13-Jul-17	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: MM 30-61-80, POM 61-00-47PROC. REF: MM 30-61-80, POM 61-00-47								
619050	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service ATA:61
	MOS/MSC	13-Jul-17	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: MM 30-61-80, POM 61-00-47PROC. REF: MM 30-61-80, POM 61-00-47								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 61 - PROPELLERS/PROPULSORS									
619060	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service	ATA:61
	MOS/MSC	13-Jul-17	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
619070	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service	ATA:61
	MOS/MSC	13-Jul-17	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
619080	NO. 1 PROPELLER - LONG TERM STORAGE							Service	ATA:61
	MOS/MSC	13-Jul-17	A/R						
	HRS	0							
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47									
61PR1	NO. 1 PROPELLER							Component	ATA:61
PN:HC-E5A-3A/NC10245B	MOS/MSC	16-Nov-23	PP/C		TSO 0				
SN:SA228	HRS	2511:52			TSO 0				
WC#: 61.PR1	AFL	1487			TSO 0				
PROC. REF: AMM 12-B-61-10-01-00A-920A-A, AMM 12-B-61-10-01-00A-920B-APROC. REF: AMM 12-B-61-10-01-00A-920A-A, AMM 12-B-61-10-01-00A-920B-A									
ATA 71 - POWER PLANT									
71-00/101 ^S	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service	ATA:71
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
WC#: 71.010	AFL	1623							
PROC. REF: AMM 12-B-71-00-00-00A-903G-APROC. REF: AMM 12-B-71-00-00-00A-903G-A									
71-00/102 ^S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service	ATA:71
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-71-00-00-00A-903H-APROC. REF: AMM 12-B-71-00-00-00A-903H-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/103 PERFORM COMPRESSOR PERFORMANCE RECOVERY WASH Service ATA:71								
	MOS	15-Nov-24	6		15-May-25		125 d	
	HRS	3058:39						
WC#: 71.040	AFL	1798						
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A								
71-00/104 PERFORM COMPRESSOR DESALINATION WASH Service ATA:71								
	MOS/MSC	24-May-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A								
71-00/105 PERFORM TURBINE WASH Service ATA:71								
	MOS/MSC	24-May-18	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-71-00-00-00A-250A-APROC. REF: AMM 12-B-71-00-00-00A-250A-A								
71-00/107 ^S CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS Service ATA:71								
	MOS	09-Jun-24	12 (+10%/-10%)					
	HRS	2702:23	600 (+10%/-10%)					
WC#: 71.030	AFL	1623						
PROC. REF: AMM 12-B-71-00-03-00A-250A-APROC. REF: AMM 12-B-71-00-03-00A-250A-A								
71-00/16 ENGINE (PRE SB 04-009) MOUNTING FRAME Component ATA:71								
PN:PN	MOS	24-May-18		TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		16874:11	
WC#: 71.050	AFL	0	27000	TSN 0	27000		25176	
PROC. REF: AMM 12-B-71-00-05-00A-920A-APROC. REF: AMM 12-B-71-00-05-00A-920A-A								
71-00/17 REPLACE ENGINE MOUNTING FRAME BOLTS, WASHERS AND NUTS Service ATA:71								
	MOS	24-May-18						AIRWORTHINESS
	HRS	0	11000		11000		7874:11	
WC#: 71.050	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/204 ^S	PERFORM POWER PLANT - POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION							Service	ATA:71
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: AMM 12-B-71-00-00-00A-903A-APROC. REF: AMM 12-B-71-00-00-00A-903A-A									
71-00/205 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service	ATA:71
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
								PKG:6	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/209 ^S	ENGINE DRAIN MAST AND TANK - EXAMINE THE DRAIN MAST FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK							Service	ATA:71
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
								PKG:3	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/287 ^S	PERFORM POWER PLANT - INSPECTION GROUND RUN - NOTE DEFECTS.							Service	ATA:71
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
								PKG:1 ,2,3,4,5,6,7	
PROC. REF: AMM 12-B-71-00-00-00A-903A-APROC. REF: AMM 12-B-71-00-00-00A-903A-A									
71-00/301 ^S	EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY.							Service	ATA:71
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
								PKG:6	
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/327 ENGINE (POST SB 04-009) MOUNTING FRAME								
PN:PN	MOS	24-May-18		TSN 0				Component ATA:71 AIRWORTHINESS
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		21874:11	
	AFL	0	30000	TSN 0	30000		28176	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/38 LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	24-May-18		TSN 0				Component ATA:71 OVERHAUL
SN:10532	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)	
WC#: 71.063	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	24-May-18		TSN 0				Component ATA:71 OVERHAUL
SN:10703	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)	
WC#: 71.064	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	24-May-18		TSN 0				Component ATA:71 OVERHAUL
SN:10568	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)	
WC#: 71.061	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	24-May-18		TSN 0				Component ATA:71 OVERHAUL
SN:10561	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)	
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								
71-00/38 UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY								
PN:944.81.21.409	MOS	24-May-18		TSN 0				Component ATA:71 OVERHAUL
SN:10702	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)	
WC#: 71.062	AFL	0		TSN 0				
PROC. REF: AMM 12-B-71-00-00-00A-920A-BPROC. REF: AMM 12-B-71-00-00-00A-920A-B								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00/401	ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION							Service	ATA:71
	MOS	24-May-18						AIRWORTHINESS	
	HRS	0	T:26600		26600		23474:11		
WC#: 71.130	AFL	0	T:35000		35000		33176		
PROC. REF: AMM 12-B-71-00-05-00A-352A-APROC. REF: AMM 12-B-71-00-05-00A-352A-A									
71-00/432 ^S	EXAMINE POWER PLANT AND ACCESSORIES, REFER TO P&WC EMM CHAPTER 72-00-00 PERIODIC INSPECTION AND DO THE MINOR AND TIME LIMITED INSPECTION ITEMS							Service	ATA:71
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-00/476 ^S	REVIEW AND COMPLY WITH P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS AS NECESSARY							Service	ATA:71
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-10/207 ^S	OPEN AND EXAMINE, ENGINE COWLINGS ENG 43AL AND ENG 43AR AND EXAMINE, PARTICULARLY FOR CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001							Service	ATA:71
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-10/208 ^S	CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR							Service	ATA:71
	MOS/MSC	04-Oct-24	A/R						
	HRS	2964:40							
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:1 ,2,3,4,5,6,7

PKG:1 ,2,3,4,5,6,7

PKG:1 ,2,3,4,5,6,7

PKG:1 ,2,3,4,5,6,7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710005	UPPER LH ENGINE VIBRATION ISOLATOR							Component	ATA:71
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710011	NO. 1 ENGINE - OVERHAUL							Service	ATA:71
	MOS	19-Jan-18						OVERHAUL	
	HRS	0	3500 (+200)		(3500) 4214:07	3700	1088:18 (+200)		
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710015	UPPER CENTER ENGINE VIBRATION ISOLATOR							Component	ATA:71
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710019 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service	ATA:71
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05									
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							Service	ATA:71
	MOS	09-Dec-22							
	HRS	1789:43	1750 (+250)	Adj -39:43	(3500) 4214:07	3750	1088:18 (+250)		
	ENC	1130							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710025	UPPER RH ENGINE VIBRATION ISOLATOR							Component	ATA:71
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service	ATA:71
	MOS	04-Oct-24							
	HRS	2250:33	400 (+10%/-10%)	Adj -33:39	(2616:54) 3331:01	2656:54	205:12 (+40)		
	ENC	1405							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710035	LOWER LH ENGINE VIBRATION ISOLATOR							Component	ATA:71
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710041	NO. 1 ENGINE - INSPECT POWER TURBINE BLADES							Service	ATA:71
	MOS/MSC	19-Jan-18	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710045	LOWER RH ENGINE VIBRATION ISOLATOR							Component	ATA:71
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service	ATA:71
	MOS/MSC	19-Jan-18	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	19-Jan-18	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710053	NO. 1 ENGINE - EXTERNAL ENGINE WASH							Service	ATA:71
	MOS/MSC	19-Jan-18	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710055	(WELDED) ENGINE MOUNT							Component	ATA:71
PN:571.20.12.037	MOS/MSC	24-May-18	O/C	TSN 0					
SN:123	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
PROC. REF: AMM 12-B-71-00-05-00A-920A-APROC. REF: AMM 12-B-71-00-05-00A-920A-A									
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service	ATA:71
	MOS	15-Nov-24	6		15-May-25		125 d		
	HRS	2344:32							
	ENC	1446							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
710070 ^S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION							Service	ATA:71
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00									
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service	ATA:71
	MOS/MSC	19-Jan-18	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:3072955-01	MOS/MSC	16-Nov-23	E/C						
SN:PCE-RY0861	HRS	2511:52		TSN 1816:54					
WC#: 71.EN1	AFL	1487		TSN 1141					
PROC. REF: AMM 12-B-71-00-00-00A-920A-APROC. REF: AMM 12-B-71-00-00-00A-920A-A									
ATA 72 - ENGINE									
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component	ATA:72
PN:PN	MOS	19-Jan-18		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 4214:07	3700	1088:18 (+200)		
	ENC	0		TSN 0					
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04									
720020	NO. 1 ENGINE - COMPRESSOR AIR INLET SCREEN							Component	ATA:72
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00									
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service	ATA:72
	MOS/MSC	19-Jan-18	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service	ATA:72
	MOS/MSC	19-Jan-18	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720030 ^S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
720040 ^S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
720050 ^S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
720070 ^S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
PKG:2									
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service	ATA:72
	MOS/MS	19-Jan-18	BF/F						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-11-00PROC. REF: EMM 72-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722010 ^S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 72-20-00, EMM 72-20-00									
PROC. REF: EMM 72-20-00, EMM 72-20-00									
722011	NO. 1 ENGINE - NO. 1 SECOND STAGE REDUCTION PLANET GEAR							Component	ATA:72
PN:3037719	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
722020 ^S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBOREScope, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00									
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3042701	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:FRAEPWEU85	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24352 (M)		22528		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component	ATA:72
PN:3043063	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:PKAAA751899	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24352 (M)		22528		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723026 ^S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
								PKG:2	
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04									
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040942	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:FRAEPWDH23	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24352 (M)		22528		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723036 ^S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service	ATA:72
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
								PKG:2	
PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02									
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040933	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:FRAEPWDH5	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24352 (M)		22528		
	ACCCYC	0	24000	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component	ATA:72
PN:3040944	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:EAAE000H784	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000) 24352 (M)		22528		
	ACCCYC	0	24000	TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component	ATA:72
PN:3036898	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:CRAZAFZ017	HRS	0		TSN 0					
	ENC	0		TSN 0	(24000)		22528		
	ACCCYC	0	24000	TSN 0	24352 (M)				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service	ATA:72
	MOS/MSC	19-Jan-18	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service	ATA:72
	MOS/MSC	19-Jan-18	A/R						
	HRS	0							
	ENC	0							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00									
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component	ATA:72
PN:3053740-01	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:YUAB001K351	HRS	0		TSN 0					
	ENC	0		TSN 0	(8000)		6528		
	ACCCYC	0	8000	TSN 0	8352 (M)				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service	ATA:72
	MOS	19-Jan-18						LIFE LIMIT	
	HRS	0	5000		(5000)		2588:18		
	ENC	0			5714:07				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725026 ^S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service	ATA:72
	MOS		17-Aug-24						
	HRS		2122:02		300 (+10%/-10%)				
	ENC		1329						
PROC. REF: EMM 72-50-05PROC. REF: EMM 72-50-05									
PKG:2									
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037312	MOS		19-Jan-18		TSN 0			LIFE LIMIT	
SN:A0045RTN	HRS		0		TSN 0				
	ENC		0		TSN 0	(15000) 15352 (M)	13528		
	ACCCYC		0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component	ATA:72
PN:3037313	MOS		19-Jan-18		TSN 0			LIFE LIMIT	
SN:YUAB001K259	HRS		0		TSN 0				
	ENC		0		TSN 0	(15000) 15352 (M)	13528		
	ACCCYC		0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE							Component	ATA:72
PN:PN	MOS/MSC		19-Jan-18	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
725122	NO. 1 ENGINE - NO. 1 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADE							Component	ATA:72
PN:3056693-01	MOS/MSC		19-Jan-18	H/T	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
	ENC		0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726010	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3059343-01	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:PKAAA746691	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component	ATA:72
PN:PN	MOS	19-Jan-18		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	3500 (+200)	TSN 0	(3500) 4214:07	3700	1088:18 (+200)		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
726030	NO. 1 ENGINE - ELECTRICAL FILLER CAP AND INDICATOR, OIL-LEVEL							Component	ATA:72
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
<hr/>									
ATA 73 - ENGINE FUEL AND CONTROL									
731010	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:3040760	MOS	19-Jan-18		TSN 0				OVERHAUL	
SN:015878	HRS	0	3500	TSN 0	(3500) 4214:07		1088:18		
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
<hr/>									
731015	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	04-Oct-24							
	HRS	2250:33	400 (+10%/-10%)	Adj -33:39	(2616:54) 3331:01	2656:54	205:12 (+40)		
	ENC	1405							
PROC. REF: EMM 73-11-05, EMM 71-00-00PROC. REF: EMM 73-11-05, EMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service	ATA:73
	MOS	04-Oct-24							
	HRS	2250:33	400 (+10%/-10%)	Adj -33:39	(2616:54) 3331:01	2656:54	205:12 (+40)		
	ENC	1405							
PROC. REF: EMM 73-11-05PROC. REF: EMM 73-11-05									
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component	ATA:73
PN:3244882-2	MOS	12-Oct-23		TSR 0				OVERHAUL	
SN:C51784	HRS	1816:54	3500 (+500)	TSN 1816:54, TSR 0	(3500) 4214:07	4000	1088:18 (+500)		
	ENC	1141		TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731031 ^S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731035	NO. 1 ENGINE - VISUAL INSPECTION FUEL PUMP TO AGB COVER INTERFACE FOR OIL LEAKAGE AND /OR GASKET MIGRATION							Service	ATA:73
	MOS	14-Nov-22							
	HRS	1742:35	1750 (+100)		(3492:35) 4206:42	3592:35	1080:53 (+100)		
	ENC	1111							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service	ATA:73
PN:3040760	MOS	16-Nov-23							
SN:015878	HRS	1816:54	600 (+10%/-10%)		(2416:54) 3131:01	2476:54	5:12 (+60)		
	ENC	1141							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731045 ^S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PKG:2									
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731050	NO. 1 ENGINE - CHECK FUEL PUMP COUPLING IN-SITU FOR FRETTING AND CORROSION							Service	ATA:73
PN:3040760	MOS/MSC	19-Jan-18	N/A						
SN:015878	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731052	NO. 1 ENGINE - REMOVE FUEL PUMP AND INSPECT THE DRIVE COUPLING AREA AND COVER ACCESSORY GEARBOX SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF STAINS ARE OBSERVED RETURN THE FUEL PUMP TO AN APPROVED OVERHAUL FACILITY.							Service	ATA:73
	MOS/MSC	19-Jan-18	N/A						
	HRS	0							
	ENC	0							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service	ATA:73
PN:3059779-01	MOS	16-Nov-23						REPLACE	
SN:UNKNOWN	HRS	1816:54	600 (+10%/-10%)		(2416:54) 3131:01	2476:54	5:12 (+60)		
	ENC	1141							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
731056 ^S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PKG:2									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component	ATA:73
PN:10994A	MOS	12-Oct-23		TSO 0				OVERHAUL	
SN:WA56871	HRS	1816:54	3500 (+500)	TSO 0	(5316:54) 6031:01	5816:54	2905:12 (+500)		
	ENC	1141		TSO 0					
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01									
731065 ^S	NO. 1 ENGINE - EXAMINE FILTER BOWL							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component	ATA:73
PN:26130-2	MOS	12-Oct-23		TSO 0				OVERHAUL	
SN:U0876	HRS	1816:54	3500 (+500)	TSO 0	(5316:54) 6031:01	5816:54	2905:12 (+500)		
	ENC	1141		TSO 0					
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04									
731080 ^U	NO. 1 ENGINE - FUEL BOOST PUMP							Component	ATA:73
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731085 ^S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06									

PKG:2

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3119892-10	MOS	19-Jan-18		TSN 0				OVERHAUL	
SN:21140583	HRS	0	3500 (+500)	TSN 0	(3500) 4214:07	4000	1088:18 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00									
731091 ^S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04									
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component	ATA:73
PN:PN	MOS	19-Jan-18		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0	4000	TSN 0	(4000) 4714:07		1588:18		
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
731100 ^S	NO. 1 ENGINE - CLEAN P3 FILTER							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07									
731150 ^S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component	ATA:73
PN:3059779-01	MOS/MSC	09-Dec-22	H/T	TSN 0					
SN:UNKNOWN	HRS	1789:43		TSN 0					
	ENC	1130		TSN 0					
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02									
732010	NO. 1 ENGINE - FUEL FLOW TRANSMITTER							Component	ATA:73
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
732020 ^S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00									
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service	ATA:73
	MOS	09-Dec-22							
	HRS	1789:43	900 (+10%/-10%)	Adj 10:17	(2700) 3414:07	2790	288:18 (+90)		
	ENC	1130							
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07									
733030	NO. 1 ENGINE - MAIN FUEL FILTER ASSEMBLY							Component	ATA:73
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
733040	NO. 1 ENGINE - MAIN FUEL FILTER DRAIN VALVE							Component	ATA:73
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733050	NO. 1 ENGINE - AFT FUEL DRAIN VALVE							Component	ATA:73
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06									
733060	NO. 1 ENGINE - FORWARD FUEL DRAIN VALVE							Component	ATA:73
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06									
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service	ATA:73
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)	Adj -5:08	(2416:54) 3131:01	2446:54	5:12 (+30)		
	ENC	1329							
PROC. REF: EMM 73-10-07, EMM 73-10-07PROC. REF: EMM 73-10-07, EMM 73-10-07									
ATA 74 - IGNITION									
74-00/288 ^S	OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-74-00-00-00A-903A-APROC. REF: AMM 12-B-74-00-00-00A-903A-A									
740010	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:3035889	MOS	19-Jan-18		TSN 0				OVERHAUL	
SN:NNA17500007	HRS	0	3500 (+500)	TSN 0	(3500) 4214:07	4000	1088:18 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00									

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service	ATA:74
	MOS	04-Oct-24							
	HRS	2250:33	400 (+10%/-10%)	Adj -33:39	(2616:54) 3331:01	2656:54	205:12 (+40)		
	ENC	1405							
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00									
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service	ATA:74
	MOS	04-Oct-24							
	HRS	2250:33	400 (+10%/-10%)	Adj -33:39	(2616:54) 3331:01	2656:54	205:12 (+40)		
	ENC	1405							
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00									
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service	ATA:74
	MOS	04-Oct-24							
	HRS	2250:33	400 (+10%/-10%)	Adj -33:39	(2616:54) 3331:01	2656:54	205:12 (+40)		
	ENC	1405							
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component	ATA:75
PN:3059835-01	MOS	19-Jan-18		TSN 0				OVERHAUL	
SN:AHX1001300	HRS	0	3500 (+500)	TSN 0	(3500) 4214:07	4000	1088:18 (+500)		
	ENC	0		TSN 0					
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00									
ATA 76 - ENGINE CONTROLS									
76-00/210 ^S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service	ATA:76
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
76-00/211 ^S	CHECK BETA SLIP RING CARBON BLOCK - MAKE SURE GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service	ATA:76
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
76-00/212 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT- CAUTION - DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service	ATA:76
	MOS	04-Oct-24							
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: AMM 12-B-76-10-00-00A-903A-APROC. REF: AMM 12-B-76-10-00-00A-903A-A									
76-00/303 ^S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT - POWER CONTROL, MANUAL OVERRIDE							Service	ATA:76
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-76-10-00-00A-903A-A, AMM 12-B-76-20-00-00A-903A-APROC. REF: AMM 12-B-76-10-00-00A-903A-A, AMM 12-B-76-20-00-00A-903A-A									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/304 ^S EXAMINE COCKPIT CONTROL QUADRANT Service ATA:76								
	MOS	04-Oct-24	12 (+10%/-10%)					
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
76-10/117 FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES Service ATA:76								
	MOS	09-Jun-24	12 (+10%/-10%)	Adj -61d	09-Apr-25	15-May-25	89 d (+36)	
	HRS	2702:23	3000 (+10%/-10%)		5702:23	6002:23	2576:34 (+300)	
	WC#: 76.010	AFL	1623					
PROC. REF: AMM 12-B-76-10-02-00A-903A-APROC. REF: AMM 12-B-76-10-02-00A-903A-A								
760015 MANUAL OVERRIDE CABLE ASSY. Component ATA:76								
	PN:941.94.11.417	MOS/MSC	24-May-18	O/C	TSN 0			
	SN:00182	HRS	0		TSN 0			
	WC#: 76.020	AFL	0		TSN 0			
PROC. REF: AMM 12-B-76-20-00-04A-920A-APROC. REF: AMM 12-B-76-20-00-04A-920A-A								
760020 CONDITION CABLE ASSY. Component ATA:76								
	PN:941.94.11.418	MOS/MSC	24-May-18	O/C	TSN 0			
	SN:00200	HRS	0		TSN 0			
	WC#: 76.030	AFL	0		TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
760025 POWER CONTROL CABLE ASSY. Component ATA:76								
	PN:941.94.11.419	MOS/MSC	24-May-18	O/C	TSN 0			
	SN:00187	HRS	0		TSN 0			
	WC#: 76.040	AFL	0		TSN 0			
PROC. REF: AMM 12-B-76-10-04-00A-920A-APROC. REF: AMM 12-B-76-10-04-00A-920A-A								
761011 NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS Service ATA:76								
	MOS	17-Aug-24						
	HRS	2122:02	300 (+10%/-10%)	Adj -5:08	(2416:54) 3131:01	2446:54	5:12 (+30)	
	ENC	1329						

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 76 - ENGINE CONTROLS

PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00

ATA 77 - ENGINE INDICATING

770005 TRQ,IPT-51DFP-1000-70D TRANSDUCER					Component	ATA:77
PN:975.21.15.206	MOS/MSC	24-May-18	O/C	TSN 0		
SN:8032-2-123	HRS	0		TSN 0		
WC#: 77.010	AFL	0		TSN 0		

PROC. REF: AMM 12-B-77-40-03-00A-920A-APROC. REF: AMM 12-B-77-40-03-00A-920A-A

770010 DIFFERENTIAL PRESSURE,PDCR130/35WL/C TRANSDUCER					Component	ATA:77
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0		
SN:UNKNOWN	HRS	0		TSN 0		
WC#: 77.030	AFL	0		TSN 0		

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

770020 ACQ/DISPLAY UNIT					Component	ATA:77
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0		
SN:UNKNOWN	HRS	0		TSN 0		
WC#: 77.020	AFL	0		TSN 0		

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

770025 DIFFERENTIAL PRESSURE TRANSDUCER					Component	ATA:77
PN:975.21.15.219	MOS/MSC	24-May-18	O/C	TSN 0		
SN:10820918	HRS	0		TSN 0		
	AFL	0		TSN 0		

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

770090 NO. 1 ENGINE - T1 THERMOCOUPLE					Component	ATA:77
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0		
SN:UNKNOWN	HRS	0		TSN 0		
	ENC	0		TSN 0		

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771010	NO. 1 ENGINE - T5 THERMOCOUPLE WIRING HARNESS							Component	ATA:77
PN:3043825-01	MOS/MSC	19-Jan-18	O/C		TSN 0				
SN:NRA102756	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01									
771020	NO. 1 ENGINE - T5 TERMINAL BLOCK							Component	ATA:77
PN:PN	MOS/MSC	19-Jan-18	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: EMM 77-20-01PROC. REF: EMM 77-20-01									
ATA 78 - EXHAUST									
78-00/214 ^S	EXAMINE EXHAUST STUBS							Service	ATA:78
	MOS	04-Oct-24	12 (+10%/-10%)						
	HRS	2964:40	300 (+10%/-10%)						
	AFL	1757							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 79 - OIL									
79-00/422 ^S	OPERATIONAL TEST OIL FILLER CAP / DIPSTICK							Service	ATA:79
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	600 (+10%/-10%)						
	AFL	1623							
PROC. REF: AMM 12-B-79-30-06-00A-903A-APROC. REF: AMM 12-B-79-30-06-00A-903A-A									
79-20/289 ^S	EXAMINE ENGINE OIL COOLER. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service	ATA:79
	MOS	09-Jun-24	12 (+10%/-10%)						
	HRS	2702:23	1200 (+10%/-10%)						
	AFL	1623							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:3

PKG:5

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-20/290 ^S OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM Service ATA:79								
	MOS	04-Oct-24	12 (+10%/-10%)					
	HRS	2964:40	300 (+10%/-10%)					
	AFL	1757						
PROC. REF: AMM 12-B-79-30-01-00A-903A-APROC. REF: AMM 12-B-79-30-01-00A-903A-A								
79-20/43 OIL COOLER Component ATA:79								
PN:968.32.14.102	MOS	24-May-18		TSN 0				OVERHAUL
SN:T1821	HRS	0	3500 (+10%/-10%)	TSN 0	3500	3850	374:11 (+350)	
WC#: 79.010	AFL	0		TSN 0				
PROC. REF: AMM 12-B-79-20-02-00A-920A-APROC. REF: AMM 12-B-79-20-02-00A-920A-A								
790005 TEMPERATURE BULB Component ATA:79								
PN:975.11.20.101	MOS/MSC	24-May-18	O/C	TSN 0				
SN:235723	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790020 PRESSURE,GAGE SWITCH Component ATA:79								
PN:973.81.14.305	MOS/MSC	24-May-18	O/C	TSN 0				
SN:1719	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
790021 NO. 1 ENGINE - SERVICING OF OIL SYSTEM Service ATA:79								
	MOS/MSC	19-Jan-18	A/R					DISCARD
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790025 THERMAL ACTUATOR Component ATA:79								
PN:978.73.01.002	MOS/MSC	24-May-18	O/C	TSN 0				
SN:2037	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:3

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790030	POWER ODM,B049913 MODULE							Component	ATA:79
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: AMM 12-B-79-30-05-00A-920A-APROC. REF: AMM 12-B-79-30-05-00A-920A-A									
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	17-Aug-24	12 (+10%)		17-Aug-25	23-Sep-25	219 d (+37)		
	HRS	2122:02	300 (+10%)	Adj -5:08	(2416:54) 3131:01	2446:54	5:12 (+30)		
	ENC	1329							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790035	MODUL,ODM,B057185 SENSOR							Component	ATA:79
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.060	AFL	0		TSN 0					
PROC. REF: AMM 12-B-79-30-05-00A-920A-APROC. REF: AMM 12-B-79-30-05-00A-920A-A									
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service	ATA:79
	MOS	15-Nov-24	12 (+10%)		15-Nov-25	21-Dec-25	309 d (+36)		
	HRS	2344:32	600 (+10%)		(2944:32) 3658:39	3004:32	532:50 (+60)		
	ENC	1446							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service	ATA:79
	MOS	16-Nov-23							
	HRS	1816:54	900 (+10%/-10%)		(2716:54) 3431:01	2806:54	305:12 (+90)		
	ENC	1141							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service	ATA:79
	MOS	17-Aug-24							
	HRS	2122:02	300	Adj -5:08	(2416:54) 3131:01		5:12		
	ENC	1329							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service	ATA:79
	MOS	16-Nov-23							
	HRS	1816:54	1000 (+10%/-10%)		(2816:54) 3531:01	2916:54	405:12 (+100)		
	ENC	1141							
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00									
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service	ATA:79
	MOS/MSC	09-Dec-22	N/A						
	HRS	1789:43							
	ENC	1130							
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
790091 ^S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service	ATA:79
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
790093 ^S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service	ATA:79
	MOS	17-Aug-24							
	HRS	2122:02	300 (+10%/-10%)						
	ENC	1329							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PKG:2

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792011	NO. 1 ENGINE - OIL FILTER BYPASS CHECK VALVE							Component	ATA:79
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02									
792020	NO. 1 ENGINE - THERMOSTATIC BYPASS CHECK VALVE							Component	ATA:79
PN:3038242	MOS/MSC	12-Oct-23	O/C	TSR 0					
SN:PWC23L1182	HRS	1816:54		TSR 0					
	ENC	1141		TSR 0					
PROC. REF: EMM 79-20-03PROC. REF: EMM 79-20-03									
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:975.21.15.214	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:8359-3-415	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792040	NO. 1 ENGINE - LOW OIL PRESSURE SWITCH							Component	ATA:79
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792050	NO. 1 ENGINE - OIL DRAIN SHUTOFF VALVE							Component	ATA:79
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
792060	NO. 1 ENGINE - OIL LEVEL SIGHT GAGE							Component	ATA:79
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792070	NO. 1 ENGINE - OIL TANK PRESSURIZING VALVE							Component	ATA:79
PN:PN	MOS/MSC	19-Jan-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 91 - UNKNOWN									
910010	LEFT HD POWER JCT BOX							Component	ATA:91
PN:974.03.38.144	MOS/MSC	24-May-18	O/C	TSN 0					
SN:1080	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910015	KBT 300 TTP BUS RES, A-157 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KBT300-4569	HRS	0		TSN 0					
WC#: 90.015	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910020	KBT 300 TTP BUS RES, A-175 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KBT300-4600	HRS	0		TSN 0					
WC#: 90.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910025	KBT 300 TTP BUS RES, A-174 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KBT300-4598	HRS	0		TSN 0					
WC#: 90.020	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910030	PILOT LEFT HD POWER, FE1549L JUNCTION BOX							Component	ATA:91
PN:PN	MOS/MSC	24-May-18	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 90.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PC-12/47E Serial: 1793 RegNo: UP-PC001 HRS: 3125:49 AFL: 1824 As Of: 27-Dec-2024

10-Jan-2025 01:17 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 91 - UNKNOWN									
910035	CO-PILOT RIGHT HD POWER,FE1549R JUNCTION BOX							Component	ATA:91
PN:974.03.38.145	MOS/MSC	24-May-18	O/C	TSN 0					
SN:911	HRS	0		TSN 0					
WC#: 90.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
910040	KBT 300 TTP BUS RES, A-156 TERMINAL							Component	ATA:91
PN:985.99.12.117	MOS/MSC	24-May-18	O/C	TSN 0					
SN:KBT300-4566	HRS	0		TSN 0					
WC#: 90.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task