



Status Report

PC-12/47E NGX

S/N 2223 OE-EJJ

OWNER: PILARTAIR GMBH & CO KG
ADDRESS: HEGELGASSE 8/15, A-1010
WIEN WIEN

OPERATOR: SKYSIDE GMBH
ADDRESS: GARNISONGASSE 3/6
VIENNA 1090

OPERATOR: PILARTAIR GMBH & CO KG
ADDRESS: HEGELGASSE 8/15, A-1010
WIEN WIEN

CAMO: SKYSIDE GMBH
ADDRESS: GARNISONGASSE 3/6
VIENNA 1090

OFFICE:
FAX:

OFFICE:
FAX:

OFFICE:
FAX:

OFFICE:
FAX:

ANALYST: ADRIEN LIMMELETTE +33 1.55.93.47.77 (DIRECT)
EMAIL: ADRIEN.LIMMELETTE@CAMPSYSTEMS.EU +33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL / REGNO: 2223/OE-EJJ MODEL: PC-12/47E NGX MANUFACTURER: PILATUS AIRCRAFT LTDX

CERTIFICATION DATE: 07-DEC-2022

LAST ACTUALS:
2418:28 A/C HRS as of 21-OCT-2026
1827 AFL as of 21-OCT-2026

ENGINE NO. 1 SERIAL / PART: PCE-HP0228/3126995-01 BS1369 MODEL: PT6E-67XP MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 07-NOV-2022

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
2418:28 ENG. HRS as of 21-OCT-2026
1748 ENC as of 21-OCT-2026

PROPELLER NO. 1 SERIAL / PART: SA871/E5A01850SKD MODEL: HC-E5A-31A MANUFACTURER: HARTZELL PROPELLER LLC

INSTALLED ON: 07-NOV-2022

0 PROP HRS 0 A/C HRS
0 PRC

LAST ACTUALS:
2418:28 PROP HRS as of 21-OCT-2026

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
00-00/121	^S	JOB CLOSE UP - AIRCRAFT - AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED						Service ATA:00
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/122	^S	JOB CLOSE UP - AIRCRAFT - CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DATA MODULES REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH						Service ATA:00
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/481	^S	JOB CLOSE UP - AIRCRAFT - CHECK FLIGHT MANUAL IS AT THE LATEST REVISION						Service ATA:00
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
EP21-221122		NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 16						Service ATA:00
	MOS/MSC	30-Jan-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-221122-1		NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 16						Service ATA:00
	MOS/MSC	30-Jan-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-230602	NO. 1 ENGINE -		REVIEW PT6E-67XP LMM/EMM ISSUE 17					Service ATA:00
	MOS/MSC	07-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-230818	NO. 1 ENGINE - REVIEW PT6E-67XP ENGINE CODE NUMBER CORRECTION							Service ATA:00
	MOS/MSC	19-Sep-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-231103	NO. 1 ENGINE - REVIEW PT6E-67XP EM ISSUE 18							Service ATA:00
	MOS/MSC	16-Nov-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240617	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 18							Service ATA:00
	MOS/MSC	08-Sep-26	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240620	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20							Service ATA:00
	MOS/MSC	16-Aug-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-240620-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 19							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-240823	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 20 AUDIT							Service ATA:00
	MOS/MSC	03-Sep-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 21							Service ATA:00
	MOS/MSC	12-Dec-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241203-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 20							Service ATA:00
	MOS/MSC	12-Dec-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-241216	NO. 1 ENGINE - REVIEW PT6E-67XP EMM ISSUE 22							Service ATA:00
	MOS/MSC	07-Jan-25	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
EP21-241216-1	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21							Service ATA:00
	MOS/MSC	07-Jan-25	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-250422	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 21/EMM ISSUE 22 AUDIT							Service ATA:00
	MOS/MSC	09-May-25	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-260429	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 22							Service ATA:00
	MOS/MSC	23-Jun-26	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
EP21-260722	NO. 1 ENGINE - REVIEW PT6E-67XP LMM ISSUE 23							Service ATA:00
	MOS/MSC	02-Sep-26	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF EP21PROC. REF: RCF EP21								
P12X‐221101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 19							Service ATA:00
	MOS/MSC	14-Dec-22	-					REQUIREMENT CHANGE FORMS
	HRS	0						
P12X-221201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 39							Service ATA:00
	MOS/MSC	20-Dec-22	-					REQUIREMENT CHANGE FORMS
	HRS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER MANUAL 180 (30-61-80) - ICE PROTECTION SYSTEM MANUAL, REVISION 40, DATED 1 APRIL 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230501A	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 012, DATED MAY 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230501B	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL 180 (30-61-80), TEMPORARY REVISION NO. 013, DATED MAY 2023							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
P12X-230701	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER OWNER'S MANUAL NO. 147, REVISION 20							Service ATA:00
	MOS/MSC	07-Aug-23	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230901	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL NO. 180, REVISION 41							Service ATA:00
	MOS/MSC	09-Oct-23	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-230919	NO. 1 PROPELLER - REVIEW AUDIT SUMMARY CHANGE FORM FOR TOLERANCE UPDATE TO CORROSION INHIBITOR TASK.							Service ATA:00
	MOS/MSC	06-Oct-23	-					AUDIT SUMMARY CHANGE FORM
	HRS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-231201	NO. 1 PROPELLER - REVIEW HARTZELL ICE PROTECTION SYSTEM MANUAL, REVISION 42							Service ATA:00
	MOS/MSC	15-Jan-24	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-231213	NO. 1 PROPELLER - REVIEW HARTZELL SL - PROPELLER - OVERHAUL PERIODS AND SERVICE LIFE LIMITS (SL) HC-SL-61-61Y, REV 15							Service ATA:00
	MOS/MSC	15-Jan-24	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240201	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 43							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240501	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 21							Service ATA:00
	MOS/MSC	31-May-24	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-240918	NO. 1 PROPELLER - REVIEW HC-E5A-31 HARTZELL SERVICE LETTER (SL) HC-SL-61-61Y REV 16							Service ATA:00
	MOS/MSC	24-Sep-24	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-241001	NO. 1 PROPELLER - REVIEW HARTZEL PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 44							Service ATA:00
	MOS/MSC	25-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-241001B	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER INC. HC-E5A-31 PROPELLER OWNER'S MANUAL (POM) 147 REV 22							Service ATA:00
	MOS/MSC	25-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-241201	NO. 1 PROPELLER - REVIEW PROPELLER ICE PROTECTION SYSTEM MANUAL 180 TR-014							Service ATA:00
	MOS/MSC	07-Feb-25	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-250401	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 45							Service ATA:00
	MOS/MSC	09-May-25	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-250813	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC SERVICE LETTER (SL) HC-SL-61-61Y REV 17							Service ATA:00
	MOS/MSC	09-Sep-25	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-250901B	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 46							Service ATA:00
	MOS/MSC	14-Oct-25	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-250901C	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER OWNER'S MANUAL (POM) 147 REV 23							Service ATA:00
	MOS/MSC	14-Oct-25	-					REQUIREMENT CHANGE FORMS
	HRS							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
P12X-251101	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 47							Service ATA:00
	MOS/MSC	17-Nov-25	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-260201	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC PROPELLER ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 47 (TR 015)							Service ATA:00
	MOS/MSC	09-Mar-26	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-260513	NO. 1 PROPELLER - HARTZELL PROPELLER LLC SERVICE LETTER (SL) HC-SL-61-61Y REV R18							Service ATA:00
	MOS/MSC	23-Jun-26	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-260601	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC - PROPELLER OWNER'S MANUAL (POM) NO. 147 REV 24 DATED 01-JUN-2026							Service ATA:00
	MOS/MSC	02-Sep-26	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
P12X-260901	NO. 1 PROPELLER - REVIEW HARTZELL PROPELLER LLC - ICE PROTECTION SYSTEM MANUAL (MM) 180 REV 48							Service ATA:00
	MOS/MSC	23-Sep-26	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P12XPROC. REF: RCF P12X								
PC12A00310100	PRIMUS APEX SYSTEM BUILD 12 SOFTWARE							Component ATA:00
PN:TT600486-020	MOS/MSC	17-Aug-23	O/C					
SN:35713779	HRS	411:03						
	AFL	361						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0010		SW,OPERATIONAL,APEX,B12.6.1						Component ATA:00
PN:985.99.12.585	MOS/MSC	31-Aug-26	O/C					
SN:2223_V0	HRS	2349:35						
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0030		APEX FMS PERFORMANCE DATABASE						Component ATA:00
PN:985.99.12.399	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0040		ADAHRS CERTIFICATION FILE SOFTWARE						Component ATA:00
PN:985.99.12.401	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0050		LOADABLE DIAGNOSIC INTERFACE (LDI)						Component ATA:00
PN:545.45.12.071	MOS/MSC	31-Aug-26	O/C					
SN:2223_V0	HRS	2349:35						
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0060		SW TOUCH SCREEN CONTROLLER						Component ATA:00
PN:985.99.12.075	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0070		TOUCH SCREEN CONTROLLER SPLASH SCREEN, OEM						Component ATA:00
PN:534.28.12.248	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12A00310100-0080		EFD-750 CONFIG FILE						Component ATA:00
PN:534.20.12.008	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0100		PRIMUS APEX OPTION FILE, PC-12E						Component ATA:00
PN:534.70.12.122	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0110		ECL DATABASE						Component ATA:00
PN:531.40.12.036	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0120		DEVICE,DATA LOADING,WIRELESS,SW						Component ATA:00
PN:546.00.12.009	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2223_V0	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310100-0130		LIGHTWEIGHT DATA RECORDER DEFINITION FILE FOR APEX BUILD 12 AND UP						Component ATA:00
PN:531.30.12.009	MOS/MSC	31-Aug-26	O/C					
SN:NSN	HRS	2349:35						
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A00310147		PILOT GUIDE,APEX,PC-12						Component ATA:00
PN:985.99.12.412	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PCNG-220829	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 07							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-230116	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 08							Service ATA:00
	MOS/MSC	28-Feb-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-231002	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 09							Service ATA:00
	MOS/MSC	16-Nov-23	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-240207	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 10							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-240305	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 10 (TR 10-01)							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PCNG-240603	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 11							Service ATA:00
	MOS/MSC	18-Jul-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-240621	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 12							Service ATA:00
	MOS/MSC	18-Jul-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-241008	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 12 (TR 12-01)							Service ATA:00
	MOS/MSC	25-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-241008A	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 12 (TR 20-01)							Service ATA:00
	MOS/MSC	25-Oct-24	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-250127	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 13							Service ATA:00
	MOS/MSC	07-Feb-25	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PCNG-250528	PCNG TOLERANCE CHANGES							Service ATA:00
	MOS/MSC	04-Jun-25	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-260119	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 14							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-260608	REVIEW PC-12/47E NGX AMM TR NO. 05-01							Service ATA:00
	MOS/MSC	23-Jun-26	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								
PCNG-260831	REVIEW PC-12/47E NGX AMM ISSUE 001 REV 15							Service ATA:00
	MOS/MSC	06-Oct-26	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PCNGPROC. REF: RCF PCNG								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
04-CA/1	AIRCRAFT LIMIT OF VALIDITY (LOV)							Service ATA:04
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	50000		50000		47581:32	
	AFL	0	60000		60000		58173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
04-CA/2	WING STRUCTURE LIMIT OF VALIDITY (LOV) (WITHOUT SYSTEMS AND CONTROL SYSTEM STRUCTURE SUCH AS FLAPS AND AILERONS)							Service ATA:04
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	35000		35000		32581:32	
	AFL	0	43000		43000		41173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-01-03	600 FH INSPECTION							Package ATA:05
	MOS	11-Sep-26						
	HRS	2349:35	600 (+60/-60)	Adj -23:13	2926:22	2986:22	507:54 (+60)	
	AFL	1773						
PROC. REF: AMM 12-C-05-40-01-03A-000B-APROC. REF: AMM 12-C-05-40-01-03A-000B-A								PKG:1
05-40-01-04	600 FH OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	2926:22	2986:22	507:54 (+60)	
	AFL	1773						
PROC. REF: AMM 12-C-05-40-01-04A-000B-APROC. REF: AMM 12-C-05-40-01-04A-000B-A								PKG:2
05-CA/25	NO. 1 ENGINE - TABLE 3 SCHEDULED MAINTENANCE CHECKS - 12 MONTHS OR 600 HOURS, WHICHEVER OCCURS FIRST							Package ATA:05
	MOS	11-Sep-26	12 (+30d/-30d)	Adj 9d	20-Sep-27	20-Oct-27	329 d (+30)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
	ENC							
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-40-01-05	1200 FH OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	1200 (+10%/-10%)		3139:47	3259:47	721:19 (+120)	
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-05-40-01-05A-000B-APROC. REF: AMM 12-C-05-40-01-05A-000B-A								
05-CA/26	NO. 1 ENGINE - TABLE 4 SCHEDULED MAINTENANCE CHECKS - 600 HOURS							Package ATA:05
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
	ENC							
								PKG:3
PROC. REF: LMM 05-20-00PROC. REF: LMM 05-20-00								
05-40-01-06	2400 FH OR 24 MONTHS INSPECTION							Package ATA:05
	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
	HRS	1331:35	2400 (+10%/-10%)		3731:35	3971:35	1313:07 (+240)	
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-C-05-40-01-06A-000B-APROC. REF: AMM 12-C-05-40-01-06A-000B-A								
05-20-00-00	JOB SET UP / CLOSE UP PACKAGE							Package ATA:05
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 WO#: EJJ-231126
PROC. REF: AMM 12-C-05-20-00-00A-913A-APROC. REF: AMM 12-C-05-20-00-00A-913A-A								
05-50-16	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-16-00A-282A-APROC. REF: AMM 12-B-05-50-16-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50/1	UNSCHEDULED INSPECTION - CHECK AFTER A HARD LANDING							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-01-00A-282B-APROC. REF: AMM 12-B-05-50-01-00A-282B-A								
05-50/10	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR EXTENDED SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-10-00A-282A-APROC. REF: AMM 12-B-05-50-10-00A-282A-A								
05-50/11	UNSCHEDULED INSPECTION - CHECK AFTER TAIL DOWN DAMAGE INSPECTION							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-11-00A-282A-APROC. REF: AMM 12-B-05-50-11-00A-282A-A								
05-50/12	UNSCHEDULED INSPECTION - CHECK AFTER NOSE LANDING GEAR OVERTURN							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-12-00A-282A-APROC. REF: AMM 12-B-05-50-12-00A-282A-A								
05-50/15	UNSCHEDULED INSPECTION - CHECK AFTER A FLIGHT THROUGH VOLCANIC ASH OR SMOKE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-15-00A-282A-APROC. REF: AMM 12-B-05-50-15-00A-282A-A								
05-50/18	UNSCHEDULED INSPECTION - ENGINE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-APROC. REF: GENERIC NO REF, AMM 12-B-05-50-00-00A-018A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50/2	UNSCHEDULED INSPECTION - CHECK AFTER FLIGHT IN SEVERE TURBULENCE OR AFTER SEVERE MANEUVERS							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-02-00A-282A-APROC. REF: AMM 12-B-05-50-02-00A-282A-A								
05-50/3	UNSCHEDULED INSPECTION - CHECK AFTER OVERSPEED WITH FLAPS DOWN							Service ATA:05
	MOS/MSC	09-May-23	A/R					
	HRS	226:54						
	AFL	225						
PROC. REF: AMM 12-B-05-50-03-00A-282A-APROC. REF: AMM 12-B-05-50-03-00A-282A-A								
05-50/4	UNSCHEDULED INSPECTION - CHECK AFTER PROPELLER SUDDEN STOPPAGE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-04-00A-282A-APROC. REF: AMM 12-B-05-50-04-00A-282A-A								
05-50/5	UNSCHEDULED INSPECTION - CHECK AFTER A LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-05-00A-282A-APROC. REF: AMM 12-B-05-50-05-00A-282A-A								
05-50/6	UNSCHEDULED INSPECTION - CHECK AFTER ALIGNMENT AND SYMMETRY							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-06-00A-282A-APROC. REF: AMM 12-B-05-50-06-00A-282A-A								
05-50/7	UNSCHEDULED INSPECTION - GEOMETRY INSPECTION - CHECK AFTER A FUSELAGE CARRY THROUGH FRAMES							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-07-00A-282A-APROC. REF: AMM 12-B-05-50-07-00A-282A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50/8	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-05-50-08-00A-282A-APROC. REF: AMM 12-C-05-50-08-00A-282A-A								
05-50/9	UNSCHEDULED INSPECTION - CHECK AFTER MAXIMUM LANDING GEAR OPERATING SPEED EXCEEDANCE							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-05-50-09-00A-282A-APROC. REF: AMM 12-B-05-50-09-00A-282A-A								
05-CA/10	NO. 1 ENGINE - PROPELLER SUDDEN STOPPAGE OR STRIKE							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-10PROC. REF: LMM 05-50-10								
05-CA/11	NO. 1 ENGINE - PROPELLER LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-11PROC. REF: LMM 05-50-11								
05-CA/12	NO. 1 ENGINE - SHORT CIRCUIT OF PROPELLER ELECTRICAL LEADS							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-12PROC. REF: LMM 05-50-12								
05-CA/13	NO. 1 ENGINE - HEAVY/HARD LANDING							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-13PROC. REF: LMM 05-50-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/14	NO. 1 ENGINE - AIRCRAFT FLIGHT THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-14PROC. REF: LMM 05-50-14								
05-CA/15	NO. 1 ENGINE - SUSTAINED RUNNING WITH HIGH OIL PRESSURE (HIGH OR LOW OIL TEMPERATURE)							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-15PROC. REF: LMM 05-50-15								
05-CA/16	NO. 1 ENGINE - LOSS OF OIL, NO OIL PRESSURE OR LOW OIL PRESSURE							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-16PROC. REF: LMM 05-50-16								
05-CA/17	NO. 1 ENGINE - HIGH OIL PRESSURE							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-17PROC. REF: LMM 05-50-17								
05-CA/18	NO. 1 ENGINE - CONTAMINATION BY FIRE EXTINGUISHING AGENTS							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-18PROC. REF: LMM 05-50-18								
05-CA/19	NO. 1 ENGINE - AUDIBLE RUBBING, BINDING OR SCRAPING							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-19PROC. REF: LMM 05-50-19								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/2	NO. 1 ENGINE - ENGINE OVERTORQUE							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-02PROC. REF: LMM 05-50-02								
05-CA/20	NO. 1 ENGINE - PROPELLER WINDMILLING AFTER IN - FLIGHT SHUTDOWN							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-20PROC. REF: LMM 05-50-20								
05-CA/21	NO. 1 ENGINE - CONTAMINATION OF OIL WITH NON - METALLIC FOREIGN MATERIAL							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-21PROC. REF: LMM 05-50-21								
05-CA/22	NO. 1 ENGINE - INGESTION OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-22PROC. REF: LMM 05-50-22								
05-CA/23	NO. 1 ENGINE - UNUSUAL FUEL SYSTEM CONDITION							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-23PROC. REF: LMM 05-50-23								
05-CA/24	NO. 1 ENGINE - LOW OIL LEVEL							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-20-00, LMM 05-50-24PROC. REF: LMM 05-20-00, LMM 05-50-24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/3	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-03PROC. REF: LMM 05-50-03								
05-CA/30	NO. 1 ENGINE - ENGINE PERFORMANCE DETERIORATION							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-01PROC. REF: LMM 05-50-01								
05-CA/31	NO. 1 ENGINE - ENGINE STARTING FAULT OR AN ELECTRICAL GENERATION DEFECT ON STARTER-GENERATOR							Service ATA:05
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-25PROC. REF: LMM 05-50-25								
05-CA/32	NO. 1 ENGINE - STATIC OIL LEAK BETWEEN OIL TANK AND AGB							Service ATA:05
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: LMM 05-50-26PROC. REF: LMM 05-50-26								
05-CA/4	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-04PROC. REF: LMM 05-50-04								
05-CA/5	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-05PROC. REF: LMM 05-50-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-CA/6	NO. 1 ENGINE - DROPPED ENGINE OR COMPONENT DURING HANDLING							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-06PROC. REF: LMM 05-50-06								
05-CA/7	NO. 1 ENGINE - FOREIGN OBJECT DAMAGE (FOD)/HARD MATERIAL INGESTION							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-07PROC. REF: LMM 05-50-07								
05-CA/8	NO. 1 ENGINE - BIRD STRIKE/SOFT MATERIAL INGESTION							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-08PROC. REF: LMM 05-50-08								
05-CA/9	NO. 1 ENGINE - CHIP DETECTOR CIRCUIT COMPLETION AND/OR UNWANTED MATERIAL IN OIL FILTER							Service ATA:05
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-09PROC. REF: LMM 05-50-09								
ATA 06 - DIMENSIONS AND AREAS								
06-00/518 ^S	ACCES PANEL: 21QZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/519 ^S	ACCES PANEL: 21QZ - INSTALL							Service ATA:06
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:1
06-00/218 ^S	ACCESS PANELS 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - OPEN / REMOVE AS NECESSARY TO DO THE INSPECTION. EXAMINE AND MAKE SURE THAT THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3 WO#: EJJ-231126
06-00/219 ^S	JOB SET UP - ACCESS PANELS: 11AL, 11AR, 11BL, 11BR, 12AL, 12AR, 12AZ, 12AB, 12BB, 12BL, 12BR, 12BZ, 12CL, 12CR, 12CZ, 12DL, 12DR, 12DZ, 12EL, 12ER, 12EZ, 12FL, 12FR, 12FZ, 12HZ, 21GZ, 21JZ, 21PZ, 21QZ, 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 33ET, 41AT, 42AT, 42AB, 51KB, 51MB, 51NB, 52KB, 52MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB, 62NB, 62OB, 62PB, 62RB, 62SB, 62TB - CLOSE OR INSTALL AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:06
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3 WO#: EJJ-231126
06-00/576 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - OPEN OR REMOVE. EXAMINE.							Service ATA:06
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:3 WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/577 ^S	ACCESS PANELS,EMPENNAGE: 31AB, 31AL, 32AB, 32AL, 32BL, 32BT, 32CL, 32CT, 32DL, 32DR, 33DT, 33ET, 34DT, - CLOSE OR INSTALL.							Service ATA:06
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/578 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/579 ^S	ACCESS PANELS, WING: 51LB, 51JB, 51KB, 51MB, 51NB, 52KB, 51MB, 52NB, 52OB, 52PB, 52RB, 52TB, 52SB, 61KB, 61MB, 61NB, 62KB, 62MB,62NB, 62OB, 62PB, 62RB, 62SB, 62TB - INSTALL							Service ATA:06
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/520 ^S	REMOVE AND EXAMINE FUSELAGE ACCESS PANEL 21PZ,21QZ							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/521 ^S	INSTALL FUSELAGE ACCESS PANEL 21PZ,21QZ							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/580 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - OPEN OR REMOVE. EXAMINE							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/581 ^S	ACCESS PANELS, EMPENNAGE: 31AB, 32AB - CLOSE OR INSTALL							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/582 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/583 ^S	ACCESS PANELS, EMPENNAGE: 41AT, 42AB - INSTALL							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2
06-00/584 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - REMOVE AND EXAMINE							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/585 ^S	ACCESS PANELS, EMPENNAGE: 51JB, 51LB, 51MB, 51NB, 52OB, 53QB, 52TB, 61JB, 61LB, 61MB, 61NB, 62OB, 62QB, 62TB - INSTALL							Service ATA:06
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A							PKG:2	
06-00/522 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - OPEN OR REMOVE. EXAMINE AND MAKE SURE THE ACCESS PANEL DRAIN HOLES ARE CLEAR							Service ATA:06
	MOS	22-Jan-25	24					
	HRS	1331:35	2400					
	AFL	996						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A							PKG:4 WO#: EJJ-231126	
06-00/523 ^S	ACCES PANEL: 11AL, 11AZ, 11BL, 11CL, 12AL, 12EL, 12ERT, 12EZ, 21JZ, 22AZ, 32AB, 32CT, 33ET, 51AB, 51BB, 51DB, 61AB, 61BB, 61DB - CLOSE OR INSTALL							Service ATA:06
	MOS	22-Jan-25	24					
	HRS	1331:35	2400					
	AFL	996						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A							PKG:4 WO#: EJJ-231126	
06-00/586 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - REMOVE AND EXAMINE							Service ATA:06
	MOS	22-Jan-25	24					
	HRS	1331:35	2400					
	AFL	996						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A							PKG:4 WO#: EJJ-231126	
06-00/587 ^S	ACCESS PANELS, EMPENNAGE: 32AB, 32CT, 33ET - INSTALL							Service ATA:06
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A							PKG:4 WO#: EJJ-231126	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/588	^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - REMOVE AND EXAMINE						Service ATA:06
	MOS	22-Jan-25	24					
	HRS	1331:35	2400					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
06-00/589	^S	ACCESS PANELS, EMPENNAGE: 51AB, 51BB, 51DB,, 61AB, 61BB, 61DB - INSTALL						Service ATA:06
	MOS	22-Jan-25	24					
	HRS	1331:35	2400					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A								
ATA 07 - LIFTING AND SHORING								
07-10/160	^S	JOB CLOSE UP - AIRCRAFT - LOWER TO THE GROUND, REMOVE JACKS AND DISCONNECT THE AIRCRAFT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION						Service ATA:07
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								
07-10/161	^S	JOB SET UP - AIRCRAFT - LIFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND AS NECESSARY TO DO THE INSPECTION						Service ATA:07
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-B-07-10-00-00A-901A-APROC. REF: AMM 12-B-07-10-00-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 08 - LEVELING AND WEIGHING								
08-CA/1	WEIGH AIRCRAFT							Service ATA:08
	MOS	28-Feb-25	48 (+10%/-10%)		28-Feb-29	24-Jul-29	856 d (+146)	
	HRS	1353:46						
	AFL	1011						
PROC. REF: AMM 12-B-08-10-00-00A-901A-APROC. REF: AMM 12-B-08-10-00-00A-901A-A								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/517 ^S	EXTERNAL PROTECTIVE COVERS (MSN 2001 AND UP) - EXAMINE. REPLACE IF THE APPLICABLE COVER: - IS DAMAGED OR TORN - DOES NOT INSTALL CORRECTLY - IS MISSING ANY PARTS.							Service ATA:10
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
10-10/901 STORING - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS Service ATA:10								
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/902 STORING - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS Service ATA:10								
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-10/903 STORING - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS Service ATA:10								
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/904	STORING - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-10-10-01-00A-901A-APROC. REF: AMM 12-B-10-10-01-00A-901A-A								
10-30/901	RETURN TO SERVICE - COMPLY WITH PART 1 OF THE PROCEDURE FOR AIRCRAFT BEING STORED UP TO 7 DAYS							Service ATA:10
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/902	RETURN TO SERVICE - COMPLY WITH PART 2 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 7 DAYS AND UP TO 28 DAYS							Service ATA:10
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/903	RETURN TO SERVICE - COMPLY WITH PART 3 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 28 DAYS AND UP TO 90 DAYS							Service ATA:10
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								
10-30/904	RETURN TO SERVICE - COMPLY WITH PART 4 OF THE PROCEDURE FOR AIRCRAFT BEING STORED MORE THAN 90 DAYS							Service ATA:10
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-10-30-00-00A-901A-APROC. REF: AMM 12-C-10-30-00-00A-901A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 11 - PLACARDS AND MARKINGS								
11-00/220 ^S	PLACARDS AND MARKINGS - EXAMINE AND ATTACH NEW PLACARDS IF NECESSARY							Service ATA:11
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
							PKG:3	
							WO#: EJJ-231126	
PROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-APROC. REF: AMM 12-B-11-00-00-00A-040A-A, AMM 12-B-11-00-00-00A-901A-A, AMM 12-B-11-20-00-00A-901A-A, AMM 12-B-11-30-00-00A-040A-A								
ATA 12 - SERVICING								
12-20/124 ^S	JOB SET UP - AIRCRAFT - WASH THE EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS AS REQUIRED TO DO THE INSPECTION							Service ATA:12
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
							PKG:5 ,1,2,3,4	
							WO#: EJJ-231126	
PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-01-01A-902A-A								
12-20/125 ^S	JOB SET UP - WINDSHIELDS AND WINDOWS - CLEAN							Service ATA:12
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
							PKG:5 ,1,2,3,4	
							WO#: EJJ-231126	
PROC. REF: AMM 12-B-12-20-02-00A-902A-APROC. REF: AMM 12-B-12-20-02-00A-902A-A								
12-20/126 ^S	JOB SET UP - COCKPIT AND CABIN - CLEAN							Service ATA:12
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
							PKG:5 ,1,2,3,4	
							WO#: EJJ-231126	
PROC. REF: AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-03-00A-902A-A								
12-CA/1	AIRCRAFT WASH							Service ATA:12
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 12 - SERVICING

PROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-APROC. REF: AMM 12-B-12-20-01-00A-902A-A, AMM 12-B-12-20-02-00A-902A-A, AMM 12-B-12-20-03-00A-902A-A

ATA 20 - STANDARD PRACTICES - AIRFRAME

00-00/45A	AIRCRAFT EXTERNAL CORROSION PROTECTIVE INSPECTION							Service	ATA:20
	MOS	03-Jun-26	6 (+10%/-10%)	Adj -3d	30-Nov-26	18-Dec-26	35 d (+18)		
	HRS	2137:46							
	AFL	1615							
									WO#: EJJ-231126
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									

00-00/45B	AIRCRAFT INTERNAL CORROSION PROTECTIVE INSPECTION							Service	ATA:20
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)		
	HRS	1939:47							
	AFL	1447							
									WO#: EJJ-231126
PROC. REF: AMM 12-B-20-40-00-00A-901A-APROC. REF: AMM 12-B-20-40-00-00A-901A-A									

20-CA/1	FUSELAGE BELLY DRAIN HOLE INSPECTION							Service	ATA:20
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)		
	HRS	1939:47	1200 (+10%/-10%)		3139:47	3259:47	721:19 (+120)		
	AFL	1447							
									WO#: EJJ-231126
PROC. REF: AMM 12-C-06-20-00-00A-040A-APROC. REF: AMM 12-C-06-20-00-00A-040A-A									

ATA 21 - AIR CONDITIONING

21-40/55 ^S	COLD AIR UNIT - ADD OIL							Service	ATA:21
	MOS	11-Sep-26							
	HRS	2349:35	600 (+10%/-10%)						
	AFL	1773							
									PKG:1
PROC. REF: AMM 12-B-21-40-02-00A-902A-APROC. REF: AMM 12-B-21-40-02-00A-902A-A									

21-40/56 ^S	HEAT EXCHANGER MATRIX - INSPECTION/CHECK							Service	ATA:21
	MOS	11-Sep-26							
	HRS	2349:35	600 (+10%/-10%)						
	AFL	1773							
									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 12-B-21-40-02-00A-313A-APROC. REF: AMM 12-B-21-40-02-00A-313A-A								
21-40/330	^S	CABIN AUXILIARY HEATER THERMAL PROTECTION SWITCH - OPERATIONAL TEST						Service ATA:21
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A								
21-40/331	^S	UNDERFLOOR HEATER THERMAL PROTECTION SWITCH - FUNCTIONAL TEST						Service ATA:21
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-21-40-01-00A-903B-APROC. REF: AMM 12-B-21-40-01-00A-903B-A								
21-40/50	^S	WATER SEPARATOR CONDENSER - CLEAN						Service ATA:21
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-21-40-03-00A-250A-APROC. REF: AMM 12-B-21-40-03-00A-250A-A								
21-50/499	^S	VAPOR CYCLE COMPRESSOR CONDENSER MODULE - INSPECTION/CHECK						Service ATA:21
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-C-21-50-01-00A-313A-APROC. REF: AMM 12-C-21-50-01-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-20/221	^S	ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT - EXAMINE						Service ATA:21
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-30/314	^S	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - CHECK FOR CONTAMINATION OF THE VALVE POPPET AND POPPET SEAT. IF CONTAMINATION IF FOUND REMOVE AND CLEAN						Service ATA:21
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
Special Properties: CMT ITEM								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-B-21-30-02-00A-250A-APROC. REF: AMM 12-B-21-30-02-00A-250A-A								
21-20/317		ECS EMERGENCY SHUT-OFF SYSTEM CHECK						Service ATA:21
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	AIRWORTHINESS
	HRS	1939:47	3000		4939:47		2521:19	
	AFL	1447						
								WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-30/463		CABIN PRESSURIZATION DUMP CONTROL - OPERATIONAL TEST						Service ATA:21
	MOS	03-Jun-26	12 (+10%/-10%)	Adj 29d	02-Jul-27	08-Aug-27	249 d (+37)	
	HRS	2137:46	600		2737:46		319:18	
	AFL	1615						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/464		CABIN PRESSURIZATION MANUAL CONTROL - OPERATIONAL TEST						Service ATA:21
	MOS	03-Jun-26	12 (+10%/-10%)	Adj 29d	02-Jul-27	08-Aug-27	249 d (+37)	
	HRS	2137:46	600		2737:46		319:18	
	AFL	1615						
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/465	CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE - FUNCTIONAL TEST							Service ATA:21
	MOS	31-Dec-22	48		31-Dec-26		66 d	
	HRS	0	4800		4800		2381:32	
	AFL	0						
Special Properties: CMT ITEM								WO#: EJJ-231126
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/467	CABIN PRESSURIZATION NEGATIVE PRESSURE RELIEF VALVE - EXAMINE							Service ATA:21
	MOS	31-Dec-22	48 (+10%/-10%)		31-Dec-26	24-May-27	66 d (+144)	
	HRS	0	4800 (+10%/-10%)		4800	5280	2381:32 (+480)	
	AFL	0						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-21-30-05-00A-310A-APROC. REF: AMM 12-B-21-30-05-00A-310A-A								
21-30/468	CABIN PRESSURIZATION ALTITUDE LIMITING FUNCTION - FUNCTIONAL TEST							Service ATA:21
	MOS	31-Dec-22	48		31-Dec-26		66 d	
	HRS	0	4800		4800		2381:32	
	AFL	0						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/469	CABIN PRESSURIZATION HIGH CABIN ALTITUDE WARNING - FUNCTIONAL TEST							Service ATA:21
	MOS	31-Dec-22	48		31-Dec-26		66 d	
	HRS	0	4800		4800		2381:32	
	AFL	0						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-21-30-00-00A-903B-APROC. REF: AMM 12-B-21-30-00-00A-903B-A								
21-30/667	OUTFLOW VALVE MSN1720-2476 - OVERHAUL							Service ATA:21
	MOS	07-Dec-22						OVERHAUL
	HRS	0	4800 (+10%/-10%)		4800	5280	2381:32 (+480)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/668	OUTFLOW VALVE CONTROLLER MSN 1720-2476 -OVERHAUL							Service ATA:21
	MOS	07-Dec-22						
	HRS	0	4800 (+10%/-10%)		4800	5280	2381:32 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-21-43-00-00A-903A-APROC. REF: AMM 12-B-21-43-00-00A-903A-A								
21-40/128	FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH - OPERATIONAL TEST							Service ATA:21
	MOS/MSC	02-Feb-24	N/A					
	HRS	526:22						
	AFL	444						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								
21-40/51	OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.216	MOS	31-Dec-22	60 (+6m/-6m)		31-Dec-27	30-Jun-28	431 d (+182)	
SN:1901	HRS	0	4800 (+10%/-10%)		4800	5280	2381:32 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-21-40-06-00A-903A-APROC. REF: AMM 12-B-21-40-06-00A-903A-A								
21-40/52	DUCT OVERTEMPERATURE SWITCH - FUNCTIONAL TEST							Service ATA:21
PN:973.81.32.214	MOS	10-Sep-25	60 (+6m/-6m)		10-Sep-30	10-Mar-31	1415 d (+181)	
SN:2228	HRS	1781:35	4800 (+10%/-10%)	TAC 43:25	6538:10	7018:10	4119:42 (+480)	
	AFL	1308						
PROC. REF: AMM 12-B-21-60-05-00A-903A-APROC. REF: AMM 12-B-21-60-05-00A-903A-A								
PC12A21200100	FIREWALL SHUT-OFF VALVE, S901							Component ATA:21
PN:963.30.11.005	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1478	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-20-01-00A-920A-APROC. REF: AMM 12-B-21-20-01-00A-920A-A								
PC12A21200200	DUAL FLAPPER CHECK VALVE, 2.5 IN							Component ATA:21
PN:963.30.11.106	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:4196B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21300100 CABIN PRESSURIZATION CONTROL UNIT, A176								Component ATA:21
PN:959.90.91.147	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:65000052-00666	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-01-00A-920B-APROC. REF: AMM 12-B-21-30-01-00A-920B-A								
PC12A21300200 SAFETY VALVE								Component ATA:21
PN:959.90.91.132	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:72-F1222	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-02-00A-920A-APROC. REF: AMM 12-B-21-30-02-00A-920A-A								
PC12A21300300 OUTFLOW VALVE, B154								Component ATA:21
PN:959.90.91.125	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:65053598-00659	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-03-00A-920B-APROC. REF: AMM 12-B-21-30-03-00A-920B-A								
PC12A21300410 NEGATIVE PRESSURE RELIEF VALVE, LH								Component ATA:21
PN:963.30.11.106	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:4206B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21300420 NEGATIVE PRESSURE RELIEF VALVE, RH								Component ATA:21
PN:963.30.11.106	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:4208B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400100 HP SHUT-OFF VALVE, L046								Component ATA:21
PN:959.90.20.131	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2628	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-04-00A-920A-APROC. REF: AMM 12-B-21-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400200 PRIMARY SHUT-OFF VALVE, L086								Component ATA:21
PN:959.90.20.138	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2628	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-05-00A-920A-APROC. REF: AMM 12-B-21-40-05-00A-920A-A								
PC12A21400300 WATER INJECTOR								Component ATA:21
PN:959.90.20.141	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2603	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400400 DUAL FLAPPER CHECK VALVE, 1.5 IN								Component ATA:21
PN:963.30.11.105	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2164B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-30-05-00A-920A-APROC. REF: AMM 12-B-21-30-05-00A-920A-A								
PC12A21400500 OVERPRESSURE SWITCH, S084								Component ATA:21
PN:973.81.15.105	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2170	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-07-00A-920A-APROC. REF: AMM 12-B-21-40-07-00A-920A-A								
PC12A21400600 HIGH-PRESSURE SWITCH, S020								Component ATA:21
PN:973.81.15.106	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2144	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-08-00A-920A-APROC. REF: AMM 12-B-21-40-08-00A-920A-A								
PC12A21400710 UNDERFLOOR HEATER, FR 21/22, HR210								Component ATA:21
PN:969.67.81.507	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:608874	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-01-00A-920A-APROC. REF: AMM 12-B-21-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21400720 CABIN HEATER, FR 29/30, HR291								Component ATA:21
PN:969.67.81.507	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:611233	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-15-00A-920A-APROC. REF: AMM 12-B-21-40-15-00A-920A-A								
PC12A21400810 UNDERFLOOR HEATER RELAY, FR 21, K210								Component ATA:21
PN:974.09.26.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2387	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400820 CABIN HEATER RELAY, FR 29, K293								Component ATA:21
PN:974.09.26.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2386	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A21400900 REFRIGERATION PACK								Component ATA:21
PN:959.90.20.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2659	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-02-00A-920A-APROC. REF: AMM 12-B-21-40-02-00A-920A-A								
PC12A21401000 OVERTEMPERATURE SWITCH, BLEED AIR, S044								Component ATA:21
PN:973.81.32.216	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1901	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21500100 COMPRESSOR								Component ATA:21
PN:959.90.22.163	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00358	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-01-00A-920A-APROC. REF: AMM 12-C-21-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21500200 CONDENSER MODULE								Component ATA:21
PN:959.90.22.168	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00336	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-05-00A-920A-APROC. REF: AMM 12-C-21-50-05-00A-920A-A								
PC12A21500300 CONDENSER FAN								Component ATA:21
PN:959.90.22.146	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00342	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-04-00A-920A-APROC. REF: AMM 12-C-21-50-04-00A-920A-A								
PC12A21500400 EVAPORATOR ASSEMBLY, LH								Component ATA:21
PN:959.90.22.150	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								
PC12A21500500 EVAPORATOR ASSEMBLY, RH								Component ATA:21
PN:959.90.22.158	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00337	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-21-50-02-00A-920A-APROC. REF: AMM 12-C-21-50-02-00A-920A-A								
PC12A21600100 INTEGRATED ECS CONTROLLER, A181								Component ATA:21
PN:959.90.20.102	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-01-00A-920A-APROC. REF: AMM 12-B-21-60-01-00A-920A-A								
PC12A21600200 TEMPERATURE CONTROL VALVE								Component ATA:21
PN:959.90.20.137	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2633	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-02-00A-920A-APROC. REF: AMM 12-B-21-60-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PC12A21600300 FLOW CONTROL VALVE ACTUATOR, B155								Component ATA:21
PN:959.90.20.161	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:000567	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-03-00A-920A-APROC. REF: AMM 12-B-21-60-03-00A-920A-A								
PC12A21600400 OVER TEMPERATURE SWITCH, ENGINE BAY, S082								Component ATA:21
PN:973.81.32.214	MOS/MSC	10-Sep-25	O/C					
SN:2228	HRS	1781:35		TSN 43:25				
	AFL	1308						
PROC. REF: AMM 12-B-21-40-06-00A-920A-APROC. REF: AMM 12-B-21-40-06-00A-920A-A								
PC12A21600510 DUCT TEMPERATURE SENSOR, ENGINE BAY. Z099								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:6773	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600520 DUCT TEMPERATURE SENSOR, COCKPIT, Z131								Component ATA:21
PN:959.90.20.121	MOS/MSC	15-Jul-26	O/C					
SN:5870	HRS	2245:34						
	AFL	1693						
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600530 DUCT TEMPERATURE SENSOR, UNDERFLOOR, Z211								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:6782	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								
PC12A21600540 DUCT TEMPERATURE SENSOR, CABIN, Z332								Component ATA:21
PN:959.90.20.121	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:6837	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-21-60-04-00A-920A-APROC. REF: AMM 12-B-21-60-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/519 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - CHECK							Service ATA:22
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								PKG:1
22-10/60 ^S	SERVO MOUNT (PITCH, ROLL AND YAW) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: AMM 12-C-22-10-00-00A-313A-APROC. REF: AMM 12-C-22-10-00-00A-313A-A								PKG:3 WO#: EJJ-231126
22-20/565 ^S	STICK PUSHER SYSTEM (MSN 2001 AND UP) - FUNCTIONAL TEST							Service ATA:22
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: AMM 12-C-22-20-00-00A-903A-APROC. REF: AMM 12-C-22-20-00-00A-903A-A								PKG:3 WO#: EJJ-231126
22-20/518 ^S	ANGLE OF ATTACK (AOA) TRANSMITTERS (MSN 2001 AND UP) -EXAMINE							Service ATA:22
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
22-10/233 ^S	PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES - EXAMINE							Service ATA:22
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4 WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC12A22100110 SERVO ACTUATOR, ROLL, A233								Component ATA:22
PN:985.99.12.275	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KSA2700-4746	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-03-00A-920A-APROC. REF: AMM 12-B-22-10-03-00A-920A-A								
PC12A22100120 SERVO ACTUATOR, YAW, A389								Component ATA:22
PN:065-00190-0101	MOS/MSC	12-Aug-26	O/C	TSR 0				
SN:KSA2700-4747	HRS	2311:58		TSR 0				
	AFL	1746		TSR 0				
PROC. REF: AMM 12-B-22-10-04-00A-920A-APROC. REF: AMM 12-B-22-10-04-00A-920A-A								
PC12A22100130 SERVO ACTUATOR, PITCH, A388								Component ATA:22
PN:985.99.12.275	MOS/MSC	31-Jan-25	O/C	TSN 25				
SN:KSA2700-4748	HRS	1339:30		TSN 1339:30				
	AFL	1002		TSN 1002				
PROC. REF: AMM 12-B-22-10-02-00A-920A-APROC. REF: AMM 12-B-22-10-02-00A-920A-A								
PC12A22100210 SERVO MOUNT, ROLL								Component ATA:22
PN:985.99.12.133	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KSM375-B4685	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100220 SERVO MOUNT, YAW								Component ATA:22
PN:985.99.12.133	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KSM375-B4687	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A22100230 SERVO MOUNT, PITCH								Component ATA:22
PN:985.99.12.133	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KSM375-B4688	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC12A22100300 FLIGHT CONTROL PANEL, A127								Component ATA:22
PN:985.99.12.258	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KMC9200A-1515	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-10-05-00A-920A-APROC. REF: AMM 12-B-22-10-05-00A-920A-A								
PC12A22200100 STICK PUSHER COMPUTER, A171								Component ATA:22
PN:975.44.23.106	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:144816	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-22-20-01-00A-920A-APROC. REF: AMM 12-C-22-20-01-00A-920A-A								
PC12A22200200 ANGLE OF ATTACK (AOA) TRANSMITTER, LH, HR579								Component ATA:22
PN:975.44.21.425	MOS/MSC	15-Jul-26	O/C	TSN 6				
SN:0556	HRS	2245:34						
	AFL	1693						
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A								
PC12A22200300 ANGLE OF ATTACK (AOA) TRANSMITTER, RH, HR679								Component ATA:22
PN:975.44.21.424	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2489	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-02-00A-920A-APROC. REF: AMM 12-B-22-20-02-00A-920A-A								
PC12A22200400 STICK SHAKER ACTUATOR, A113								Component ATA:22
PN:978.61.11.143	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-03-00A-920A-APROC. REF: AMM 12-B-22-20-03-00A-920A-A								
PC12A22200500 STICK PUSHER SERVO, A210								Component ATA:22
PN:978.61.11.103	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:81552	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-04-00A-920A-APROC. REF: AMM 12-B-22-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PC12A22200600		STICK PUSHER CAPSTAN					Component	ATA:22
PN:978.61.11.124	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:81455	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								
ATA 23 - COMMUNICATIONS								
23-10/322 ^S		AUDIO CONTROL PANEL EMERGENCY SWITCH - OPERATIONAL TEST					Service	ATA:23
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-B-23-50-00-00A-903A-APROC. REF: AMM 12-B-23-50-00-00A-903A-A								
23-10/323 ^S		EMERGENCY FREQUENCY COMM TUNING SWITCH - OPERATIONAL TEST					Service	ATA:23
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-B-23-12-00-00A-903A-APROC. REF: AMM 12-B-23-12-00-00A-903A-A								
PC12A23120110		MULTI MODE DIGITAL RADIO, MMDR 1, A115					Component	ATA:23
PN:985.99.12.464	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:7249	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								
PC12A23120120		MULTI MODE DIGITAL RADIO, MMDR 2, A114					Component	ATA:23
PN:069-01039-0101	MOS/MSC	02-Feb-23	O/C	TSN 0				
SN:7766	HRS	526:22		TSN 0				
	AFL	444		TSN 0				
PROC. REF: AMM 12-B-23-12-01-00A-920A-APROC. REF: AMM 12-B-23-12-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
PC12A23120210		VHF 1 ANTENNA, LOWER, E289					Component	ATA:23
PN:984.81.10.203	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:310-37423	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-02-00A-920A-APROC. REF: AMM 12-B-23-12-02-00A-920A-A								
PC12A23120220		VHF 2 ANTENNA, UPPER, E319					Component	ATA:23
PN:984.81.10.203	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:310-37424	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-12-03-00A-920A-APROC. REF: AMM 12-B-23-12-03-00A-920A-A								
PC12A23160200		SATCOM ANTENNA, IRIDIUM, FR 27/28, E272					Component	ATA:23
PN:984.81.10.210	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:430-17590	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-16-01-00A-920A-APROC. REF: AMM 12-B-23-16-01-00A-920A-A								
PC12A23500110		AUDIO CONTROL PANEL, PILOT, A125					Component	ATA:23
PN:985.99.12.067	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:E29A0681	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
PC12A23500120		AUDIO CONTROL PANEL, CO-PILOT, A126					Component	ATA:23
PN:985.99.12.067	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:E29A0687	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-23-50-01-00A-920A-APROC. REF: AMM 12-B-23-50-01-00A-920A-A								
ATA 24 - ELECTRICAL POWER								
24-30/473		GENERATOR 1 (P/N 978.91.23.407) - BRUSH CHECK					Service	ATA:24
PN:978.91.23.407	MOS	11-Sep-26						
SN:P3623	HRS	2349:35	600 (+10%/-10%)	2949:35	3009:35	531:07 (+60)		
	AFL	1773						
Special Properties: CMT ITEM								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/474	STARTER/GENERATOR 2 (P/N 978.91.23.407) - BRUSH CHECK							Service ATA:24
PN:978.91.23.407	MOS	11-Sep-26						
SN:P2804	HRS	2349:35	600 (+10%/-10%)		2949:35	3009:35	531:07 (+60)	
	AFL	1773						
Special Properties: CMT ITEM								PKG:1
PROC. REF: AMM 12-B-24-30-01-00A-313A-APROC. REF: AMM 12-B-24-30-01-00A-313A-A								
24-30/313 ^S	DC ELECTRICAL SYSTEM - FUNCTIONAL TEST							Service ATA:24
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3
								WO#: EJJ-231126
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								
24-30/312 ^S	EXTERNAL POWER CONTROLLER - OVER/UNDER VOLTAGE TRIP PROTECTION OPERATIONAL TEST							Service ATA:24
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4
								WO#: EJJ-231126
PROC. REF: AMM 12-B-24-40-00-00A-903A-APROC. REF: AMM 12-B-24-40-00-00A-903A-A								
24-40/229 ^S	EXTERNAL POWER UNIT (EPU) RECEPTACLE - EXAMINE							Service ATA:24
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4
								WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-60/133 ^S	COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS - EXAMINE							Service ATA:24
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
24-30/311	GENERATOR CONTROL UNITS, GCU 1 AND GCU 2 - FUNCTIONAL TEST OVER AND UNDER-VOLTAGE TRIP PROTECTION (CMR)							Service ATA:24
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	3000		4939:47		2521:19	
	AFL	1447						
								WO#: EJJ-231126
PROC. REF: AMM 12-C-71-00-00-00A-903D-APROC. REF: AMM 12-C-71-00-00-00A-903D-A								
24-30/340	NO. 1 LEAD ACID BATTERY - REMOVE / CAPACITY TEST							Service ATA:24
PN:RG-380E/44	MOS	03-Jun-26	6 (+10%/-10%)	Adj -7d	26-Nov-26	14-Dec-26	31 d (+18)	
SN:41238102	HRS	2137:46	600 (+10%/-10%)		2737:46	2797:46	319:18 (+60)	
	AFL	1615						
Special Properties: CMT ITEM								WO#: EJJ-231126
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/340	NO. 2 LEAD ACID BATTERY - REMOVE / CAPACITY TEST							Service ATA:24
PN:RG-380E/44	MOS	11-Sep-26	6 (+10%/-10%)	Adj -14d	25-Feb-27	13-Mar-27	122 d (+16)	
SN:41238104	HRS	2349:35	600 (+10%/-10%)		2949:35	3009:35	531:07 (+60)	
	AFL	1773						
Special Properties: CMT ITEM								
PROC. REF: AMM 12-B-24-30-07-00A-920A-APROC. REF: AMM 12-B-24-30-07-00A-920A-A								
24-30/492	OVERHAUL GENERATOR 1 (P/N 978.91.23.407)							Service ATA:24
PN:978.91.23.407	MOS	11-Sep-26						OVERHAUL
SN:P3623	HRS	2349:35	1200 (+10%/-10%)	Adj -53:39	3495:56	3615:56	1077:28 (+120)	
	AFL	1773						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/493	OVERHAUL STARTER/GENERATOR 2 (P/N 978.91.23.407)							Service ATA:24
PN:978.91.23.407	MOS	11-Sep-26						OVERHAUL
SN:P2804	HRS	2349:35	1200 (+10%/-10%)	Adj -53:39	3495:56	3615:56	1077:28 (+120)	
	AFL	1773						
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
24-30/520	NO. 1 NI-CAD BATTERY(MSN 2001 AND UP) - REMOVE AND SERVICE							Service ATA:24
PN:RG-380E/44	MOS/MSC		N/A					
SN:41238102	HRS							
	AFL							
Special Properties: CMT ITEM								WO#: EJJ-231126
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
24-30/520	NO. 2 NI-CAD BATTERY (MSN 2001 AND UP) - REMOVE AND SERVICE							Service ATA:24
PN:RG-380E/44	MOS/MSC		N/A					
SN:41238104	HRS							
	AFL							
Special Properties: CMT ITEM								
PROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
24-50/509	EMERGENCY POWER SUPPLY - REMOVE / CAPACITY TEST							Service ATA:24
PN:501-1712-02	MOS	19-Jan-26	12 (+10%/-10%)	Adj 7d	15-Jan-27	20-Feb-27	81 d (+36)	
SN:84564	HRS	1939:47						
	AFL	1447						
Special Properties: CMT ITEM								WO#: EJJ-231126
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								
PC12A24300110	NO. 1 BATTERY							Component ATA:24
PN:RG-380E/44	MOS/MSC	03-Jun-26	O/C					
SN:41238102	HRS	2137:46						
	AFL	1615						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24300120		NO. 2 BATTERY					Component	ATA:24
PN:RG-380E/44	MOS/MSC	11-Sep-26	O/C					
SN:41238104	HRS	2349:35						
	AFL	1773						
PROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-APROC. REF: AMM 12-B-24-30-07-00A-920A-A, AMM 12-B-24-30-07-00A-920B-A, AMM 12-B-24-30-07-00A-920C-A								
PC12A24300210		GENERATOR 1					Component	ATA:24
PN:978.91.23.407	MOS/MSC	11-Sep-26	H/T	TSO 0				
SN:P3623	HRS	2349:35		TSO 0				
	AFL	1773		TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300220		STARTER/GENERATOR 2					Component	ATA:24
PN:978.91.23.407	MOS/MSC	11-Sep-26	H/T	TSO 0				
SN:P2804	HRS	2349:35		TSO 0				
	AFL	1773		TSO 0				
PROC. REF: AMM 12-B-24-30-01-00A-920A-APROC. REF: AMM 12-B-24-30-01-00A-920A-A								
PC12A24300310		VOLTAGE REGULATOR 1 (GCU 1)					Component	ATA:24
PN:988.21.14.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:P5762	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-05-00A-920A-APROC. REF: AMM 12-B-24-30-05-00A-920A-A								
PC12A24300320		VOLTAGE REGULATOR 2 (GCU 2)					Component	ATA:24
PN:988.21.14.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:P5768	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-06-00A-920A-APROC. REF: AMM 12-B-24-30-06-00A-920A-A								
PC12A24300410		CURRENT SENSOR, GENERATOR 1, LH, MT001					Component	ATA:24
PN:975.50.85.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N8633	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24300420 CURRENT SENSOR, GENERATOR 2, RH, MT002								Component ATA:24
PN:975.50.85.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N8630	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300510 GENERATOR 1 CONTACTOR, LH, K001								Component ATA:24
PN:974.03.38.113	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2318	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24300520 GENERATOR 2 CONTACTOR, RH, K002								Component ATA:24
PN:974.03.38.113	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-30-08-00A-920A-APROC. REF: AMM 12-B-24-30-08-00A-920A-A								
PC12A24400100 BATTERY AND EXTERNAL POWER JUNCTION BOX, A381								Component ATA:24
PN:974.03.38.154	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-40-01-00A-920A-APROC. REF: AMM 12-B-24-40-01-00A-920A-A								
PC12A24520100 POWER JUNCTION BOX, LH, A121								Component ATA:24
PN:974.03.38.144	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1473	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-10-00A-920A-APROC. REF: AMM 12-B-24-52-10-00A-920A-A								
PC12A24520200 POWER JUNCTION BOX, RH, A122								Component ATA:24
PN:974.03.38.145	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1340	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-52-20-00A-920A-APROC. REF: AMM 12-B-24-52-20-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PC12A24520300	EMERGENCY POWER SUPPLY, A183							Component ATA:24
PN:501-1712-02	MOS/MSC	19-Jan-26	O/C					
SN:84564	HRS	1939:47						
	AFL	1447						
PROC. REF: AMM 12-B-24-52-51-00A-920A-APROC. REF: AMM 12-B-24-52-51-00A-920A-A								WO#: EJJ-231126
PC12A24520400	RELAY PANEL, FR 16-17							Component ATA:24
PN:974.20.04.262	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0505	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-24-52-30-00A-920A-APROC. REF: AMM 12-C-24-52-30-00A-920A-A								
PC12A24600100	STATIC INVERTER, A310							Component ATA:24
PN:975.02.15.107	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:9542	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-24-60-01-00A-920A-APROC. REF: AMM 12-B-24-60-01-00A-920A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/522 ^S	CREW SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service ATA:25
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
25-20/511 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION.							Service ATA:25
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/566	^S	CREW SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION						Service ATA:25
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
25-10/567	^S	CREW SEAT (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION						Service ATA:25
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
25-20/569	^S	PASSENGER SEATS (MSN 2001 AND UP) - REMOVE AS NECESSARY TO DO THE INSPECTION						Service ATA:25
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
25-20/570	^S	PASSENGER SEATS (MSN 2001 AND UP) - INSTALL AS NECESSARY TO CLOSE THE INSPECTION						Service ATA:25
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
25-10/568	^S	CREW SEATS (MSN 2001 AND UP) - REMOVE CUSHIONS, COVERS AND SHELLS (REFER CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS						Service ATA:25
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
25-20/512 ^S	PASSENGER SEATS (MSN 2001 AND UP) - EXAMINE, IF NECESSARY, REFER TO THE APPLICABLE CMM:CMM 25-70-76 FOR EXECUTIVE SEATSCMM 2044-CMM026 FOR STANDARD SEATS FOR EXECUTIVE SEATS ONLY, WITH THE SEAT CUSHION REMOVED, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service ATA:25
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76PROC. REF: CMM CONDITION CHECKS, CMM 25-70-76								
25-60/232 ^S	ELT INSTALLATION - EXAMINE							Service ATA:25
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/521 ^S	CREW SEAT BELTS (MSN 2001 AND UP) - EXAMINE							Service ATA:25
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REF, AMM 12-B-25-10-01-00A-310A-APROC. REF: GENERIC NO REF, AMM 12-B-25-10-01-00A-310A-A								
25-20/523 ^S	PASSENGER SEAT BELTS AND EXTENSIONS (MSN 2001 AND UP) - EXAMINE							Service ATA:25
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60/524 ^S	ELT (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:25
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-25-63-00-00A-903B-APROC. REF: AMM 12-B-25-63-00-00A-903B-A								PKG:2
25-60/483	PERFORM PERIODIC INSPECTIONS ON ELT, KANNAD 406 AF (WITH AND WITHOUT NAVIGATION INTERFACE UNIT) AND KANNAD INTEGRA 406 AF							Service ATA:25
PN:985.13.80.882	MOS/MSC	31-Dec-22	A/R					
SN:TM0000263280	HRS	0						
	AFL	0						
PROC. REF: SIL PERIODIC INSPECTIONPROC. REF: SIL PERIODIC INSPECTION								
25-62/642 ^U	EXAMINE LIFE VESTS							Service ATA:25
	MOS	19-Jan-26	12 (+10%/-10%)	Adj 3d	22-Jan-27	27-Feb-27	88 d (+36)	
	HRS	1939:47						
	AFL	1447						
25-62/643	REPLACE COPILOT LIFE VEST							Service ATA:25
PN:904.92.17.915	MOS	31-Dec-22	120		31-Aug-32 (M)		2136 d	REPLACE
SN:L5569358	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 1 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442566	HRS							
	AFL							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 2 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442560	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 3 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442562	HRS							
	AFL							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 4 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442568	HRS							
	AFL							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 5 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442565	HRS							
	AFL							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 6 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442564	HRS							
	AFL							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE NO. 7 LIFE VEST							Service ATA:25
PN:63600-105	MOS	22-Jan-25	120		01-Mar-32		1953 d	REPLACE
SN:L5442569	HRS	1331:35						
	AFL	996						
Manufacture Date:: 01-Mar-22								
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62/643	REPLACE NO. 8 LIFE VEST							Service ATA:25
PN:904.92.17.913	MOS	31-Dec-22	120		31-Mar-32 (M)		1983 d	REPLACE
SN:L5442567	HRS							
	AFL							
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-62/643	REPLACE PILOT LIFE VEST							Service ATA:25
PN:904.92.17.915	MOS	31-Dec-22	120		31-Aug-32 (M)		2136 d	REPLACE
SN:L5569371	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-25-62-00-00A-920A-APROC. REF: AMM 12-B-25-62-00-00A-920A-A								
25-63/23	DISCARD ELT BATTERY							Service ATA:25
PN:985.13.80.882	MOS/MSC		DUE		30-Apr-29 (M)		917 d	DISCARD
SN:TM0000263280	HRS							
	AFL							
PROC. REF: AMM 12-B-25-63-00-00A-920B-APROC. REF: AMM 12-B-25-63-00-00A-920B-A								
25-63/434	DISCARD KANNAD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD NAV INTERFACE INSTALLED)							Service ATA:25
PN:985.13.80.881	MOS	14-Dec-22	120 (+6m/-6m)		14-Dec-32	14-Jun-33	2241 d (+182)	DISCARD
SN:TM0000259326	HRS	0	16000 (+500/-500)		16000	16500	13581:32 (+500)	
	AFL							
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
25-CA/51	REPLACE / RECERTIFY FIRST AID KIT							Service ATA:25
PN:710108/710109	MOS	03-Jun-26	12 (+10%/-10%)		03-Jun-27	09-Jul-27	220 d (+36)	
SN:2412-002444	HRS	2137:46						
	AFL	1615						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25C003 ^U	FAK COMPANION KIT							Component ATA:25
PN:710104	MOS/MSC	03-Jun-26	DUE	TSN 0	01-May-27 (M)		187 d	
SN:2602-002091	HRS	2137:46		TSN 0				
	AFL	1615		TSN 0				
Expiry Date: : 01-May-27								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25C004 ^U	INSPECTION OF COMPANION KIT							Service ATA:25
PN:710104	MOS	03-Jun-26	12 (+10%/-10%)		03-Jun-27	09-Jul-27	220 d (+36)	
SN:2602-002091	HRS	2137:46						
	AFL	1615						
PC12A25100110	PILOT SEAT							Component ATA:25
PN:959.30.01.455	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:104232	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25100120	CO-PILOT SEAT							Component ATA:25
PN:959.30.01.456	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:104234	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-10-01-00A-920A-APROC. REF: AMM 12-C-25-10-01-00A-920A-A								
PC12A25220100	NO. 1 PASSENGER SEAT							Component ATA:25
PN:959.30.00.083	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:68891	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220200	NO. 2 PASSENGER SEAT							Component ATA:25
PN:959.30.00.115	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:68892	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220300	NO. 3 PASSENGER SEAT							Component ATA:25
PN:959.30.00.079	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:68893	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-APROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25220400		NO. 4 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:68894	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220500		NO. 5 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.080	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:68896	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220600		NO. 6 PASSENGER SEAT					Component	ATA:25
PN:959.30.00.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:68895	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220700		NO. 7 PASSENGER SEAT					Component	ATA:25
PN:959.30.01.447	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:MC1205524	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25220800		NO. 8 PASSENGER SEAT					Component	ATA:25
PN:959.30.01.448	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:MC1205525	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-25-21-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A, AMM 12-C-25-22-01-00A-920A-A								
PC12A25630100		EMERGENCY LOCATOR TRANSMITTER (ELT)					Component	ATA:25
PN:985.13.80.882	MOS/MSC	25-Nov-25	O/C	TSN 35				
SN:TM0000263280	HRS	1888:35		TSN 1888:35				
	AFL	1380		TSN 1380				
PROC. REF: AMM 12-B-25-63-00-00A-920B-A, AMM 12-B-25-63-00-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A25630110		ANTENNE, EXTERNAL					Component	ATA:25
PN:985.13.80.847	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:132785-5401	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A25630200		INTEGRA ENAV UNIT, A380					Component	ATA:25
PN:985.13.80.881	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:TM0000259326	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-25-63-03-00A-920B-APROC. REF: AMM 12-B-25-63-03-00A-920B-A								
PC12A25630300		EMERGENCY LOCATOR TRANSMITTER (ELT) REMOTE CONTROL PANEL, A151A1					Component	ATA:25
PN:985.13.80.817	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:TM0000239663	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA010		FIRST AID KIT					Component	ATA:25
PN:710108/710109	MOS/MSC	03-Jun-26	H/T	TSN 0	01-May-27 (M)		187 d	
SN:2412-002444	HRS	2137:46		TSN 0				
	AFL	1615		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA110		PILOT LIFE VEST					Component	ATA:25
PN:904.92.17.915	MOS/MSC	31-Dec-22	H/T	TSR 0				
SN:L5569371	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA120		COPILOT LIFE VEST					Component	ATA:25
PN:904.92.17.915	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5569358	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA210		NO. 1 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5442566	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA220		NO. 2 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5442560	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA230		NO. 3 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5442562	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA240		NO. 4 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5442568	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA250		NO. 5 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5442565	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA260		NO. 6 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:L5442564	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A256CA270		NO. 7 LIFE VEST					Component	ATA:25
PN:63600-105	MOS/MSC	22-Jan-25	H/T					
SN:L5442569	HRS	1331:35						
	AFL	996						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A256CA280		NO. 8 LIFE VEST					Component	ATA:25
PN:904.92.17.913	MOS/MSC	31-Dec-22	H/T	TSR 0				
SN:L5442567	HRS	0						
	AFL	0						
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA010		ECONNECT USB PORT					Component	ATA:25
PN:106401-00000	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:500119	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA110		ECONNECT HIGH CAPACITY DRIVE ROUTER					Component	ATA:25
PN:CWR-451-2000-02	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:EQ201-02-00510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA120		ECONNECT LOW CAPACITY DRIVE ROUTER					Component	ATA:25
PN:CWR-451-2000-01	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA210		ECONNECT NO. 1 ANTENNA					Component	ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:879598	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PC12A257CA220		ECONNECT NO. 2 ANTENNA					Component	ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:879607	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA230		ECONNECT NO. 3 ANTENNA					Component	ATA:25
PN:5W-2.40-2.50P-XTB-4	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:879629	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A257CA310		ECONNECT WIRING HARNESS					Component	ATA:25
PN:2E-1301-22-0000	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:235865-1-20	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 26 - FIRE PROTECTION								
26-20/2		LIFE LIMIT - CABIN FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D)					Service	ATA:26
PN:P3APP003010D	MOS/MSC		N/A					
SN:062426	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/2		LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D)					Service	ATA:26
PN:P3APP003010D	MOS/MSC	31-Dec-22	N/A					
SN:103058	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/24		CABIN FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D) - CONTENTS CHECK					Service	ATA:26
PN:P3APP003010D	MOS/MSC		N/A					
SN:062426	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20/24	COCKPIT FIRE EXTINGUISHER (EXCEPT MODEL P3APP003010D) - CONTENTS CHECK							Service ATA:26
PN:P3APP003010D	MOS/MSC	22-Jan-25	N/A	Adj -22d				
SN:103058	HRS	1331:35						
	AFL	996						
PROC. REF: AMM 12-B-26-20-00-01A-289A-APROC. REF: AMM 12-B-26-20-00-01A-289A-A								
26-20/515	CABIN FIRE EXTINGUISHER (MODEL P3APP003010D) - CONTENTS CHECK							Service ATA:26
PN:P3APP003010D	MOS	19-Jan-26	24 (+10%/-10%)	Adj 14d	02-Feb-28	14-Apr-28	464 d (+72)	
SN:062426	HRS	1939:47						
	AFL	1447						
PROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-APROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-A								
26-20/515	COCKPIT FIRE EXTINGUISHER (MODEL P3APP003010D) - CONTENTS CHECK							Service ATA:26
PN:P3APP003010D	MOS	02-Jul-25	24 (+10%/-10%)		02-Jul-27	14-Sep-27	249 d (+74)	
SN:103058	HRS	0						
	AFL	0						
PROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-APROC. REF: CMM 26-24-01, AMM 12-B-26-20-00-02A-289A-A								
26-20/516	LIFE LIMIT - CABIN FIRE EXTINGUISHER (MODEL P3APP003010D)							Service ATA:26
PN:P3APP003010D	MOS	02-Feb-24	144		02-Feb-36		3386 d	LIFE LIMIT
SN:062426	HRS	526:22						
	AFL	444						
Manufacture Date:: 02-Feb-24								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20/516	LIFE LIMIT - COCKPIT FIRE EXTINGUISHER (MODEL P3APP003010D)							Service ATA:26
PN:P3APP003010D	MOS	02-Jul-25	144		02-Jul-37		3902 d	LIFE LIMIT
SN:103058	HRS							
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A26100100	FIRE/OVERHEAT DETECTOR, A043							Component ATA:26
PN:975.12.10.012	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:218547	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PC12A26200100		COCKPIT FIRE EXTINGUISHER					Component	ATA:26
PN:P3APP003010D	MOS/MSC	02-Jul-25	H/T	TSR 0				
SN:103058	HRS							
	AFL							
PROC. REF: AMM 12-B-26-20-01-00A-920A-APROC. REF: AMM 12-B-26-20-01-00A-920A-A								
PC12A26200200		CABIN FIRE EXTINGUISHER					Component	ATA:26
PN:P3APP003010D	MOS/MSC	02-Feb-24	H/T	TSN 0				
SN:062426	HRS	526:22		TSN 0				
	AFL	444		TSN 0				
PROC. REF: AMM 12-B-26-20-02-00A-920A-APROC. REF: AMM 12-B-26-20-02-00A-920A-A								
ATA 27 - FLIGHT CONTROLS								
27-00/525 ^S	AILERON, ELEVATOR AND RUDDER CONTROLS (MSN 2001 AND UP) - OPERATE, MAKE SURE FULL AND FREE TRAVEL						Service	ATA:27
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
27-40/530 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM SYSTEM						Service	ATA:27
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								PKG:1
27-50/143 ^S	JOB SET UP - FLAPS - LOWER TO 40 DEGREES AS NECESSARY TO DO THE INSPECTION						Service	ATA:27
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								PKG:5 ,1,2,3,4 WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/475 ^S	JOB CLOSE UP - FLAPS - RETRACT TO 0 DEGREES AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:27
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-10/234 ^S	AILERON LH AND RH RODS AND LEVERS - EXAMINE. SPRAY PTFE TEFLON SPRAY OKS 571 (OR EQUIVALENT) AROUND THE AILERON PUSHROD GUIDE ROLLER SLEEVES AT ALL THREE LOCATIONS IN EACH WING							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-10/235 ^S	AILERON ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-10/236 ^S	AILERON CONTROLS - EXAMINE THE CONTROL CABLES AND PULLEYS AS FAR AS POSSIBLE. MOVE THE MECHANISM SO THAT YOU CAN SEE ALL PARTS OF THE CABLES AND MAKE SURE THE SAFETY CLIPS ARE FULLY ENGAGED IN THE TURN-BUCKLES							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-10-00-00A-313A-APROC. REF: AMM 12-B-27-10-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/237	^S	AILERON CABLE TENSION - CHECK						Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								
27-10/470	^S	AILERON CONTROL SYSTEM BEARINGS - LUBRICATE						Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-10-00-00A-901A-APROC. REF: AMM 12-B-27-10-00-00A-901A-A								
27-20/241	^S	RUDDER CONTROLS - INSPECTION / CHECK						Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-20-00-00A-313A-APROC. REF: AMM 12-B-27-20-00-00A-313A-A								
27-20/243	^S	RUDDER CABLE TENSION - CHECK						Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/246	^S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS						Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/247 ^S	ELEVATOR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/249 ^S	ELEVATOR CONTROLS - INSPECTION / CHECK							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								
27-30/250 ^S	ELEVATOR CABLE TENSION - CHECK							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/514 ^S	ELEVATOR STOPS - EXAMINE. IF FOUND MISSING, LOOSE OR DAMAGED, INSTALL A NEW OR REPAIR THE STOPS							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-55-20-01-00A-904B-APROC. REF: AMM 12-B-55-20-01-00A-904B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/252 ^S	PITCH TRIM ACTUATOR AND ATTACHMENTS - INSPECTION/CHECK							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-40-01-00A-313A-APROC. REF: AMM 12-B-27-40-01-00A-313A-A								
27-40/571 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - FUNCTIONAL TEST OF TRIM SYSTEM							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-50/253 ^S	FLAPS ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-30-00-00A-313A-APROC. REF: AMM 12-B-27-30-00-00A-313A-A								
27-50/254 ^S	FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS - EXAMINE							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/255 ^S	FLAPS - FUNCTIONAL TEST AND ASYMMETRY MONITOR TEST							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
Special Properties: CMT ITEM								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-50-00-00A-903A-APROC. REF: AMM 12-B-27-50-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/526 ^S	AILERON LH AND RH (MSN 2001 AND UP) - EXAMINE AND LUBRICATE THE TRIM HINGES WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								PKG:2
27-20/527 ^S	RUDDER (MSN 2001 AND UP) - INSPECTION/CHECK							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-55-40-00-00A-313A-APROC. REF: AMM 12-B-55-40-00-00A-313A-A								PKG:2
27-30/528 ^S	ELEVATORS (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								PKG:2
27-40/529 ^S	HORIZONTAL STABILIZER TRIM (MSN 2001 AND UP) - OPERATIONAL TEST OF TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								PKG:2
27-50/494 ^S	FLAP ACTUATORS (BLACK ANODIZED) (P/N 978.73.20.309) - LUBRICATE							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-27-50-00-00A-902A-APROC. REF: AMM 12-B-27-50-00-00A-902A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/531 ^S	FLAPS AND FLAP SUPPORT MECHANISM (MSN 2001 AND UP) - EXAMINE							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								PKG:2
27-50/532 ^S	FLAP UP AND DOWN LIMIT SWITCHES (MSN 2001 AND UP) - SERVICING							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-12-20-07-00A-902A-APROC. REF: AMM 12-B-12-20-07-00A-902A-A								PKG:2
27-10/238 ^S	AILERONS - FUNCTIONAL TEST							Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: AMM 12-B-27-10-00-00A-903A-APROC. REF: AMM 12-B-27-10-00-00A-903A-A								PKG:4 WO#: EJJ-231126
27-15/239 ^S	AILERON TRIM - FUNCTIONAL TEST							Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: AMM 12-B-27-15-00-00A-903A-APROC. REF: AMM 12-B-27-15-00-00A-903A-A								PKG:4 WO#: EJJ-231126
27-20/240 ^S	RUDDER STATIC DISCHARGERS - EXAMINE							Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4 WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/244	^S	RUDDER - FUNCTIONAL TEST						Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/245	^S	RUDDER TRIM - FUNCTIONAL TEST						Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-25-00-00A-903A-APROC. REF: AMM 12-B-27-25-00-00A-903A-A								
27-30/248	^S	ELEVATOR STATIC DISCHARGERS - EXAMINE						Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/251	^S	ELEVATOR - FUNCTIONAL TEST						Service ATA:27
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-00/402		SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - BONDING LEADS TO ALL FLIGHT CONTROL SURFACES - EXAMINE						Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00/71	FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES - INSPECTION/CHECK							Service ATA:27
	MOS	31-Dec-22	60 (+6m/-6m)		31-Dec-27	30-Jun-28	431 d (+182)	
	HRS	0	4800 (+10%/-10%)		4800	5280	2381:32 (+480)	
	AFL	0						
PROC. REF: AMM 12-B-27-00-00-00A-313A-APROC. REF: AMM 12-B-27-00-00-00A-313A-A								
27-10/394	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-10-00-00A-310A-APROC. REF: AMM 12-B-27-10-00-00A-310A-A								
27-10/395	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CABLE SEGMENT - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-10-09-00A-353A-APROC. REF: AMM 12-B-27-10-09-00A-353A-A								
27-10/396	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-10/397	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-10/398	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON BELLCRANKS - EDDY CURRENT AND MAGNETIC PARTICLE INSPECTIONS							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-APROC. REF: AMM 12-B-27-10-08-00A-352B-A, AMM 12-B-27-10-08-00A-353A-A, AMM 12-B-27-10-08-00A-353B-A								
27-10/400	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON HINGE POINTS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-57-60-06-00A-353A-APROC. REF: AMM 12-B-57-60-06-00A-353A-A								
27-10/444	LIFE LIMIT - FLIGHT CONTROL CABLES, AILERON							Service ATA:27
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-10-01-00A-920A-APROC. REF: AMM 12-B-27-10-01-00A-920A-A								
27-10/445	LIFE LIMIT - AUTOPILOT CONTROL CABLE, AILERON							Service ATA:27
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-10-02-00A-920A-APROC. REF: AMM 12-B-27-10-02-00A-920A-A								
27-20/374	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-20-00-00A-310A-APROC. REF: AMM 12-B-27-20-00-00A-310A-A								
27-20/376	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER CABLE QUADRANT SHEAR SPIGOT - EXAMINE (CPCP)							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-20-05-00A-310A-APROC. REF: AMM 12-B-27-20-05-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/430	RUDDER CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service ATA:27
	MOS/MSC	30-Mar-23	N/A					
	HRS	160:32						
	AFL	179						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/431	RUDDER CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service ATA:27
	MOS/MSC	31-Dec-22	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-20-00-00A-903A-APROC. REF: AMM 12-B-27-20-00-00A-903A-A								
27-20/446	LIFE LIMIT - FLIGHT CONTROL CABLES, RUDDER							Service ATA:27
	MOS	31-Dec-22					LIFE LIMIT	
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-20-01-00A-920A-APROC. REF: AMM 12-B-27-20-01-00A-920A-A								
27-20/447	LIFE LIMIT - AUTOPILOT CONTROL CABLES, RUDDER							Service ATA:27
	MOS	31-Dec-22					LIFE LIMIT	
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-20-02-00A-920A-APROC. REF: AMM 12-B-27-20-02-00A-920A-A								
27-20/575	REPLACE RUDDER BELLCRANK							Service ATA:27
PN:PN	MOS	31-Dec-22					LIFE LIMIT	
SN:UNKNOWN	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-20-04-00A-920A-APROC. REF: AMM 12-B-27-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/333	ELEVATOR CONTROL CABLES TENSION - CHECK FOR NEW FACTORY DELIVERED AIRCRAFT THAT HAVE NOT DONE THE 1200 FH OR 12 MONTHS INSPECTION PACKAGE							Service ATA:27
	MOS/MSC	30-Mar-23	N/A					
	HRS	160:32						
	AFL	179						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/334	ELEVATOR CONTROL CABLES TENSION - CHECK AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND ELEVATOR)							Service ATA:27
	MOS/MSC	31-Dec-22	-					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-27-30-00-00A-903A-APROC. REF: AMM 12-B-27-30-00-00A-903A-A								
27-30/363	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - CONTROL SYSTEM - EXAMINE (CPCP)							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-30-00-00A-310A-APROC. REF: AMM 12-B-27-30-00-00A-310A-A								
27-30/364	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-00-01-00A-353A-APROC. REF: AMM 12-B-27-00-01-00A-353A-A								
27-30/365	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL RODS - MAGNETIC PARTICLE INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-27-00-01-00A-352A-APROC. REF: AMM 12-B-27-00-01-00A-352A-A								
27-30/366	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR CONTROL LEVER - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-B-27-30-05-00A-353A-APROC. REF: AMM 12-B-27-30-05-00A-353A-A								
27-30/448	LIFE LIMIT - FLIGHT CONTROL CABLES, ELEVATOR							Service ATA:27
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-30-01-00A-920A-APROC. REF: AMM 12-B-27-30-01-00A-920A-A								
27-30/449	LIFE LIMIT - AUTOPILOT CONTROL CABLES, ELEVATOR							Service ATA:27
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-30-02-00A-920A-APROC. REF: AMM 12-B-27-30-02-00A-920A-A								
27-30/450	LIFE LIMIT - STICK PUSHER CABLES							Service ATA:27
	MOS	31-Dec-22						LIFE LIMIT
	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-22-20-06-00A-920A-APROC. REF: AMM 12-B-22-20-06-00A-920A-A								
27-40/1	HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)							Service ATA:27
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	3000		4939:47		2521:19	
	AFL	1447						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-27-40-00-00A-903A-APROC. REF: AMM 12-B-27-40-00-00A-903A-A								
27-40/3	LIFE LIMIT - PITCH TRIM ACTUATOR							Service ATA:27
PN:129-1-1100-02	MOS	14-Feb-25						LIFE LIMIT
SN:3850	HRS	1342:20	20000		21342:20		18923:52	
	AFL	1005	27000		28005		26178	
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/307	LIFE LIMIT - PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL-SAFE PLATES AND THEIR ATTACHMENT PARTS (IPD 12-20-00-07)							Service ATA:27
PN:129-1-1100-02	MOS	14-Feb-25						LIFE LIMIT
SN:3850	HRS	1342:20	10000		11342:20		8923:52	
	AFL	1005						
PROC. REF: AMM 12-B-27-40-02-00A-920A-APROC. REF: AMM 12-B-27-40-02-00A-920A-A								
27-40/508	PITCH TRIM ACTUATOR - OVERHAUL							Service ATA:27
PN:129-1-1100-02	MOS	14-Feb-25	84	TAC 4	14-Oct-31		1814 d	OVERHAUL
SN:3850	HRS	1342:20	3400	TAC 0	4742:20		2323:52	
	AFL	1005		TAC 0				
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
27-50/28	OVERHAUL FLAP POWER DRIVE UNIT							Service ATA:27
PN:978.73.20.003	MOS	31-Dec-22						OVERHAUL
SN:2031	HRS	0	10000 (+500/-500)		10000	10500	7581:32 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	11673 (+500)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/386	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP MECHANISM - EXAMINE (CPCP)							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-27-51-00-00A-310A-APROC. REF: AMM 12-B-27-51-00-00A-310A-A								
27-50/387	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (NOT REMOVED) - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: AMM 12-B-27-51-00-00A-353A-APROC. REF: AMM 12-B-27-51-00-00A-353A-A								
27-50/388	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP DRIVE ARM (REMOVED) - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/389	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP SUPPORT ARM - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/390	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP COVE RIB FITTINGS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/391	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP AFT LINKS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/392	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FLAP BELLCRANKS - EDDY CURRENT INSPECTION							Service ATA:27
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-APROC. REF: AMM 12-B-27-51-01-00A-353A-A, AMM 12-B-27-51-02-00A-353A-A, AMM 12-B-27-51-03-00A-353A-A								
27-50/414	LIFE LIMIT - FLAP LH							Service ATA:27
PN:557.50.12.007	MOS	31-Dec-22						LIFE LIMIT
SN:1686	HRS	0	25000		25000		22581:32	
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
27-50/414	LIFE LIMIT - FLAP RH							Service ATA:27
PN:557.50.12.008	MOS	31-Dec-22						LIFE LIMIT
SN:1686	HRS	0	25000		25000		22581:32	
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/437	INBOARD FLAP DRIVE ARMS (P/N 527.52.12.153 OR P/N 527.52.12.154) - IN-SITU INSPECTION/ CHECK							Service ATA:27
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	2926:22	2986:22	507:54 (+60)	
	AFL	1773						
PROC. REF: AMM 12-B-27-51-00-00A-313A-APROC. REF: AMM 12-B-27-51-00-00A-313A-A								
27-50/451	LIFE LIMIT - LEFT INBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
27-50/451	LIFE LIMIT - LEFT OUTBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
27-50/451	LIFE LIMIT - RIGHT INBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-51-01-00A-920A-APROC. REF: AMM 12-B-27-51-01-00A-920A-A								
27-50/451	LIFE LIMIT - RIGHT OUTBOARD FLAP TENSION ROD							Service ATA:27
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-51-03-00A-920A-APROC. REF: AMM 12-B-27-51-03-00A-920A-A								
27-50/485	LIFE LIMIT - LEFT INBOARD FLAP ACTUATOR (P/N 978.73.20.309) (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						LIFE LIMIT
SN:8239	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/485	LIFE LIMIT - LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						LIFE LIMIT
SN:8241	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						LIFE LIMIT
SN:8242	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/485	LIFE LIMIT - RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						LIFE LIMIT
SN:8245	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/495	BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
SN:8239	HRS	1331:35	2400 (+10%/-10%)		3731:35	3971:35	1313:07 (+240)	
	AFL	996	3200 (+10%/-10%)		4196	4516	2369 (+320)	
								WO#: EJJ-231126
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495	BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
SN:8241	HRS	1331:35	2400 (+10%/-10%)		3731:35	3971:35	1313:07 (+240)	
	AFL	996	3200 (+10%/-10%)		4196	4516	2369 (+320)	
								WO#: EJJ-231126
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/495	BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
SN:8242	HRS	1331:35	2400 (+10%/-10%)		3731:35	3971:35	1313:07 (+240)	
	AFL	996	3200 (+10%/-10%)		4196	4516	2369 (+320)	
								WO#: EJJ-231126
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/495	BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
SN:8245	HRS	1331:35	2400 (+10%/-10%)		3731:35	3971:35	1313:07 (+240)	
	AFL	996	3200 (+10%/-10%)		4196	4516	2369 (+320)	
								WO#: EJJ-231126
PROC. REF: AMM 12-B-27-50-03-00A-313A-APROC. REF: AMM 12-B-27-50-03-00A-313A-A								
27-50/506	OVERHAUL LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						OVERHAUL
SN:8239	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	5173 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						OVERHAUL
SN:8241	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	5173 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/506	OVERHAUL RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)(P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						OVERHAUL
SN:8242	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	5173 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/506	OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED) (P/N 978.73.20.309)							Service ATA:27
PN:978.73.20.309	MOS	31-Dec-22						OVERHAUL
SN:8245	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0	7000 (+500/-500)		7000	7500	5173 (+500)	
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
27-50/507	DISCARD LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	31-Dec-22						DISCARD
SN:S10530	HRS	0	10000 (+500/-500)		10000	10500	7581:32 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	11673 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N 945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	31-Dec-22						DISCARD
SN:S10499	HRS	0	10000 (+500/-500)		10000	10500	7581:32 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	11673 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD RIGHT INBOARDFLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.205)							Service ATA:27
PN:945.02.02.205	MOS	31-Dec-22						DISCARD
SN:S10532	HRS	0	10000 (+500/-500)		10000	10500	7581:32 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	11673 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
27-50/507	DISCARD RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT (P/N945.02.02.206)							Service ATA:27
PN:945.02.02.206	MOS	31-Dec-22						DISCARD
SN:S10491	HRS	0	10000 (+500/-500)		10000	10500	7581:32 (+500)	
	AFL	0	13500 (+500/-500)		13500	14000	11673 (+500)	
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27150100	AILERON TRIM ACTUATOR, B561							Component ATA:27
PN:978.73.18.138	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2732B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-15-01-00A-920A-APROC. REF: AMM 12-B-27-15-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27250100		RUDDER TRIM ACTUATOR, B381					Component	ATA:27
PN:978.73.18.138	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2736B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-25-01-00A-920A-APROC. REF: AMM 12-B-27-25-01-00A-920A-A								
PC12A27400100		PITCH TRIM ACTUATOR					Component	ATA:27
PN:129-1-1100-02	MOS/MSC	14-Feb-25	H/T	TSN 0				
SN:3850	HRS	1342:20		TSN 0				
	AFL	1005		TSN 0				
PROC. REF: AMM 12-B-27-40-01-00A-920A-APROC. REF: AMM 12-B-27-40-01-00A-920A-A								
PC12A27400200		TRIM ADAPTER SOLID STATE RELAY, A262XK1					Component	ATA:27
PN:974.20.01.503	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:S21225016	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27400300		TRIM ADAPTER SOLID STATE RELAY, A262XK4					Component	ATA:27
PN:974.20.01.504	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:S21195775	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A27500100		FLAP CONTROL AND WARNING UNIT, A261					Component	ATA:27
PN:978.73.20.042	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:144580	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-05-00A-920A-APROC. REF: AMM 12-B-27-50-05-00A-920A-A								
PC12A27500200		FLAP POWER DRIVE UNIT					Component	ATA:27
PN:978.73.20.003	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:2031	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-01-00A-920A-APROC. REF: AMM 12-B-27-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27500310		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.205	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:S10530	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500320		RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.205	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:S10532	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500410		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.206	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:S10499	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500420		RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT					Component	ATA:27
PN:945.02.02.206	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:S10491	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-02-00A-920A-APROC. REF: AMM 12-B-27-50-02-00A-920A-A								
PC12A27500510		LEFT INBOARD FLAP ACTUATOR					Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:8239	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500520		RIGHT INBOARD FLAP ACTUATOR					Component	ATA:27
PN:978.73.20.309	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:8242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PC12A27500610 LEFT OUTBOARD FLAP ACTUATOR								Component ATA:27
PN:978.73.20.309	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:8241	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500620 RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)								Component ATA:27
PN:978.73.20.309	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:8245	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500710 ROTATION TRANSMITTER, LH, MT532								Component ATA:27
PN:978.73.20.602	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3496	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
PC12A27500720 ROTATION TRANSMITTER, RH, MT632								Component ATA:27
PN:978.73.20.602	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3497	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-27-50-03-00A-920A-APROC. REF: AMM 12-B-27-50-03-00A-920A-A								
ATA 28 - FUEL								
28-20/504 ^S	MOTIVE FLOW LINE INSULATION (INSIDE FUEL TANK) - INSPECTION/CHECK							Service ATA:28
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
Special Properties: CMT ITEM								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-28-20-09-01A-313A-APROC. REF: AMM 12-C-28-20-09-01A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10/533	^S	FUEL TANK FILLER CAPS (MSN 2001 AND UP) - EXAMINE						Service ATA:28
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-10/534	^S	FUEL (MSN 2001 AND UP) - REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER						Service ATA:28
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-20/149	^S	FIREWALL FUEL SHUT-OFF VALVE - OPERATE THE FUEL EMERGENCY SHUT-OFF LEVER AND MAKE SURE THE FIREWALL SHUT-OFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT THE LEVER OUTER END IS BELOW 44.5 N (10 IBF)						Service ATA:28
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
28-20/256	^S	FUEL SYSTEM COMPONENTS - EXAMINE AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPENED/REMOVED IN THIS INSPECTION PACKAGE						Service ATA:28
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4 WO#: EJJ-231126
28-20/505	^S	FUEL DELIVERY LINE (INSIDE FUEL TANK) - INSPECTION/CHECK						Service ATA:28
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
Special Properties: CMT ITEM								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-C-28-20-10-00A-313A-APROC. REF: AMM 12-C-28-20-10-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10/500	INWARD VENT VALVE - FUNCTIONAL TEST							Service ATA:28
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	1200 (+10%/-10%)		3139:47	3259:47	721:19 (+120)	
	AFL	1447						
								WO#: EJJ-231126
PROC. REF: AMM 12-C-28-10-03-00A-903A-APROC. REF: AMM 12-C-28-10-03-00A-903A-A								
28-10/501	OUTWARD VENT VALVE - OPERATIONAL TEST							Service ATA:28
	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
	HRS	1331:35	2400 (+10%/-10%)		3731:35	3971:35	1313:07 (+240)	
	AFL	996						
								WO#: EJJ-231126
PROC. REF: AMM 12-C-28-10-01-00A-903A-APROC. REF: AMM 12-C-28-10-01-00A-903A-A								
28-10/639	CONTAMINATION ANALYSIS							Service ATA:28
	MOS	11-Sep-26	12 (+10%/-10%)		11-Sep-27	17-Oct-27	320 d (+36)	
	HRS	2349:35						
	AFL	1773						
PROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-APROC. REF: AMM 12-C-28-00-00-00A-377A-A, AMM 12-C-28-00-00-01A-901A-A								
28-10/645	FUEL TANK - VISUAL INSPECTION FOR CONTAMINATION							Service ATA:28
	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	
	HRS	1331:35						
	AFL	996						
								WO#: EJJ-231126
PROC. REF: AMM 12-C-28-10-00-00A-310C-APROC. REF: AMM 12-C-28-10-00-00A-310C-A								
28-20/502	FUEL TANK VENT FLOAT VALVE AND FLAME ARRESTER - OPERATIONAL TEST							Service ATA:28
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	2926:22	2986:22	507:54 (+60)	
	AFL	1773						
PROC. REF: AMM 12-C-28-20-00-00A-903A-APROC. REF: AMM 12-C-28-20-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/503	INSPECTION/CHECK FLAME ARRESTOR MESH SCREEN							Service ATA:28
	MOS	31-Dec-22						
	HRS	0	4800 (+10%/-10%)		4800	5280	2381:32 (+480)	
	AFL	0						
PROC. REF: AMM 12-C-28-20-11-01A-313A-APROC. REF: AMM 12-C-28-20-11-01A-313A-A								
PC12A28200100	FIREWALL SHUT OFF VALVE							Component ATA:28
PN:963.87.22.302	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0188	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-08-00A-920A-APROC. REF: AMM 12-C-28-20-08-00A-920A-A								
PC12A28200200	FUEL PRESSURE TRANSDUCER							Component ATA:28
PN:975.21.15.225	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:8854-8-26	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28200310	BOOSTER PUMP, LH, B511							Component ATA:28
PN:968.84.11.408	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0462	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200320	BOOSTER PUMP, RH, B611							Component ATA:28
PN:968.84.11.408	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0470	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-04-00A-920A-APROC. REF: AMM 12-C-28-20-04-00A-920A-A								
PC12A28200410	TRANSFER JET PUMP, LH							Component ATA:28
PN:968.84.71.112	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0495	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200420 TRANSFER JET PUMP, RH								Component ATA:28
PN:968.84.71.112	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-05-00A-920A-APROC. REF: AMM 12-C-28-20-05-00A-920A-A								
PC12A28200510 DELIVERY AND TRANSFER JET PUMP, LH								Component ATA:28
PN:968.84.71.113	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0394	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200520 DELIVERY AND TRANSFER JET PUMP, RH								Component ATA:28
PN:968.84.71.113	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0401	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-06-00A-920A-APROC. REF: AMM 12-C-28-20-06-00A-920A-A								
PC12A28200610 MOTIVE FLOW NON RETURN VALVE, LH								Component ATA:28
PN:963.82.21.319	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0457	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200620 MOTIVE FLOW NON RETURN VALVE, RH								Component ATA:28
PN:963.82.21.319	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0462	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-20-09-00A-920A-APROC. REF: AMM 12-C-28-20-09-00A-920A-A								
PC12A28200710 INWARD VENT NON RETURN VALVE, LH								Component ATA:28
PN:963.04.26.520	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:RJ2-1020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28200720 INWARD VENT NON RETURN VALVE, RH								Component ATA:28
PN:963.04.26.520	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:RJ2-1034	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-10-03-00A-920A-APROC. REF: AMM 12-C-28-10-03-00A-920A-A								
PC12A28400100 FUEL CONTROL MONITOR UNIT, A240								Component ATA:28
PN:975.37.31.340	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-04-00A-920A-APROC. REF: AMM 12-C-28-40-04-00A-920A-A								
PC12A28400210 FUEL QUANTITY HARNESS, LH, A531								Component ATA:28
PN:975.37.31.335	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2703	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28400220 FUEL QUANTITY HARNESS, RH, A631								Component ATA:28
PN:975.37.31.335	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2667	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A28400310 FUEL QUANTITY SENSOR, COLLECTOR, LH								Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3440	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400320 FUEL QUANTITY SENSOR, COLLECTOR, RH								Component ATA:28
PN:975.37.31.250	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3454	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PC12A28400410 FUEL QUANTITY SENSOR, INNER, LH								Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3459	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400420 FUEL QUANTITY SENSOR, INNER, RH								Component ATA:28
PN:975.37.31.251	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3458	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400510 FUEL QUANTITY SENSOR, CENTER, LH								Component ATA:28
PN:975.37.31.252	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3565	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400520 FUEL QUANTITY SENSOR, CENTER, RH								Component ATA:28
PN:975.37.31.252	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3649	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400610 FUEL QUANTITY SENSOR, OUTER, LH								Component ATA:28
PN:975.37.31.253	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3652	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								
PC12A28400620 FUEL QUANTITY SENSOR, OUTER, RH								Component ATA:28
PN:975.37.31.253	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3675	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-28-40-01-00A-920A-APROC. REF: AMM 12-C-28-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-10/260	^S	AIRFOIL DE-ICE SYSTEM - FUNCTIONAL TEST						Service ATA:30
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-30-10-00-00A-903A-APROC. REF: AMM 12-C-30-10-00-00A-903A-A								
30-20/261	^S	AIR BY-PASS DOOR AND OPERATING MECHANISM - EXAMINE AND LUBRICATE WITH MINIMUM QUANTITY OF CPC (P10-001)						Service ATA:30
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-10/155	^S	INERTIAL SEPARATION SYSTEM - OPERATIONAL TEST						Service ATA:30
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-30-20-00-00A-903A-APROC. REF: AMM 12-B-30-20-00-00A-903A-A								
30-10/536	^S	WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS (MSN 2001 AND UP) - INSPECTION/CHECK						Service ATA:30
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								
30-20/537	^S	ENGINE AIR INTAKE DE-ICE LIP (MSN 2001 AND UP) - EXAMINE AND LOOK FOR SIGNS OF GAS LEAKS-NONE ARE PERMITTED						Service ATA:30
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
Special Properties: CMT ITEM								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-30/329 ^S	PROBES DE-ICE SYSTEM - FUNCTIONAL TEST							Service ATA:30
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-30-30-20-00A-903A-APROC. REF: AMM 12-B-30-30-20-00A-903A-A								PKG:2
30-60/158 ^S	PROPELLER DE-ICE SYSTEM - INSPECTION/CHECK							Service ATA:30
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-30-60-00-00A-313B-APROC. REF: AMM 12-B-30-60-00-00A-313B-A								PKG:2
30-60/159 ^S	PROPELLER DE-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-APROC. REF: AMM 12-B-30-60-00-00A-903B-A, AMM 12-B-30-60-00-00A-903D-A								PKG:2
30-40/262 ^S	WINDSHIELD DE-ICE SYSTEM - OPERATIONAL TEST							Service ATA:30
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: AMM 12-B-30-40-00-00A-903A-APROC. REF: AMM 12-B-30-40-00-00A-903A-A								PKG:4 WO#: EJJ-231126
30-10/79	APPLY AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO. 1							Service ATA:30
	MOS	11-Sep-26	6 (+10%/-10%)		11-Mar-27	29-Mar-27	136 d (+18)	
	HRS	2349:35						
	AFL	1773						
PROC. REF: AMM 12-B-30-10-00-00A-313A-APROC. REF: AMM 12-B-30-10-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100100 AIRFOIL DE-ICE SYSTEM TIMER, A230								Component ATA:30
PN:959.89.01.044	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:UA998	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-03-00A-920A-APROC. REF: AMM 12-B-30-10-03-00A-920A-A								
PC12A30100200 PRESSURE REGULATOR								Component ATA:30
PN:959.89.01.012	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300096	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-01-00A-920A-APROC. REF: AMM 12-B-30-10-01-00A-920A-A								
PC12A30100300 WATER SEPARATOR								Component ATA:30
PN:959.89.01.010	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30100410 EJECTOR FLOW CONTROL VALVE (FCV), INBD, UPPER, L605								Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300535	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100420 EJECTOR FLOW CONTROL VALVE (FCV), INBD, LOWER, L606								Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300536	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100430 EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, UPPER, L600								Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300531	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100440 EJECTOR FLOW CONTROL VALVE (FCV), OUTBD, LOWER, L601								Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300534	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100450 EJECTOR FLOW CONTROL VALVE (FCV), HORIZ STAB, L602								Component ATA:30
PN:959.89.01.008	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:N300548	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-10-02-00A-920A-APROC. REF: AMM 12-B-30-10-02-00A-920A-A								
PC12A30100510 PRESSURE SWITCH, INBD, UPPER, S600								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:11867	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100520 PRESSURE SWITCH, INBD, LOWER, S601								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:11868	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100530 PRESSURE SWITCH, OUTBD, UPPER, S603								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:11888	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30100540 PRESSURE SWITCH, OUTBD, LOWER, S602								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:11875	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30100550 PRESSURE SWITCH, HORIZ STAB, S380								Component ATA:30
PN:973.81.14.312	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:11909	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-10-04-00A-920A-APROC. REF: AMM 12-C-30-10-04-00A-920A-A								
PC12A30140100 DE-ICING BOOT, WING, INBD, LH								Component ATA:30
PN:959.89.01.037	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:NGG0750	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140200 DE-ICING BOOT, WING, INBD, RH								Component ATA:30
PN:959.89.01.038	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:NGG9520	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140300 DE-ICING BOOT, WING, OUTBD, LH								Component ATA:30
PN:959.89.01.039	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:NGF9390	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30140400 DE-ICING BOOT, WING, OUTBD, RH								Component ATA:30
PN:959.89.01.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:NGG0400	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-14-01-00A-920A-APROC. REF: AMM 12-C-30-14-01-00A-920A-A								
PC12A30160100 DE-ICING BOOT, HORIZONTAL STABILIZER, LH								Component ATA:30
PN:959.89.01.041	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:NGF8760	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30160200		DE-ICING BOOT, HORIZONTAL STABILIZER, RH					Component	ATA:30
PN:959.89.01.042	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:NGH0020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-30-16-01-00A-920A-APROC. REF: AMM 12-C-30-16-01-00A-920A-A								
PC12A30200100		INERTIAL SEPARATOR ACTUATOR					Component	ATA:30
PN:978.73.15.302	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:F70244	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-20-01-00A-920A-APROC. REF: AMM 12-B-30-20-01-00A-920A-A								
PC12A30300110		AOA PLATE TEMPERATURE CONTROLLER, LH, A578					Component	ATA:30
PN:975.44.21.418	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:UJ727	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
PC12A30300120		AOA PLATE TEMPERATURE CONTROLLER, RH, A678					Component	ATA:30
PN:975.44.21.418	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:UJ648	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-30-21-00A-920A-APROC. REF: AMM 12-B-30-30-21-00A-920A-A								
PC12A30300210		CURRENT SENSOR, DE-ICE PANEL, LH S2351					Component	ATA:30
PN:974.29.00.205	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:5444	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A30300220		CURRENT SENSOR, DE-ICE PANEL, RH S2341					Component	ATA:30
PN:974.29.00.205	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:5470	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PC12A30400110		WINDSHIELD DE-ICE CONTROLLER, LH, A111						Component ATA:30
PN:972.81.32.202	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:145130	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30400120		WINDSHIELD DE-ICE CONTROLLER, RH, A112						Component ATA:30
PN:972.81.32.202	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:145140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-40-01-00A-920A-APROC. REF: AMM 12-B-30-40-01-00A-920A-A								
PC12A30600100		PROPELLER DE-ICE TIMER, A030						Component ATA:30
PN:968.29.13.227	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:U4728	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-30-60-01-00A-920A-APROC. REF: AMM 12-B-30-60-01-00A-920A-A								
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-30/421		LDR (IF INSTALLED) - OPERATIONAL TEST						Service ATA:31
PN:985.99.20.127	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
SN:002074180	HRS	1939:47	1200 (+10%/-10%)		3139:47	3259:47	721:19 (+120)	
	AFL	1447						
PROC. REF: AMM 12-C-31-30-01-00A-903A-APROC. REF: AMM 12-C-31-30-01-00A-903A-A								
PC12A31100100		OVERHEAD CONTROL PANEL, A140						Component ATA:31
PN:972.81.21.168	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0234	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-10-00-00A-920A-APROC. REF: AMM 12-B-31-10-00-00A-920A-A								

PKG:3
WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31120100 CROSSBAR PANEL, INNER, LH								Component ATA:31
PN:972.81.21.143	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1181	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31120200 CROSSBAR PANEL, INNER, RH								Component ATA:31
PN:972.81.21.162	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0225	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130100 CENTRE CONSOLE PANEL, FRONT								Component ATA:31
PN:972.81.21.165	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0226	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31130200 CENTRE CONSOLE PANEL, MIDDLE								Component ATA:31
PN:972.81.21.159	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0221	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								
PC12A31130300 CENTRE CONSOLE PANEL, REAR								Component ATA:31
PN:972.81.21.167	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-10-02-00A-920A-APROC. REF: AMM 12-C-33-10-02-00A-920A-A								
PC12A31300100 COCKPIT VOICE & FLIGHT DATA RECORDER (CVFDR), A361								Component ATA:31
PN:985.99.20.127	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:002074180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-01-00A-920A-APROC. REF: AMM 12-B-31-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31300200		AREA MICROPHONE, COCKPIT, A118					Component	ATA:31
PN:985.99.20.188	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:100005471	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-30-02-00A-920A-APROC. REF: AMM 12-B-31-30-02-00A-920A-A								
PC12A31410100		MODULAR AVIONICS UNIT HOUSING, A200					Component	ATA:31
PN:985.99.11.966	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2206C537	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-31-41-00-00A-920A-APROC. REF: AMM 12-C-31-41-00-00A-920A-A								
PC12A31410210		AIRCRAFT PERSONALITY MODULE (APM) 1, LH, A201					Component	ATA:31
PN:985.83.14.204	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:40862116	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31410220		AIRCRAFT PERSONALITY MODULE (APM) 2, RH, A202					Component	ATA:31
PN:985.83.14.204	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:40862197	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31420100		POWER SUPPLY MODULE (PS) 1					Component	ATA:31
PN:985.99.12.346	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22082671	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420200		NETWORK INTERFACE CONTROLLER (NIC) 1					Component	ATA:31
PN:985.99.12.434	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2208W534	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420300 ADVANCED GRAPHIC MODULE (AGM) 1A								Component ATA:31
PN:985.99.12.276	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22085235	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420400 CUSTOM INPUT/OUTPUT (CSIO) MODULE								Component ATA:31
PN:985.99.12.251	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22092840	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420500 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 1A MODULE								Component ATA:31
PN:985.99.12.190	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2209Y096	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420600 ACTUATOR-INPUT/OUTPUT-PROCESSOR (AIOP) 2B MODULE								Component ATA:31
PN:985.99.12.190	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2209Y100	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420700 DUAL GENERIC INPUT/OUTPUT (DGIO) MODULE								Component ATA:31
PN:985.99.12.252	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22073584	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31420800 ADVANCED GRAPHIC MODULE (AGM) 2B								Component ATA:31
PN:985.99.12.276	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22105451	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
PC12A31420900CONTROL INPUT/OUTPUT MODULE (CIO)								Component ATA:31
PN:985.99.12.028	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22072610	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421000ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWF) MODULE								Component ATA:31
PN:985.99.12.001	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22096033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A31421100NETWORK INTERFACE CONTROLLER (NIC) 2								Component ATA:31
PN:985.99.12.434	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2208W536	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
PC12A31421200POWER SUPPLY MODULE (PS) 2								Component ATA:31
PN:985.99.12.346	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22082686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-31-42-00-00A-920A-APROC. REF: AMM 12-B-31-42-00-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/263 ^S	MAIN LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

PKG:3

WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/265	^S	NOSE LANDING GEAR ELECTRICAL BONDING STRAPS - EXAMINE						Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/162	^S	MAIN LANDING GEAR - LUBRICATE						Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								
32-10/163	^S	MAIN LANDING GEAR LEGS - EXAMINE						Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/164	^S	MAIN LANDING GEAR COMPARTMENTS - EXAMINE						Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/165	^S	MAIN LANDING GEAR SHOCK STRUTS - CHECK NITROGEN PRESSURE						Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-32-10-00-00A-902A-APROC. REF: AMM 12-B-32-10-00-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/166 ^S	NOSE LANDING GEAR SHOCK STRUT - CHECK NITROGEN PRESSURE							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-32-20-00-00A-902A-APROC. REF: AMM 12-B-32-20-00-00A-902A-A								PKG:2
32-20/167 ^S	NOSE LANDING GEAR - LUBRICATE							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-12-20-04-00A-902A-APROC. REF: AMM 12-B-12-20-04-00A-902A-A								PKG:2
32-20/168 ^S	NOSE LANDING GEAR LEG AND STEERING MECHANISM - EXAMINE, IN PARTICULAR THE STEERING ROD END (P/N 532.20.12.134) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-20/169 ^S	NOSE LANDING GEAR COMPARTMENT - EXAMINE							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-30/425 ^S	ELECTRO MECHANICAL EXTENSION AND RETRACTION MECHANISM - EXAMINE ALL COMPONENTS AND THEIR ATTACHMENTS IN THE NOSE AND MAIN LANDING GEAR COMPARTMENTS							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
Special Properties: CMT ITEM PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/171 ^S	MAIN WHEELS - EXAMINE. ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-40/173 ^S	NOSE WHEEL - EXAMINE . ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
32-40/538 ^S	MAIN WHEEL TIRES (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								PKG:2
32-40/539 ^S	NOSE WHEEL TIRE (MSN 2001 AND UP) - EXAMINE AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-12-10-04-00A-902A-APROC. REF: AMM 12-B-12-10-04-00A-902A-A								PKG:2
32-40/540 ^S	BRAKE SYSTEM (MSN 2001 AND UP) - APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40/541 ^S	FLUID RESERVOIR (MSN 2001 AND UP) - CHECK AND REPLENISH, IF NECESSARY							Service ATA:32
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-12-10-02-00A-902A-APROC. REF: AMM 12-B-12-10-02-00A-902A-A								PKG:2
32-10/315	MAIN LANDING GEAR HINGE PIN AND BUSHES - INSPECTION/CHECK							Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	2400 (+10%/-10%)		4339:47	4579:47	1921:19 (+240)	
	AFL	1447						
PROC. REF: AMM 12-B-32-10-00-00A-313B-APROC. REF: AMM 12-B-32-10-00-00A-313B-A								WO#: EJJ-231126
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG YOKE FITTING O (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	31-Dec-22						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/346	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG YOKE FITTING (ELECTRO MECHANICAL LANDING GEAR) OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	31-Dec-22						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - LEFT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	31-Dec-22						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/347	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RIGHT MLG TRAILING LINK OVERHAUL AND EDDY CURRENT INSPECTION (CPCP)							Service ATA:32
PN:PN	MOS	31-Dec-22						OVERHAUL
SN:UNKNOWN	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/436	MAIN LANDING GEAR SHOCK ABSORBER TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47						
	AFL	1447						
WO#: EJJ-231126								
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438	LH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service ATA:32
	MOS	31-Dec-22	72		31-Dec-28		797 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/438	RH MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT - EXAMINE							Service ATA:32
	MOS	31-Dec-22	72		31-Dec-28		797 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/439	LH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Dec-22	72		31-Dec-28		797 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/439	RH MAIN LANDING GEAR SPRING PACK ASSEMBLY TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Dec-22	72		31-Dec-28		797 d	
	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/440	LH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Dec-22	72		31-Dec-28		797 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/440	RH MAIN LANDING GEAR FOLDING STRUT TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Dec-22	72		31-Dec-28		797 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441	LH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Dec-22	120		31-Dec-32		2258 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/441	RH MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS - EXAMINE							Service ATA:32
	MOS	31-Dec-22	120		31-Dec-32		2258 d	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-10/80	LEFT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.45.12.066	MOS/MSC	15-Jul-26	12 (+10%/-10%) / T/C		15-Jul-27	21-Aug-27	262 d (+37)	
SN:4974	HRS	2245:34						
	AFL	1693						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/80	NOSE LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.41.12.003	MOS/MSC	19-Jan-26	12 (+10%/-10%) / T/C	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
SN:2353	HRS	1939:47						
	AFL	1447						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-10/80	RIGHT MAIN LANDING GEAR WHEEL BEARINGS - LUBRICATE							Service ATA:32
PN:532.45.12.066	MOS/MSC	11-Sep-26	12 (+10%/-10%) / T/C		11-Sep-27	17-Oct-27	320 d (+36)	
SN:4981	HRS	2349:35						
	AFL	1773						
PROC. REF: AMM 12-B-12-20-06-00A-902A-APROC. REF: AMM 12-B-12-20-06-00A-902A-A								
32-20/403	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG - OVERHAUL							Service ATA:32
PN:532.20.12.045	MOS	31-Dec-22						OVERHAUL
SN:SI-0020	HRS	0	T:25000 (+500/-500)		25000	25500	22581:32 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	28173 (+500)	
PROC. REF: GENERIC CMM, CMM 32-20-05PROC. REF: GENERIC CMM, CMM 32-20-05								
32-20/416	LIFE LIMIT - NLG UPPER RIGHT HAND DRAG LINK							Service ATA:32
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	25000		25000		22581:32	
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-32-20-05-00A-920B-APROC. REF: AMM 12-B-32-20-05-00A-920B-A								
32-30/423	LIFE LIMIT - LEFT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.853	MOS	31-Dec-22						LIFE LIMIT
SN:1504	HRS	0						
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/423	LIFE LIMIT - NOSE LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.852	MOS	31-Dec-22						LIFE LIMIT
SN:758	HRS	0						
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/423	LIFE LIMIT - RIGHT MAIN LANDING GEAR ACTUATOR – ELECTRO MECHANICAL LANDING GEAR							Service ATA:32
PN:959.56.01.853	MOS	31-Dec-22						LIFE LIMIT
SN:1513	HRS	0						
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
32-30/424	EMERGENCY GEAR EXTENSION SYSTEM (ELECTRO MECHANICAL LANDING GEAR) - OPERATIONAL TEST							Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	2000		3939:47		1521:19	
	AFL	1447						
Special Properties: CMT ITEM								WO#: EJJ-231126
PROC. REF: AMM 12-B-32-30-10-00A-903A-APROC. REF: AMM 12-B-32-30-10-00A-903A-A								
32-30/426	TIME DELAY RELAYS AND POWER CONTACTOR (ELECTRO MECHANICAL LANDING GEAR) - FUNCTIONAL TEST							Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	2000		3939:47		1521:19	
	AFL	1447						
Special Properties: CMT ITEM								WO#: EJJ-231126
PROC. REF: AMM 12-B-32-30-08-00A-903A-APROC. REF: AMM 12-B-32-30-08-00A-903A-A								
32-30/429	MAIN LANDING GEAR SPRING STRUT (ELECTRO MECHANICAL LANDING GEAR) - EXAMINE THE SPRINGS							Service ATA:32
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47	2000		3939:47		1521:19	
	AFL	1447						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-32-10-06-00A-313A-APROC. REF: AMM 12-B-32-10-06-00A-313A-A								
32-30/435	LEFT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.853	MOS	31-Dec-22						DISCARD
SN:1504	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	10173 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/435	NOSE LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.852	MOS	31-Dec-22						DISCARD
SN:758	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	10173 (+500)	
PROC. REF: AMM 12-B-32-30-02-01A-920B-APROC. REF: AMM 12-B-32-30-02-01A-920B-A								
32-30/435	RIGHT MAIN LANDING GEAR ELECTRO MECHANICAL ACTUATORS ANTI-ROTATION PADS - DISCARD							Service ATA:32
PN:959.56.01.853	MOS	31-Dec-22						DISCARD
SN:1513	HRS	0						
	AFL	0	12000 (+500/-500)		12000	12500	10173 (+500)	
PROC. REF: AMM 12-B-32-30-01-01A-920B-APROC. REF: AMM 12-B-32-30-01-01A-920B-A								
32-30/442	LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
PN:959.56.01.853	MOS	31-Dec-22	72		31-Dec-28		797 d	
SN:1504	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-30/442	RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS - EXAMINE							Service ATA:32
PN:959.56.01.853	MOS	31-Dec-22	72		31-Dec-28		797 d	
SN:1513	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-32-10-00-00A-310B-APROC. REF: AMM 12-B-32-10-00-00A-310B-A								
32-50/404	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - NLG STEERING MECHANISM - EXAMINE							Service ATA:32
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-32-50-00-00A-310A-APROC. REF: AMM 12-B-32-50-00-00A-310A-A								
PC12A32100100	LEFT MAIN LANDING GEAR							Component ATA:32
PN:532.10.12.055	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:SI-1377	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32100110 SHOCK ABSORBER ASSEMBLY, LH								Component ATA:32
PN:532.10.12.230	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:SI-1448	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								
PC12A32100200 RIGHT MAIN LANDING GEAR								Component ATA:32
PN:532.10.12.056	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:VLG1352	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-02-00A-920B-APROC. REF: AMM 12-B-32-10-02-00A-920B-A								
PC12A32100210 SHOCK ABSORBER ASSEMBLY, RH								Component ATA:32
PN:532.10.12.230	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:VLG1934	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-10-03-00A-920B-APROC. REF: AMM 12-B-32-10-03-00A-920B-A								
PC12A32100310 SPRING STRUT, LH								Component ATA:32
PN:532.34.12.120	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1482	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A32100320 SPRING STRUT, RH								Component ATA:32
PN:532.34.12.120	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1483	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-02-00A-920A-APROC. REF: AMM 12-B-32-50-02-00A-920A-A								
PC12A32200100 NOSE LANDING GEAR								Component ATA:32
PN:532.20.12.045	MOS/MSC	07-Dec-22	O/C	TSN 0				
SN:SI-0020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-02-00A-920B-APROC. REF: AMM 12-B-32-20-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32200110 NOSE LANDING GEAR STRUT ASSEMBLY								Component ATA:32
PN:532.20.12.046	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:SI-0020	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-20-03-00A-920B-APROC. REF: AMM 12-B-32-20-03-00A-920B-A								
PC12A32200120 SPRING PACK ASSEMBLY								Component ATA:32
PN:532.20.12.305	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:SI-0353	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32200130 SHIMMY DAMPER ASSEMBLY								Component ATA:32
PN:532.20.12.243	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:SI-0037	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-50-01-00A-920A-APROC. REF: AMM 12-B-32-50-01-00A-920A-A								
PC12A32300110 LEFT MAIN LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.853	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1504	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300120 RIGHT MAIN LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.853	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1513	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-01-00A-920B-APROC. REF: AMM 12-B-32-30-01-00A-920B-A								
PC12A32300200 NOSE LANDING GEAR ACTUATOR								Component ATA:32
PN:959.56.01.852	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:758	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-02-00A-920B-APROC. REF: AMM 12-B-32-30-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32300300 EMERGENCY GEAR HANDLE								Component ATA:32
PN:959.56.01.838	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00963	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-01A-920A-APROC. REF: AMM 12-B-32-30-10-01A-920A-A								
PC12A32300400 EMERGENCY GEAR CABLE, MAIN GEAR								Component ATA:32
PN:959.56.01.814	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00818	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-04A-920A-APROC. REF: AMM 12-B-32-30-10-04A-920A-A								
PC12A32300500 EMERGENCY GEAR CABLE, INTERMEDIATE								Component ATA:32
PN:959.56.01.843	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00245	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-03A-920A-APROC. REF: AMM 12-B-32-30-10-03A-920A-A								
PC12A32300600 EMERGENCY GEAR CABLE, NOSE GEAR								Component ATA:32
PN:959.56.01.815	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00750	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-10-02A-920A-APROC. REF: AMM 12-B-32-30-10-02A-920A-A								
PC12A32400110 LEFT MAIN WHEEL								Component ATA:32
PN:532.45.12.066	MOS/MSC	15-Jul-26	O/C	TSN 43				
SN:4974	HRS	2245:34		TSN 2245:34				
	AFL	1693		TSN 1693				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A32400120 RIGHT MAIN WHEEL								Component ATA:32
PN:532.45.12.066	MOS/MSC	11-Sep-26	O/C	TSN 45				
SN:4981	HRS	2349:35		TSN 2349:35				
	AFL	1773		TSN 1773				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400200		NOSE WHEEL					Component	ATA:32
PN:532.41.12.003	MOS/MSC	19-Jan-26	O/C	TSN 37				
SN:2353	HRS	1939:47		TSN 1939:47				
	AFL	1447		TSN 1447				
								WO#: EJJ-231126
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32400310		BRAKE ASSEMBLY, LH					Component	ATA:32
PN:30-244	MOS/MSC	19-Jan-26	O/C	TSO 0				
SN:2113	HRS	1939:47		TSO 0				
	AFL	1447		TSO 0				
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400320		BRAKE ASSEMBLY, RH					Component	ATA:32
PN:30-244	MOS/MSC	19-Jan-26	O/C	TSO 0				
SN:1092	HRS	1939:47		TSO 0				
	AFL	1447		TSO 0				
PROC. REF: AMM 12-B-32-40-03-00A-920B-APROC. REF: AMM 12-B-32-40-03-00A-920B-A								
PC12A32400410		MASTER BRAKE CYLINDER, PILOT, LH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:9134	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400420		MASTER BRAKE CYLINDER, PILOT, RH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:9135	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400430		MASTER BRAKE CYLINDER, CO-PILOT, LH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:9140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32400440		MASTER BRAKE CYLINDER, CO-PILOT, RH					Component	ATA:32
PN:959.47.51.131	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:9150	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-04-00A-920A-APROC. REF: AMM 12-B-32-40-04-00A-920A-A								
PC12A32400500		PARK BRAKE VALVE					Component	ATA:32
PN:959.47.51.121	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:3527	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-40-05-00A-920A-APROC. REF: AMM 12-B-32-40-05-00A-920A-A								
PC12A324CA110		LEFT MAIN WHEEL TIRE					Component	ATA:32
PN:025-350-0	MOS/MSC	15-Jul-26	O/C	TSN 0				
SN:5322T00304	HRS	2245:34		TSN 0				
	AFL	1693		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA120		RIGHT MAIN WHEEL TIRE					Component	ATA:32
PN:025-350-0	MOS/MSC	11-Sep-26	O/C	TSN 0				
SN:5357T00341	HRS	2349:35		TSN 0				
	AFL	1773		TSN 0				
PROC. REF: AMM 12-B-32-40-01-00A-920A-APROC. REF: AMM 12-B-32-40-01-00A-920A-A								
PC12A324CA210		NOSE WHEEL TIRE					Component	ATA:32
PN:021-327-0	MOS/MSC	25-Nov-25	O/C	TSN 0				
SN:7366243572	HRS	1888:35		TSN 0				
	AFL	1380		TSN 0				
PROC. REF: AMM 12-B-32-40-02-00A-920A-APROC. REF: AMM 12-B-32-40-02-00A-920A-A								
PC12A32600110		PROXIMITY SWITCH, NLG UP, MT053					Component	ATA:32
PN:973.30.33.116	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:10025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600120 PROXIMITY SWITCH, NLG DOWN MT056								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:10268	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A32600130 PROXIMITY SWITCH, MLG UP, LH, MT515								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:10281	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600140 PROXIMITY SWITCH, MLG UP, RH, MT615								Component ATA:32
PN:973.30.33.116	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:10292	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600210 MICROSWITCH, DOWN & LOCK, LH, S519								Component ATA:32
PN:973.30.31.217	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:02381	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600220 MICROSWITCH, DOWN & LOCK, RH, S619								Component ATA:32
PN:973.30.31.217	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:02380	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-01-00A-920B-APROC. REF: AMM 12-B-32-60-01-00A-920B-A								
PC12A32600310 PROXIMITY SWITCH, WOW, LH, MT517								Component ATA:32
PN:532.69.21.026	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:4970	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PC12A32600320 PROXIMITY SWITCH, WOW, RH, MT617								Component ATA:32
PN:532.69.21.026	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:4973	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-60-12-00A-920B-APROC. REF: AMM 12-B-32-60-12-00A-920B-A								
PC12A32600410 LANDING GEAR RELAY UNIT, K2311A1								Component ATA:32
PN:974.09.26.112	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2977	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
PC12A32600420 LANDING GEAR RELAY UNIT, K2311A2								Component ATA:32
PN:974.09.26.112	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2998	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-32-30-08-00A-920A-APROC. REF: AMM 12-B-32-30-08-00A-920A-A								
ATA 33 - LIGHTS								
33-40/542 ^S EXTERIOR LIGHTING (MSN 2001 AND UP) - OPERATIONAL TEST								Service ATA:33
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-33-40-00-00A-903A-APROC. REF: AMM 12-B-33-40-00-00A-903A-A								
33-41/543 ^S LANDING LIGHTS (MSN 2001 AND UP) - EXAMINE								Service ATA:33
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-42/544 ^S	TAXI LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-43/545 ^S	NAVIGATION AND STROBE LIGHTS (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-44/546 ^S	RECOGNITION LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
33-46/547 ^S	BEACON LIGHTS (IF INSTALLED) (MSN 2001 AND UP) - EXAMINE							Service ATA:33
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
PC12A33100100	COCKPIT LIGHT DIM UNIT, A177							Component ATA:33
PN:975.02.15.205	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:145039	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-10-04-00A-920A-APROC. REF: AMM 12-B-33-10-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33400100		WING INSPECTION LIGHT, DS155					Component	ATA:33
PN:972.87.87.407	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:S22028727	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-40-12-00A-920A-APROC. REF: AMM 12-B-33-40-12-00A-920A-A								
PC12A33410110		LANDING LIGHT, LH, DS521					Component	ATA:33
PN:972.87.69.434	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:5635614	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A								
PC12A33410120		LANDING LIGHT, RH, DS621					Component	ATA:33
PN:972.87.69.434	MOS/MSC	19-Jan-26	O/C	TSN 0				
SN:6731565	HRS	1939:47		TSN 0				
	AFL	1447		TSN 0				
PROC. REF: AMM 12-C-33-41-01-00A-920B-APROC. REF: AMM 12-C-33-41-01-00A-920B-A								
PC12A33420100		TAXI LIGHT, DS900					Component	ATA:33
PN:9728769433	MOS/MSC	22-Jan-25	O/C	TSN 0				
SN:6353811	HRS	1331:35		TSN 0				
	AFL	996		TSN 0				
PROC. REF: AMM 12-C-33-42-01-00A-920B-APROC. REF: AMM 12-C-33-42-01-00A-920B-A								
PC12A33430100		WINGTIP LIGHT, LH, DS594					Component	ATA:33
PN:972.87.87.344	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:5649210	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A								
PC12A33430200		WINGTIP LIGHT, RH, DS694					Component	ATA:33
PN:972.87.87.345	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:5542253	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-33-00-00A-920B-APROC. REF: AMM 12-B-57-33-00-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33430300		POWER SUPPLY, A220					Component	ATA:33
PN:972.87.87.179	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:236775-28-29	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-43-03-00A-920B-APROC. REF: AMM 12-B-33-43-03-00A-920B-A								
PC12A33440110		RECOGNITION LIGHT, LH					Component	ATA:33
PN:03-3600-0002	MOS/MSC	11-Sep-26	O/C	TSN 0				
SN:6736407	HRS	2349:35		TSN 0				
	AFL	1773		TSN 0				
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A								
PC12A33440120		RECOGNITION LIGHT, RH					Component	ATA:33
PN:03-3600-0002	MOS/MSC	11-Sep-26	O/C	TSN 0				
SN:6736414	HRS	2349:35		TSN 0				
	AFL	1773		TSN 0				
PROC. REF: AMM 12-C-33-44-00-00A-920C-APROC. REF: AMM 12-C-33-44-00-00A-920C-A								
PC12A33440310		LH LOGO LIGHT					Component	ATA:33
PN:PN	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-45-00-00A-920A-APROC. REF: AMM 12-B-33-45-00-00A-920A-A								
PC12A33440320		RH LOGO LIGHT					Component	ATA:33
PN:PN	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-45-00-00A-920A-APROC. REF: AMM 12-B-33-45-00-00A-920A-A								
PC12A33460110		RED FLASHING BEACON, TOP, A410					Component	ATA:33
PN:972.87.87.349	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:236775-58-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PC12A33460120	RED FLASHING BEACON, BOTTOM, A800							Component ATA:33
PN:972.87.87.349	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:236775-58-8	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-33-46-00-00A-920B-APROC. REF: AMM 12-B-33-46-00-00A-920B-A								
ATA 34 - NAVIGATION								
34-11/268 ^S	PITOT AND STATIC SYSTEM - DRAIN							Service ATA:34
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-34-11-00-00A-901A-APROC. REF: AMM 12-B-34-11-00-00A-901A-A								
34-00/548 ^S	COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/549 ^S	PITOT TUBE (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/550 ^S	STATIC PORTS (MSN 2001 AND UP) - EXAMINE							Service ATA:34
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-00/183 ^S	COMMUNICATIONS AND NAVIGATION ANTENNAS - EXAMINE							Service ATA:34
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/343	STATIC PORTS PLATE HEIGHT - INSPECTION/CHECK							Service ATA:34
	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	RVSM
	HRS	1331:35						
	AFL	996						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-34-11-12-00A-313A-APROC. REF: AMM 12-B-34-11-12-00A-313A-A								
34-11/82	STATIC SYSTEM - LEAK CHECK							Service ATA:34
	MOS	28-Feb-25	24 (+10%/-10%)		27-Feb-27	09-May-27	124 d (+71)	RVSM
	HRS	1353:46						
	AFL	1011						
Test Date: : 27-Feb-25								
PROC. REF: AMM 12-B-34-11-00-00A-903A-APROC. REF: AMM 12-B-34-11-00-00A-903A-A								
34-25/344	ALTITUDE AND VERTICAL SPEED INDICATION - FUNCTIONAL TEST							Service ATA:34
	MOS	22-Jan-25	24 (+10%/-10%)	Adj -22d	31-Dec-26	11-Mar-27	66 d (+70)	RVSM
	HRS	1331:35						
	AFL	996						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-34-14-00-00A-903B-APROC. REF: AMM 12-B-34-14-00-00A-903B-A								
34-26/510	ESIS MAGNETIC HEADING REFERENCE SYSTEM - CHECK SWING							Service ATA:34
PN:9200-15754-0201	MOS	28-Feb-25	24 (+10%/-10%)		28-Feb-27	12-May-27	125 d (+73)	
SN:2014	HRS	1353:46						
	AFL	1011						
Test Date: : 28-Feb-25								
PROC. REF: AMM 12-C-34-26-40-00A-903A-APROC. REF: AMM 12-C-34-26-40-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-54/86		NO. 1 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST						Service ATA:34
PN:985.99.12.269	MOS	22-Jan-25	24 (+10%/-10%)	Adj -15d	31-Dec-26	11-Mar-27	66 d (+70)	RVSM
SN:KXP2290A-4959	HRS	1331:35						
	AFL	996						
Test Date: : 15-Jan-25								WO#: EJJ-231126
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A								
34-54/86		NO. 2 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS) - FUNCTIONAL TEST						Service ATA:34
PN:985.99.12.269	MOS	22-Jan-25	24 (+10%/-10%)	Adj -15d	31-Dec-26	11-Mar-27	66 d (+70)	RVSM
SN:KXP2290A-4937	HRS	1331:35						
	AFL	996						
Test Date: : 15-Jan-25								WO#: EJJ-231126
PROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-APROC. REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-10-00A-903A-A								
PC12A34110110		PITOT TUBE, LH, HR578						Component ATA:34
PN:965.11.12.302	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:AS06221086	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110120		PITOT TUBE, RH, HR678						Component ATA:34
PN:965.11.12.302	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:AS06221030	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-11-00A-920A-APROC. REF: AMM 12-B-34-11-11-00A-920A-A								
PC12A34110210		STATIC PORT, LH, HR371						Component ATA:34
PN:965.11.22.103	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:AS01208368	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34110220		STATIC PORT, RH, HR372						Component ATA:34
PN:965.11.22.103	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:AS12215705	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-11-12-00A-920A-APROC. REF: AMM 12-B-34-11-12-00A-920A-A								
PC12A34120110 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, LH, Z588								Component ATA:34
PN:975.11.20.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:08102	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34120120 OUTSIDE AIR TEMPERATURE (OAT) SENSOR, RH, Z688								Component ATA:34
PN:975.11.20.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:08095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-12-00-01A-920A-APROC. REF: AMM 12-B-34-12-00-01A-920A-A								
PC12A34250100 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) UNIT, A251								Component ATA:34
PN:985.99.12.389	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KSG7200-B3901	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-01-00A-920A-APROC. REF: AMM 12-B-34-25-01-00A-920A-A								
PC12A34250210 MAGNETOMETER, RIB 17/18, INBOARD, A588								Component ATA:34
PN:985.99.12.114	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KMG7010-7841	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250220 MAGNETOMETER, RIB 18/19, OUTBOARD, A591								Component ATA:34
PN:985.99.12.114	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KMG7010-7858	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-02-00A-920B-APROC. REF: AMM 12-B-34-25-02-00A-920B-A								
PC12A34250310 AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, LH, A251A								Component ATA:34
PN:985.99.12.129	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:7309	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34250320	AIR DATA/ATTITUDE AND HEADING REFERENCE SYSTEM (ADAHRS) CONFIGURATION MODULE, RH, A251B							Component ATA:34
PN:985.99.12.129	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:7755	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-25-03-00A-920A-APROC. REF: AMM 12-B-34-25-03-00A-920A-A								
PC12A34260100	ELECTRONIC STANDBY INSTRUMENT							Component ATA:34
PN:9200-15754-0201	MOS/MSC	28-Feb-25	O/C					
SN:2014	HRS	1353:46						
	AFL	1011						
PROC. REF: AMM 12-C-34-26-40-00A-920A-APROC. REF: AMM 12-C-34-26-40-00A-920A-A								
PC12A34260200	ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) MAGNETOMETER, A672							Component ATA:34
PN:985.90.03.003	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2085	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-26-45-00A-920A-APROC. REF: AMM 12-C-34-26-45-00A-920A-A								
PC12A34260300	ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) CONFIGURATION MODULE, M128							Component ATA:34
PN:985.99.12.393	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:464	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34320100	MARKER ANTENNA, E399							Component ATA:34
PN:984.81.10.260	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:101-9410	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-32-01-00A-920A-APROC. REF: AMM 12-B-34-32-01-00A-920A-A								
PC12A34410100	WEATHER RADAR (WX) TRANSCEIVER, A696							Component ATA:34
PN:071-01550-0201	MOS/MSC	05-May-25	O/C	TSR 0				
SN:ART2100-2946	HRS	1443:21		TSR 0				
	AFL	1068		TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410200 WX RADAR ANTENNA, E696								Component ATA:34
PN:985.99.11.504	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:9578	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410300 WEATHER (WX) RADAR CONFIGURATION MODULE, A694								Component ATA:34
PN:985.99.12.182	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:CM2000-37079	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-04-00A-920A-APROC. REF: AMM 12-B-34-41-04-00A-920A-A								
PC12A34410400 RADOME								Component ATA:34
PN:985.79.00.005	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:P1339	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-41-02-00A-920A-APROC. REF: AMM 12-C-34-41-02-00A-920A-A								
PC12A34410700 STORMSCOPE PROCESSOR, A349								Component ATA:34
PN:985.99.18.006	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:S01454	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-31-00A-920A-APROC. REF: AMM 12-B-34-41-31-00A-920A-A								
PC12A34410800 STORMSCOPE ANTENNA, E348								Component ATA:34
PN:985.99.18.009	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:S01188	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-41-32-00A-920A-APROC. REF: AMM 12-B-34-41-32-00A-920A-A								
PC12A34420100 RADAR ALTIMETER TRANSCEIVER, A269								Component ATA:34
PN:985.99.11.524	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KRA405B-23817	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-C-34-42-01-00A-920A-APROC. REF: AMM 12-C-34-42-01-00A-920A-A								
PC12A34420210 RADAR ALTIMETER ANTENNA, LH, E177								Component ATA:34
PN:984.81.29.101	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:543-107155	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34420220 RADAR ALTIMETER ANTENNA, RH, E178								Component ATA:34
PN:984.81.29.101	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:543-107156	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-42-02-00A-920A-APROC. REF: AMM 12-C-34-42-02-00A-920A-A								
PC12A34440100 TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) PROCESSOR, A277								Component ATA:34
PN:985.99.11.968	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:TPA25942	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-01-00A-920A-APROC. REF: AMM 12-C-34-44-01-00A-920A-A								
PC12A34440200 TCAS ANTENNA, TOP, E219								Component ATA:34
PN:984.81.29.108	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:587-122337	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-02-00A-920A-APROC. REF: AMM 12-C-34-44-02-00A-920A-A								
PC12A34440300 TCAS ANTENNA, BOTTOM, E317								Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:261-140210	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-44-03-00A-920A-APROC. REF: AMM 12-C-34-44-03-00A-920A-A								
PC12A34510200 ANTENNA COUPLER, FR10, A103								Component ATA:34
PN:984.81.17.413	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:692382	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A34520100DISTANCE MEASURING EQUIPMENT (DME) TRANSCEIVER, A253								Component ATA:34
PN:985.99.11.101	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:45402	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-52-01-00A-920A-APROC. REF: AMM 12-C-34-52-01-00A-920A-A								
PC12A34520200DISTANCE MEASURING EQUIPMENT (DME) ANTENNA, E169								Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:261-140211	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-52-02-00A-920A-APROC. REF: AMM 12-B-34-52-02-00A-920A-A								
PC12A34530100ADF ANTENNA, E337								Component ATA:34
PN:985.99.11.167	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KA44B-A97463	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-53-02-00A-920A-APROC. REF: AMM 12-B-34-53-02-00A-920A-A								
PC12A34540110NO. 1 ATC TRANSPONDER								Component ATA:34
PN:985.99.12.269	MOS/MSC	25-Nov-25	O/C	TSN 35				
SN:KXP2290A-4959	HRS	1888:35		TSN 1888:35				
	AFL	1380		TSN 1380				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
PC12A34540120NO. 2 ATC TRANSPONDER								Component ATA:34
PN:985.99.12.269	MOS/MSC	25-Nov-25	O/C	TSN 35				
SN:KXP2290A-4937	HRS	1888:35		TSN 1888:35				
	AFL	1380		TSN 1380				
PROC. REF: AMM 12-B-34-54-01-00A-920A-APROC. REF: AMM 12-B-34-54-01-00A-920A-A								
PC12A34540210ATC ANTENNA, TOP, E249								Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:261-140217	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
PROC. REF: AMM 12-B-34-54-03-00A-920A-APROC. REF: AMM 12-B-34-54-03-00A-920A-A								
PC12A34540220 ATC ANTENNA, BOTTOM, E166								Component ATA:34
PN:984.81.10.240	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:261-140216	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-APROC. REF: AMM 12-B-34-54-02-00A-920A-A, AMM 12-B-34-54-04-00A-920A-A								
PC12A34570110 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 1, LH, A117								Component ATA:34
PN:985.99.12.253	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KGS200-5505	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-01-00A-920B-APROC. REF: AMM 12-C-34-57-01-00A-920B-A								
PC12A34570120 GLOBAL POSITIONING SYSTEM (GPS) RECEIVER 2, RH, A116								Component ATA:34
PN:985.99.12.253	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KGS200-5481	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-34-57-01-00A-920C-APROC. REF: AMM 12-B-34-57-01-00A-920C-A								
PC12A34570210 GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 1, FR 17/18, E179								Component ATA:34
PN:985.99.11.200	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:49316689	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
PC12A34570220 GLOBAL POSITIONING SYSTEM (GPS) ANTENNA 2, FR 18/19, E189								Component ATA:34
PN:985.99.11.200	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:49316694	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-34-57-02-00A-920A-APROC. REF: AMM 12-C-34-57-02-00A-920A-A								
ATA 35 - OXYGEN								
35-10/552 ^S	OXYGEN SYSTEM (MSN 2001 AND UP) - CHECK CONTENTS							Service ATA:35
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1
35-10/269 ^S OXYGEN PIPELINES AND EQUIPMENT - EXAMINE Service ATA:35								
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3 WO#: EJJ-231126
35-10/458 ^S CREW OXYGEN SYSTEM - OPERATIONAL TEST Service ATA:35								
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903A-A, AMM 12-B-35-00-00-00A-903B-A								PKG:3 WO#: EJJ-231126
35-10/551 ^S HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) (MSN 2001 AND UP) - MAKE SURE THAT IS IT NOT DAMAGED Service ATA:35								
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
26C001 ^U LIFE LIMIT PROTECTIVE BREATHING EQUIPMENT PBE Service ATA:35								
PN:MR-10051N	MOS/MSC		DUE		28-Feb-34 (M)		2682 d	
SN:E2304138	HRS							
	AFL							
Expiry Date: : 28-Feb-34								
26C002 ^U INSPECTION OF PROTECTIVE BREATHING EQUIPMENT PBE Service ATA:35								
PN:MR-10051N	MOS	19-Jan-26	12 (+10%/-10%)		19-Jan-27	24-Feb-27	85 d (+36)	
SN:E2304138	HRS	1939:47						
	AFL	1447						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 ReqNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
<div>35-10/6LIFE LIMIT - OXYGEN BOTTLEService ATA:35</div>								
PN:957.12.12.212	MOS	31-Dec-22	180		31-Aug-37		3962 d	LIFE LIMIT
SN:C22080553	HRS							
	AFL							
Special Properties: CMT ITEM		Manufacture Date:: 31-Aug-22						
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-APROC. REF: SIL SIL-35-114, SIL SIL-35-114, AMM 12-B-35-10-01-00A-920A-A								
<div>35-10/7OXYGEN BOTTLE - HYDROSTATIC TESTService ATA:35</div>								
PN:957.12.12.212	MOS	31-Dec-22	60		31-Dec-27		431 d	
SN:C22080553	HRS							
	AFL							
Special Properties: CMT ITEM		HydroCheck Date: : 31-Dec-22						
PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114PROC. REF: SIL SIL-35-114, SIL SIL-35-114, SIL SIL-35-114								
<div>35-20/452PASSENGER OXYGEN (DROP-DOWN MASK) SYSTEM (IF INSTALLED) - OPERATIONAL TESTService ATA:35</div>								
	MOS	03-Jun-26	12 (+10%/-10%)	Adj -29d	05-May-27	11-Jun-27	191 d (+37)	
	HRS	2137:46	3000		5137:46		2719:18	
	AFL	1615						
PROC. REF: AMM 12-B-35-00-00-00A-903B-APROC. REF: AMM 12-B-35-00-00-00A-903B-A								
<div>35-20/453DISCARD NO. 1 LH SEAT PASSENGER OXYGEN MASK CARTRIDGEService ATA:35</div>								
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
		Manufacture Date:: 31-Dec-22						
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
<div>35-20/453DISCARD NO. 2 RH SEAT PASSENGER OXYGEN MASK CARTRIDGEService ATA:35</div>								
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
		Manufacture Date:: 31-Dec-22						
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453		DISCARD NO. 3 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 4 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 5 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 6 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453		DISCARD NO. 7 LH SEAT PASSENGER OXYGEN MASK CARTRIDGE						Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-20/453	DISCARD NO. 8 RH SEAT PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/453	DISCARD TOILET PASSENGER OXYGEN MASK CARTRIDGE							Service ATA:35
PN:PN	MOS	31-Dec-22	72 (+6m/-6m)		31-Dec-28	30-Jun-29	797 d (+181)	LIFE LIMIT
SN:UNKNOWN	HRS							
	AFL							
Manufacture Date:: 31-Dec-22								
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
35-20/87	INSPECTION/CHECK PASSENGER OXYGEN MASKS							Service ATA:35
	MOS/MSC	31-Dec-22	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-35-20-00-00A-313A-APROC. REF: AMM 12-B-35-20-00-00A-313A-A								
35-CA/1	OXYGEN CYLINDER REGULATOR - OVERHAUL							Service ATA:35
PN:957.12.12.212	MOS	31-Dec-22	60 (+6m/-6m)		31-Dec-27	30-Jun-28	431 d (+182)	OVERHAUL
SN:C22080553	HRS							
	AFL							
OverHaul Date:: 31-Dec-22								
PROC. REF: SIL SIL-35-114PROC. REF: SIL SIL-35-114								
350100 ^U	PROTECTIVE BREATHING EQUIPMENT - PBE							Component ATA:35
PN:MR-10051N	MOS/MSC	07-Dec-22	O/C	TSR 0				
SN:E2304138	HRS	0						
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35100100		OXYGEN CYLINDER					Component	ATA:35
PN:957.12.12.212	MOS/MSC	07-Dec-22	H/T	TSN 0				
SN:C22080553	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-10-01-00A-920A-APROC. REF: AMM 12-B-35-10-01-00A-920A-A								
PC12A35100200		PRESSURE SWITCH, S153					Component	ATA:35
PN:973.81.14.401	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2095	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35100310		OXYGEN MASK, PILOT					Component	ATA:35
PN:957.12.01.210	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:B180009	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100320		OXYGEN MASK, CO-PILOT					Component	ATA:35
PN:957.12.01.210	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:B180014	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-10-02-00A-920A-APROC. REF: AMM 12-B-35-10-02-00A-920A-A								
PC12A35100400		OXYGEN GAUGE, M155					Component	ATA:35
PN:535.12.12.085	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:60472	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-05-00A-920A-APROC. REF: AMM 12-B-35-20-05-00A-920A-A								
PC12A35200100		3-POSITION CONTROL VALVE, S151					Component	ATA:35
PN:963.32.11.102	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:R22080109	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-04-00A-920A-APROC. REF: AMM 12-B-35-20-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200310		TOILET PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY					Component	ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070432	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200320		NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY					Component	ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070393	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200330		NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY					Component	ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070434	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200340		NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY					Component	ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070444	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200350		NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY					Component	ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070442	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200360		NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY					Component	ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22042312	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-APROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200370 NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070400	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200380 NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22070439	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200390 NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK ASSEMBLY								Component ATA:35
PN:957.12.01.215	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:D22042305	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-35-20-07-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A, AMM 12-B-35-20-03-00A-920A-A								
PC12A35200400 SHUT-OFF VALVE, FR 16/17								Component ATA:35
PN:957.12.12.232	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:000324943	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200410 TOILET PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE								Component ATA:35
PN:PN	MOS/MSC	07-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200420 NO. 1 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE								Component ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200430		NO. 2 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200440		NO. 3 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200450		NO. 4 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200460		NO. 5 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200470		NO. 6 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200480		NO. 7 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE					Component	ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PC12A35200490		NO. 8 RH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE						Component ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200495		NO. 9 LH SEAT PASSENGER DROP DOWN OXYGEN MASK CARTRIDGE						Component ATA:35
PN:PN	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
PC12A35200500		PRESSURE TRANSDUCER FR 36/37						Component ATA:35
PN:957.12.01.184	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:8820-6-180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 44 - CABIN SYSTEMS								
PC12A44100100		ENTERTAINMENT SYSTEM STC						Component ATA:44
PN:985.99.11.962	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:EQ201-02-00510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 45 - CENTRAL MAINT SYSTEM								
45-45/454 ^S	CENTRAL MAINTENANCE SYSTEM - DO A CMC REPORTS - EXPORT FAULT HISTORY - SEND TO -> LOCAL STORAGE DOWNLOAD							Service ATA:45
	MOS	10-Apr-26	12 (+10%/-10%)					
	HRS	2035:27	1200 (+10%/-10%)					
	AFL	1520						

PKG:3
WO#: EJJ-231126

PROC. REF: AMM 12-B-45-45-00-00A-551A-APROC. REF: AMM 12-B-45-45-00-00A-551A-A

PC12A45450110	BUS TERMINATOR, MAINTENANCE PANEL FRONT, A157							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KBT300-6490	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450120	BUS TERMINATOR, MAINTENANCE PANEL REAR, A156							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KBT300-6506	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450130	BUS TERMINATOR, FR 18, LH, A175							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KBT300-6521	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

PC12A45450140	BUS TERMINATOR, FR 18, RH, A174							Component ATA:45
PN:985.99.12.117	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KBT300-6522	HRS	0		TSN 0				
	AFL	0		TSN 0				

PROC. REF: AMM GENERICPROC. REF: AMM GENERIC

ATA 46 - INFORMATION SYSTEMS

46-26/553 ^S	PILOT AND COPILOT (IF INSTALLED) PFD REVERSIONARY SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:46
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PROC. REF: AMM 12-C-46-30-05-00A-903A-APROC. REF: AMM 12-C-46-30-05-00A-903A-A								PKG:2
46-26/554	ADAHRS SENSOR SOURCE SELECT SWITCHES (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:46
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-46-30-02-00A-903A-APROC. REF: AMM 12-B-46-30-02-00A-903A-A								PKG:2
PC12A46200100	WIRELESS DATA LOADING DEVICE, A350							Component ATA:46
PN:975.96.32.470	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:12277	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-46-21-12-00A-920A-APROC. REF: AMM 12-B-46-21-12-00A-920A-A								
PC12A46300110	PRIMARY FLIGHT DISPLAY, PILOT, M121							Component ATA:46
PN:985.99.12.411	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2890049126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A								
PC12A46300120	PRIMARY FLIGHT DISPLAY, CO-PILOT, M122							Component ATA:46
PN:985.99.12.411	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2890050421	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-01-00A-920A-APROC. REF: AMM 12-C-46-30-01-00A-920A-A								
PC12A46300130	MULTI-FUNCTION DISPLAY, UPPER, M124							Component ATA:46
PN:985.99.12.411	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2890048924	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 46 - INFORMATION SYSTEMS								
PC12A46300140 MULTI-FUNCTION DISPLAY, LOWER, M123								Component ATA:46
PN:985.99.12.411	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2890049057	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-03-00A-920A-APROC. REF: AMM 12-C-46-30-03-00A-920A-A								
PC12A46300210 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, PILOT, A123								Component ATA:46
PN:985.99.12.178	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KMC2210-4322	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300220 PRIMARY FLIGHT DISPLAY (PFD) CONTROLLER, CO-PILOT, A124								Component ATA:46
PN:985.99.12.178	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:KMC2210-4320	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-02-00A-920A-APROC. REF: AMM 12-C-46-30-02-00A-920A-A								
PC12A46300300 TOUCH-SCREEN CONTROLLER, A129								Component ATA:46
PN:985.99.12.070	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:5593922060445	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-04-00A-920A-APROC. REF: AMM 12-C-46-30-04-00A-920A-A								
PC12A46300400 CURSOR CONTROL DEVICE, CCD								Component ATA:46
PN:972.81.21.181	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0768	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-46-30-07-00A-920A-APROC. REF: AMM 12-C-46-30-07-00A-920A-A								
PC12A46300500 CURSOR CONTROL UNIT, A104								Component ATA:46
PN:985.99.12.202	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:56205	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-46-30-08-00A-920A-APROC. REF: AMM 12-B-46-30-08-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/271	^S	PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS - EXAMINE						Service ATA:52
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20/272	^S	EMERGENCY DOOR (DOOR REMOVED) - EXAMINE						Service ATA:52
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								
52-20/273	^S	EMERGENCY DOOR SEAL - CLEAN WITH A WET CLOTH, DRY AND EXAMINE AND APPLY FRENCH CHALK (P09-002)						Service ATA:52
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-30/274	^S	CARGO DOOR - EXAMINE						Service ATA:52
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								
52-70/275	^S	DOOR WARNING SYSTEM - OPERATIONAL TEST						Service ATA:52
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-52-70-00-00A-903A-APROC. REF: AMM 12-C-52-70-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/189 ^S	PASSENGER/CREW DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/190 ^S	PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS - EXAMINE							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/191 ^S	PASSENGER/CREW DOOR HANDLE LOCK PIN AND LATCH - EXAMINE. MAKE SURE MOVEMENT IS FREE. LUBRICATE WITH CPC (P10-001) AS NECESSARY WHEN OPERATING IN FREEZING CONDITIONS							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-10/192 ^S	PASSENGER/CREW DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
52-30/193 ^S	CARGO DOOR SEAL - CLEAN WITH A DRY CLOTH, EXAMINE AND APPLY FRENCH CHALK (P09-002)							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/194 ^S	CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS - EXAMINE. MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS REFER TO AMM							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-C-52-30-00-00A-313A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A								PKG:2
52-30/195 ^S	CARGO DOOR HINGES - EXAMINE AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF CPC (P10-001)							Service ATA:52
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								PKG:2
52-10/348	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-52-10-00-00A-310A-APROC. REF: AMM 12-B-52-10-00-00A-310A-A								
52-10/405	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-52-00-01-00A-353A-APROC. REF: AMM 12-B-52-00-01-00A-353A-A								
52-10/406	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - PASSENGER/CREW DOOR SKIN - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:25000 (+500/-500)		25000	25500	22581:32 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	28173 (+500)	
PROC. REF: AMM 12-C-52-10-01-00A-353A-APROC. REF: AMM 12-C-52-10-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/88	PASSENGER/CREW DOOR - OXYGEN MASKS – EXAMINE WITH TRIM REMOVED. EXAMINE THE TOP STEP AREA AROUND THE INSULATION MAT FOR CORROSION. IF CORROSION IS FOUND, CONTACT PILATUS FOR A SPECIFIC REPAIR. EXAMINE DOOR HINGE PIN AND HINGE							Service ATA:52
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-APROC. REF: AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A, AMM 12-C-52-10-00-00A-313A-A								
52-20/349	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - EMERGENCY DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-52-20-00-00A-310A-APROC. REF: AMM 12-B-52-20-00-00A-310A-A								
52-30/350	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-52-30-00-00A-310A-APROC. REF: AMM 12-B-52-30-00-00A-310A-A								
52-30/407	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR PIANO HINGE - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-52-30-00-01A-353A-APROC. REF: AMM 12-B-52-30-00-01A-353A-A								
52-30/408	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - CARGO DOOR SKIN - EDDY CURRENT INSPECTION							Service ATA:52
	MOS	31-Dec-22						
	HRS	0	T:25000 (+500/-500)		25000	25500	22581:32 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	28173 (+500)	
PROC. REF: AMM 12-B-52-30-01-00A-353A-APROC. REF: AMM 12-B-52-30-01-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/8	LIFE LIMIT - NO. 1 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		10581:32	
	AFL	0	17000		17000		15173	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/8	LIFE LIMIT - NO. 2 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		10581:32	
	AFL	0	17000		17000		15173	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/8	LIFE LIMIT - NO. 3 CARGO DOOR LOWER LUG FITTING							Service ATA:52
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	13000		13000		10581:32	
	AFL	0	17000		17000		15173	
PROC. REF: AMM 12-B-52-30-07-00A-920A-APROC. REF: AMM 12-B-52-30-07-00A-920A-A								
52-30/89	CARGO DOOR - EXAMINE WITH TRIM REMOVED. EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service ATA:52
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-APROC. REF: AMM 12-C-52-30-00-00A-313A-A, AMM 12-C-25-21-03-00A-920A-A, AMM 12-C-25-22-03-00A-920A-A								
PC12A52100100	PASSENGER DOOR							Component ATA:52
PN:552.10.12.560	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-APROC. REF: AMM 12-B-52-10-01-00A-920A-A, AMM 12-C-52-10-01-00A-920B-A								
PC12A52200100	EMERGENCY EXIT DOOR							Component ATA:52
PN:552.20.12.041	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-20-00-00A-920A-APROC. REF: AMM 12-B-52-20-00-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PC12A52300100	CARGO DOOR							Component ATA:52
PN:552.30.12.047	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-52-30-01-00A-920A-APROC. REF: AMM 12-B-52-30-01-00A-920A-A								
ATA 53 - FUSELAGE								
53-00/276 ^S	REAR PRESSURE BULKHEAD - EXAMINE							Service ATA:53
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/277 ^S	EXAMINE FLOOR PANELS TOP AND BOTTOM SURFACE AND SEAT RAILS, AS FAR AS POSSIBLE, WITH FLOOR PANELS REMOVED							Service ATA:53
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/280 ^S	REAR FUSELAGE INTERNAL STRUCTURE - EXAMINE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service ATA:53
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								
53-00/337 ^S	CARRY THROUGH FRAMES 21 AND 24 - INSPECTION/CHECK							Service ATA:53
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: AMM 12-B-53-20-02-00A-313A-APROC. REF: AMM 12-B-53-20-02-00A-313A-A								
53-00/555 ^S	FUSELAGE EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS							Service ATA:53
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
53-00/278 ^S	BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE - EXAMINE FOR CORROSION							Service ATA:53
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4 WO#: EJJ-231126
53-00/279 ^S	BAGGAGE COMPARTMENT - EXAMINE							Service ATA:53
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:4 WO#: EJJ-231126
53-00/324	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - POST SB 04-009							Service ATA:53
PN:553.00.12.033	MOS/MSC	31-Dec-22	N/A					
SN:1686	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/351	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - UPPER LONGERONS FRAME 10 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-53-10-06-01A-353A-APROC. REF: AMM 12-B-53-10-06-01A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/352	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 10 TO 16 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-53-10-00-00A-310A-APROC. REF: AMM 12-B-53-10-00-00A-310A-A								
53-00/353	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 16 TO 36 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-53-20-00-00A-310A-APROC. REF: AMM 12-B-53-20-00-00A-310A-A								
53-00/354	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FUSELAGE FRAMES 36 TO 43 - EXAMINE ALL STRUCTURAL ELEMENTS (CPCP)							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-53-30-00-00A-310A-APROC. REF: AMM 12-B-53-30-00-00A-310A-A								
53-00/355	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA STRUCTURE - EXAMINE (CPCP)							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-53-00-00-00A-310A-APROC. REF: AMM 12-B-53-00-00-00A-310A-A								
53-00/356	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - BOTTOM FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:28300		28300		25881:32	
	AFL	0	T:37000		37000		35173	
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								
53-00/357	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ANTENNA - UPPER FUSELAGE SKIN - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-53-00-00-00A-353A-APROC. REF: AMM 12-B-53-00-00-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/359	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 WING ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-C-57-00-03-00A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A								
53-00/360	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-B-53-20-02-00A-353A-APROC. REF: AMM 12-B-53-20-02-00A-353A-A								
53-00/361	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - FRAMES 41 AND 43 STABILIZER ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
53-00/419	SUPPLEMENTAL STRUCTURAL INSPECTION - FRAME 40 - EDDY CURRENT INSPECTION							Service ATA:53
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
53-00/9	LIFE LIMIT - FUSELAGE AND ASSOCIATED STRUCTURE - PRE SB 04-009							Service ATA:53
PN:553.00.12.033	MOS	31-Dec-22						LIFE LIMIT
SN:1686	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/90	FRONT PRESSURE BULKHEAD -EXAMINE WITH INSULATION ONENGINE SIDE REMOVED. ONLY IFINSULATION ON COCKPIT SIDE ISWET, REMOVE THE INSULATION DRYAND EXAMINE THE STRUCTURE ANDREINSTALL INSULATION							Service ATA:53
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/91	FUSELAGE INTERNAL BOTTOM SURFACE - EXAMINE FRAMES 10,21,24, 36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT, WITH INSULATION REMOVED. IF CORROSION IS FOUND EXAMINE ALL FUSELAGE BOTTOM SURFACE WITH INSULATION REMOVED. IF INSULATION IS WET, REMOVE DRY AND REINSTALL INSULATION							Service ATA:53
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/92	REAR PRESSURE BULKHEAD - EXAMINE WITH TRIM REMOVED							Service ATA:53
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/93	STRUCTURE AROUND WINDOWS - EXAMINE							Service ATA:53
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: AMM 12-B-53-10-16-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A								
53-00/94	DOOR FRAMES AND EMERGENCY EXIT FRAME - EXAMINE. IF INSULATION IS INSTALLED IN THE DOOR FRAMES AND IS WET, REMOVE AND DISCARD IT (NO LONGER INSTALLED ON PRODUCTION)							Service ATA:53
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-30/342	STATIC PORTS CRITICAL AREA - INSPECTION/CHECK							Service ATA:53
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	RVSM
	HRS	1939:47						
	AFL	1447						
PROC. REF: AMM 12-B-53-30-01-00A-313A-APROC. REF: AMM 12-B-53-30-01-00A-313A-A								WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
PC12A53000100	FUSELAGE AND ASSOCIATED STRUCTURE							Component ATA:53
PN:553.00.12.033	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
ATA 55 - STABILIZERS								
55-10/319 ^S	HORIZONTAL/VERTICAL STABILIZER ATTACHMENT - INSPECTION/CHECK							Service ATA:55
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-55-00-00-00A-313A-APROC. REF: AMM 12-B-55-00-00-00A-313A-A								
55-30/281 ^S	VERTICAL STABILIZER ELECTRICAL BONDING STRAPS - EXAMINE							Service ATA:55
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-10/556 ^S	HORIZONTAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE							Service ATA:55
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								
55-30/557 ^S	VERTICAL STABILIZER EXTERNAL SURFACE (MSN 2001 AND UP) - EXAMINE, SPECIALLY AROUND REAR SPAR TOP RIVETS. IF CRACKS ARE FOUND, REFER TO SRM FOR REPAIR PROCEDURE							Service ATA:55
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-55-00-01-00A-664A-APROC. REF: AMM 12-B-55-00-01-00A-664A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-00/10	LIFE LIMIT - TAIL STRUCTURE - PRE SB 04-009							Service ATA:55
PN:PN	MOS	31-Dec-22						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-00/325	LIFE LIMIT - TAIL STRUCTURE - POST SB 04-009							Service ATA:55
PN:PN	MOS/MSC	31-Dec-22	N/A					LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10/415	LIFE LIMIT - HORIZONTAL STABILIZER							Service ATA:55
PN:555.10.12.038	MOS	31-Dec-22						LIFE LIMIT
SN:2023	HRS	0	25000		25000		22581:32	
	AFL	0	30000		30000		28173	
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service ATA:55
	MOS	31-Dec-22	T:240		31-Dec-42		5910 d	
	HRS	0	T:10000		10000		7581:32	
	AFL	0						
PROC. REF: AMM 12-B-55-10-01-00A-312A-APROC. REF: AMM 12-B-55-10-01-00A-312A-A								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service ATA:55
	MOS/MSC	07-Dec-22	N/A					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND .178)							Service ATA:55
	MOS	31-Dec-22	120 (+6m/-6m)		31-Dec-32	30-Jun-33	2258 d (+181)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-55-00-00-01A-313A-APROC. REF: AMM 12-B-55-00-00-01A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10/96	VERTICAL STABILIZER INTERNAL SURFACES - EXAMINE AS FAR AS POSSIBLE WITH PANELS REMOVED							Service ATA:55
	MOS	14-Dec-22	48 (+10%/-10%)		14-Dec-26	08-May-27	49 d (+145)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-20/362	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR - EXAMINE (CPCP)							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-20-00-00A-310A-APROC. REF: AMM 12-B-55-20-00-00A-310A-A								
55-20/367	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM -ELEVATOR DRIVE LEVER - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-20/368	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ELEVATOR HINGES - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-20-01-00A-353A-APROC. REF: AMM 12-B-55-20-01-00A-353A-A								
55-30/369	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER-EXAMINE (CPCP)							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-30-00-00A-310A-APROC. REF: AMM 12-B-55-30-00-00A-310A-A								
55-30/370	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A, AMM 12-B-53-30-02-00A-353A-A								
55-30/371	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-00-00-00A-353A-APROC. REF: AMM 12-B-55-00-00-00A-353A-A								
55-30/372	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-30-02-00A-353A-APROC. REF: AMM 12-B-55-30-02-00A-353A-A								
55-30/420	SUPPLEMENTAL STRUCTURAL INSPECTION - VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40 - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-55-30-03-00A-353A-APROC. REF: AMM 12-B-55-30-03-00A-353A-A								
55-40/373	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER-EXAMINE (CPCP)							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-40-00-00A-310A-APROC. REF: AMM 12-B-55-40-00-00A-310A-A								
55-40/377	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - RUDDER HINGES - EDDY CURRENT INSPECTION							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-55-40-05-00A-353A-APROC. REF: AMM 12-B-55-40-05-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40/410	SUPPLEMENTAL STRUCTURAL INSPECTION - RUDDER TRIM TAB - EXAMINE							Service ATA:55
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-55-40-04-00A-310A-APROC. REF: AMM 12-B-55-40-04-00A-310A-A								
PC12A55100100	HORIZONTAL STABILIZER							Component ATA:55
PN:555.10.12.038	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:2023	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-10-01-00A-920A-APROC. REF: AMM 12-B-55-10-01-00A-920A-A								
PC12A55200100	ELEVATOR LH							Component ATA:55
PN:555.20.12.043	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2122	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
PC12A55200200	ELEVATOR RH							Component ATA:55
PN:555.20.12.044	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2115	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-20-01-00A-920A-APROC. REF: AMM 12-B-55-20-01-00A-920A-A								
PC12A55300100	VERTICAL STABILIZER							Component ATA:55
PN:555.30.12.042	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-30-01-00A-920A-APROC. REF: AMM 12-B-55-30-01-00A-920A-A								
PC12A55400100	RUDDER							Component ATA:55
PN:555.40.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1689	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-55-40-01-00A-920A-APROC. REF: AMM 12-B-55-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/517	^S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND						Service ATA:56
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/558	^S	WINDSHIELD LH AND RH (MSN 2001 AND UP) - EXAMINE						Service ATA:56
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
56-20/559	^S	COCKPIT AND CABIN WINDOWS (MSN 2001 AND UP) - EXAMINE						Service ATA:56
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								
56-11/12		COCKPIT OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - REPLACE (IF CRACKED)						Service ATA:56
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A, AMM 12-B-56-14-01-00A-920A-A								
56-11/13		COCKPIT INNER AND OUTER SIDE, DV WINDOWS AND CABIN WINDOWS - CHECK FOR LIMITATIONS (IF CHIPPED, CRACKED (ONLY FOR INNER SIDE WINDOWS),CRAZING, SCRATCHED, BUBBLES OR DELAMINATED)						Service ATA:56
	MOS/MSC	31-Dec-22	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-00-00-00A-313A-APROC. REF: AMM 12-B-56-00-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/14	LH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)							Service ATA:56
PN:959.81.10.109	MOS/MSC	31-Dec-22	A/R					
SN:22193H9361	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/14	RH WINDSHIELD - REPLACE (IF CRACKED IN INNER LAMINATION)							Service ATA:56
PN:959.81.10.110	MOS/MSC	31-Dec-22	A/R					
SN:21348H3441	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	LH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service ATA:56
PN:959.81.10.109	MOS/MSC	31-Dec-22	A/R					
SN:22193H9361	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/15	RH WINDSHIELD (IF CRACKED IN OUTER LAMINATION, ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEM)							Service ATA:56
PN:959.81.10.110	MOS/MSC	31-Dec-22	A/R					
SN:21348H3441	HRS	0						
	AFL	0						
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
56-11/332	COCKPIT SIDE WINDOWS INSPECTION/CHECK							Service ATA:56
	MOS	31-Dec-22	120 (+6m/-6m)		31-Dec-32	30-Jun-33	2258 d (+181)	
	HRS	0	11000 (+500/-500)		11000	11500	8581:32 (+500)	
	AFL	0						
PROC. REF: AMM 12-B-56-11-02-00A-313A-APROC. REF: AMM 12-B-56-11-02-00A-313A-A								
56-11/378	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS - EXAMINE WITH WINDSHIELD AND SIDE WINDOWS REMOVED (CPCP)							Service ATA:56
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-APROC. REF: AMM 12-B-53-10-16-00A-310A-A, AMM 12-B-56-11-01-00A-310A-A, AMM 12-B-56-11-02-00A-310A-A								
PC12A56110100 WINDSHIELD LH								Component ATA:56
PN:959.81.10.109	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22193H9361	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
PC12A56110200 WINDSHIELD RH								Component ATA:56
PN:959.81.10.110	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:21348H3441	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-01-00A-920A-APROC. REF: AMM 12-B-56-11-01-00A-920A-A								
PC12A56110300 LEFT INNER SIDE WINDOW								Component ATA:56
PN:959.81.10.111	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:21188H2140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
PC12A56110400 RIGHT INNER SIDE WINDOW								Component ATA:56
PN:959.81.10.112	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22222H1875	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-11-02-00A-920A-APROC. REF: AMM 12-B-56-11-02-00A-920A-A								
PC12A56140100 DIRECT VISION WINDOW								Component ATA:56
PN:556.14.12.099	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:22143H5539	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-56-14-01-00A-920A-APROC. REF: AMM 12-B-56-14-01-00A-920A-A								
PC12A56200110 LH NO. 1 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003881732-002	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200120 LH NO. 2 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003881732-008	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200130 LH NO. 3 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003874150-001	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200140 LH NO. 4 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003874150-003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200150 RH NO. 1 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003881734-006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200160 RH NO. 2 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003881732-005	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200170 RH NO. 3 CABIN WINDOW								Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003881732-004	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200180	RH NO. 4 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003874150-002	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
PC12A56200190	RH NO. 5 CABIN WINDOW							Component ATA:56
PN:556.20.12.040	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0003881732-006	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-56-20-01-00A-920A-APROC. REF: AMM 12-C-56-20-01-00A-920A-A								
ATA 57 - WINGS								
57-00/283 ^S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH ACCESS PANELS REMOVED							Service ATA:57
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/284 ^S	WING TO FUSELAGE ATTACHMENTS - EXAMINE AS FAR AS POSSIBLE							Service ATA:57
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								
57-00/560 ^S	WING EXTERNAL SURFACES (MSN 2001 AND UP) - EXAMINE							Service ATA:57
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/282 ^S	WING TIP STATIC DISCHARGERS - EXAMINE							Service ATA:57
	MOS	22-Jan-25	24 (+10%/-10%)					
	HRS	1331:35	2400 (+10%/-10%)					
	AFL	996						
								PKG:4 WO#: EJJ-231126
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								
57-00/11	LIFE LIMIT - LEFT WING STRUCTURE - PRE SB 04-009							Service ATA:57
PN:557.00.12.063	MOS	31-Dec-22						LIFE LIMIT
SN:1686	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
57-00/11	LIFE LIMIT - RIGHT WING STRUCTURE - PRE SB 04-009							Service ATA:57
PN:557.00.12.064	MOS	31-Dec-22						LIFE LIMIT
SN:1686	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
57-00/326	LIFE LIMIT - LEFT WING STRUCTURE - POST SB 04-009							Service ATA:57
PN:557.00.12.063	MOS/MSC	31-Dec-22	N/A					LIFE LIMIT
SN:1686	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
57-00/326	LIFE LIMIT - RIGHT WING STRUCTURE - POST SB 04-009							Service ATA:57
PN:557.00.12.064	MOS/MSC	31-Dec-22	N/A					LIFE LIMIT
SN:1686	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
57-00/379	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING - EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 (CPCP)							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/380	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:30000		30000		27581:32	
	AFL	0	T:39000		39000		37173	
PROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-APROC. REF: AMM 12-C-57-00-03-00A-353A-A, AMM 12-C-57-00-03-01A-353A-A								
57-00/382	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: AMM 12-B-57-20-10-00A-353C-APROC. REF: AMM 12-B-57-20-10-00A-353C-A								
57-00/383	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: AMM 12-B-57-20-10-00A-353A-APROC. REF: AMM 12-B-57-20-10-00A-353A-A								
57-00/384	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: AMM 12-B-57-20-05-00A-353A-APROC. REF: AMM 12-B-57-20-05-00A-353A-A								
57-00/385	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3 - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:25000		25000		22581:32	
	AFL	0	T:30000		30000		28173	
PROC. REF: AMM 12-B-57-20-10-00A-353B-APROC. REF: AMM 12-B-57-20-10-00A-353B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/412	SUPPLEMENTAL STRUCTURAL INSPECTION - WING TIP - EXAMINE							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-C-57-33-00-00A-310A-APROC. REF: AMM 12-C-57-33-00-00A-310A-A								
57-00/413	SUPPLEMENTAL STRUCTURAL INSPECTION - WING SKIN AROUND DRAIN HOLES - EDDY CURRENT INSPECTION							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:25000 (+500/-500)		25000	25500	22581:32 (+500)	
	AFL	0	T:30000 (+500/-500)		30000	30500	28173 (+500)	
PROC. REF: AMM 12-B-57-20-01-00A-353A-APROC. REF: AMM 12-B-57-20-01-00A-353A-A								
57-00/427	WING MAIN SPAR FASTENER HOLES STRAP RIB 6 - EDDY CURRENT INSPECTION (IF YOU FIND CRACKS, CONTACT PILATUS CUSTOMER SUPPORT FOR ADVICE)							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:16000		16000		13581:32	
	AFL	0	T:22500		22500		20673	
PROC. REF: AMM 12-B-57-20-10-00A-353D-APROC. REF: AMM 12-B-57-20-10-00A-353D-A								
57-00/97	WING INTERNAL SURFACES AND FLAP COMPARTMENT - EXAMINE AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED							Service ATA:57
	MOS	31-Dec-22	48 (+10%/-10%)		31-Dec-26	24-May-27	66 d (+144)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
								WO#: EJJ-231126
PROC. REF: AMM 12-B-57-00-00-00A-310A-APROC. REF: AMM 12-B-57-00-00-00A-310A-A								
57-00/98	LANDING GEAR COMPARTMENTS - EXAMINE, ESPECIALLY MAIN AND REAR SPAR PARTS							Service ATA:57
	MOS	31-Dec-22	48 (+10%/-10%)		31-Dec-26	24-May-27	66 d (+144)	
	HRS	0	4000 (+10%/-10%)		4000	4400	1581:32 (+400)	
	AFL	0						
								WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/99	WING TO FUSELAGE ATTACHMENTS - EXAMINE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service ATA:57
	MOS	31-Dec-22	180 (+6m/-6m)		31-Dec-37	30-Jun-38	4084 d (+181)	
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-57-00-00-00A-313A-APROC. REF: AMM 12-C-57-00-00-00A-313A-A								
57-60/393	SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - AILERON - EXAMINE (CPCP)							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:32500		32500		30081:32	
	AFL	0	T:42000		42000		40173	
PROC. REF: AMM 12-B-57-60-00-00A-310A-APROC. REF: AMM 12-B-57-60-00-00A-310A-A								
57-60/411	SUPPLEMENTAL STRUCTURAL INSPECTION - AILERON TRIM TAB - EXAMINE							Service ATA:57
	MOS	31-Dec-22						
	HRS	0	T:32500 (+500/-500)		32500	33000	30081:32 (+500)	
	AFL	0	T:42000 (+500/-500)		42000	42500	40173 (+500)	
PROC. REF: AMM 12-B-57-60-04-00A-310A-APROC. REF: AMM 12-B-57-60-04-00A-310A-A								
PC12A57000100	LEFT WING STRUCTURE							Component ATA:57
PN:557.00.12.063	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-APROC. REF: AMM 12-C-57-00-00-00A-520A-A, AMM 12-C-57-00-00-00A-720A-A								
PC12A57000200	RIGHT WING STRUCTURE							Component ATA:57
PN:557.00.12.064	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-APROC. REF: AMM 12-C-57-00-00-00B-520A-A, AMM 12-C-57-00-00-00B-720A-A								
PC12A57500100	LH FLAP							Component ATA:57
PN:557.50.12.007	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PC12A57500200		RH FLAP					Component	ATA:57
PN:557.50.12.008	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-57-50-01-00A-920A-APROC. REF: AMM 12-B-57-50-01-00A-920A-A								
PC12A57600100		LEFT AILERON					Component	ATA:57
PN:557.60.12.371	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
PC12A57600200		RIGHT AILERON					Component	ATA:57
PN:557.60.12.372	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:1686	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-57-60-02-00A-920A-APROC. REF: AMM 12-C-57-60-02-00A-920A-A								
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/2 ^S		NO. 1 ENGINE - DO A CHECK OF THE PCU FOR INSTALLATION AND LEAKS					Service	ATA:61
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:2
PROC. REF: EM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, LMM 61-20-01								
61-00/457		NO. 1 PROPELLER - PERIODIC INSPECTIONS AND MAINTENANCE					Service	ATA:61
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-10/08		NO. 1 PROPELLER - DE-ICE COMPONENT OVERHAUL					Service	ATA:61
	MOS	07-Nov-22	72 (+6m/-6m)	07-Nov-28	07-May-29	743 d (+181)	OVERHAUL	
	HRS	0	4000 (+10%/-10%)	(4000) 4000	4400	1581:32 (+400)		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-10/37	NO. 1 PROPELLER - OVERHAUL							Service ATA:61
	MOS	07-Nov-22	72 (+6m/-6m)		07-Nov-28	07-May-29	743 d (+181)	OVERHAUL
	HRS	0	4000 (+10%/-10%)		(4000) 4000	4400	1581:32 (+400)	
PROC. REF: SL HC-SL-61-61Y, POM 61-00-47PROC. REF: SL HC-SL-61-61Y, POM 61-00-47								
61-CA/02	NO. 1 PROPELLER - ACCOMPLISH A DETAIL INSPECTION							Service ATA:61
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/03	NO. 1 PROPELLER - INSPECTION OF THE DE-ICE SYSTEM							Service ATA:61
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
PROC. REF: MM 30-61-80PROC. REF: MM 30-61-80								
61-CA/04	NO. 1 PROPELLER - LUBRICATE							Service ATA:61
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/04-10	NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS							Service ATA:61
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/05	NO. 1 PROPELLER - INSPECT BLADE USING COIN-TAP							Service ATA:61
	MOS	11-Sep-26						
	HRS	2349:35	1200 (+10%/-10%)	Adj 50:25	(3600) 3600	3720	1181:32 (+120)	
Special Properties: CMT ITEM PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/06	NO. 1 PROPELLER - INSPECT EROSION SHIELD USING COIN-TAP							Service ATA:61
	MOS	11-Sep-26	12 (+10%/-10%)	Adj 9d	20-Sep-27	26-Oct-27	329 d (+36)	
	HRS	2349:35	600 (+10%/-10%)	Adj -23:13	(2926:22) 2926:22	2986:22	507:54 (+60)	
Special Properties: CMT ITEM PROC. REF: POM 61-00-47, MRM 61-13-70PROC. REF: POM 61-00-47, MRM 61-13-70								
61-CA/08	NO. 1 PROPELLER - OVERHAUL DAMPER ASSEMBLIES							Service ATA:61
	MOS/MSC	31-Dec-22	N/A					
	HRS	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61-CA/09	NO. 1 PROPELLER - PRE-FLIGHT CHECKS							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/10	NO. 1 PROPELLER - OPERATIONAL CHECK							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/11	NO. 1 PROPELLER - OVERSPEED/OVERTORQUE							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/12	NO. 1 PROPELLER - LIGHTNING STRIKE							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-CA/13	NO. 1 PROPELLER - FOREING OBJECT STRIKE/GROUND STRIKE							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/14	NO. 1 PROPELLER - FIRE/HEAT DAMAGE							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47, MM 30-61-80PROC. REF: POM 61-00-47, MM 30-61-80								
61-CA/15	NO. 1 PROPELLER - SUDDEN STOPPAGE							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/16	NO. 1 PROPELLER - ENGINE OIL CONTAMINATION							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/17	NO. 1 PROPELLER - LONG TERM STORAGE							Service ATA:61
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
PROC. REF: POM 61-00-47PROC. REF: POM 61-00-47								
61-CA/3	NO. 1 ENGINE - OVERHAUL PROPELLER CONTROL UNIT							Service ATA:61
PN:3126986-03	MOS	14-Dec-22						
SN:WDA144136	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61PR1	NO. 1 PROPELLER							Component ATA:61
PN:E5A01850SKD	MOS/MSC		PP/C					
SN:SA871	HRS							
WC#: 61.PR1	AFL							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A61100100010	NO. 1 PROPELLER - NO. 1 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	14-Dec-22	O/C		TSN 0			
SN:D3920	HRS	0			TSN 0			
	PRC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100020	NO. 1 PROPELLER - NO. 2 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	14-Dec-22	O/C		TSN 0			
SN:D3980	HRS	0			TSN 0			
	PRC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100030	NO. 1 PROPELLER - NO. 3 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	14-Dec-22	O/C		TSN 0			
SN:D3984	HRS	0			TSN 0			
	PRC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100040	NO. 1 PROPELLER - NO. 4 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	14-Dec-22	O/C		TSN 0			
SN:D3990	HRS	0			TSN 0			
	PRC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A61100100050	NO. 1 PROPELLER - NO. 5 BLADE							Component ATA:61
PN:NC10245B	MOS/MSC	14-Dec-22	O/C		TSN 0			
SN:D3991	HRS	0			TSN 0			
	PRC	0			TSN 0			
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
PC12A61200100		FEATHER INHIBIT SWITCH						Component ATA:61
PN:972.81.21.166	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:0188	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-61-20-04-00A-920A-APROC. REF: AMM 12-C-61-20-04-00A-920A-A								
PT6EA612001		NO. 1 ENGINE - PROPELLER CONTROL UNIT						Component ATA:61
PN:3126986-03	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:WDA144136	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01PROC. REF: EM 61-20-01, EM 61-20-01, LMM 61-20-01, LMM 61-20-01								
ATA 70 - STANDARD PRACTICES - ENGINES								
70-CA/1 ^S		NO. 1 ENGINE - DO A VISUAL INSPECTION OF EXTERNAL TUBES, ELBOWS AND HOSES FOR LEAKS						Service ATA:70
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								
70-CA/2 ^S		NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE ENGINE EXTERNAL ACCESSORIES FOR LEAKS						Service ATA:70
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 70-30-00, LMM 70-30-00PROC. REF: EM 70-30-00, LMM 70-30-00								
ATA 71 - POWER PLANT								
71-00/204 ^S		JOB CLOSE UP - POWER PLANT - DO A POST INSPECTION GROUND RUN TESTS AS NECESSARY TO CLOSE UP INSPECTION						Service ATA:71
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/287	^S	JOB SET UP - POWER PLANT - DO AN INSPECTION GROUND RUN AS NECESSARY. MAKE RECORD OF ANY DEFECTS.						Service ATA:71
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: AMM 12-C-71-00-00-00A-903A-APROC. REF: AMM 12-C-71-00-00-00A-903A-A								
71-00/476	^S	JOB CLOSE UP - P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS - REVIEWED AND COMPLIED WITH AS NECESSARY						Service ATA:71
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-10/207	^S	JOB SET UP - ENGINE COWLING 43AL AND 43AR - OPEN AND EXAMINE. SPECIFICALLY THE CONDITION OF THE RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF CPC (PT.NO. P10-001)						Service ATA:71
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-10/208	^S	JOB CLOSE UP - ENGINE COWLING 43AL AND 43AR - CLOSE AS NECESSARY TO CLOSE UP THE INSPECTION						Service ATA:71
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	AFL	1773						
								PKG:5 ,1,2,3,4 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/205	^S	ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS - EXAMINE. REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 25,4 MM (1IN) LONG AND/OR 1,5MM (0.06 IN) DEEP						Service ATA:71
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/301	^S	ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS - EXAMINE WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY. IF CRACKED, BLISTERED OR FLAKING PAINT IS FOUND ON THE MOUNTING FRAME REFER TO SRM						Service ATA:71
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
								PKG:3 WO#: EJJ-231126
PROC. REF: AMM 12-B-54-20-02-00A-664A-APROC. REF: AMM 12-B-54-20-02-00A-664A-A								
71-CA/3	^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF SPARK IGNITERS						Service ATA:71
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:3
PROC. REF: EM 71-00-18, LMM 71-00-18PROC. REF: EM 71-00-18, LMM 71-00-18								
71-00/561	^S	ENGINE DRAIN MAST AND TANK (MSN 2001 AND UP) - EXAMINE THE DRAIN MASKS FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN COLLECTOR TANK						Service ATA:71
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-CA/2	^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE SCAVENGE OIL PUMP HOUSING FOR LEAKS						Service ATA:71
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:2
PROC. REF: EM 71-00-01, LMM 71-00-01PROC. REF: EM 71-00-01, LMM 71-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/4 ^S NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE FOR INSTALLATION AND LEAKS Service ATA:71								
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 71-00-19, LMM 71-00-19PROC. REF: EM 71-00-19, LMM 71-00-19								PKG:2
71-00/16 LIFE LIMIT - ENGINE MOUNTING FRAME - PRE SB 04-009 Service ATA:71								
PN:571.20.12.008	MOS	31-Dec-22						LIFE LIMIT
SN:336	HRS	0	20000		20000		17581:32	
	AFL	0	27000		27000		25173	
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/17 LIFE LIMIT - ENGINE MOUNTING FRAME, REPLACE ALL BOLTS, WASHERS AND NUTS Service ATA:71								
PN:571.20.12.008	MOS	31-Dec-22						LIFE LIMIT
SN:336	HRS	0	11000		11000		8581:32	
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/327 LIFE LIMIT - ENGINE MOUNTING FRAME - POST SB 04-009 Service ATA:71								
PN:571.20.12.008	MOS/MSC	31-Dec-22	N/A					LIFE LIMIT
SN:336	HRS	0						
	AFL	0						
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
71-00/401 SUPPLEMENTAL STRUCTURAL INSPECTION PROGRAM - ENGINE MOUNT - MAGNETIC PARTICLE INSPECTION Service ATA:71								
	MOS	31-Dec-22						
	HRS	0	T:26600		26600		24181:32	
	AFL	0	T:35000		35000		33173	
PROC. REF: AMM 12-C-71-00-05-00A-352A-APROC. REF: AMM 12-C-71-00-05-00A-352A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/490	OVERHAUL LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Dec-22						OVERHAUL
SN:14526	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Dec-22						OVERHAUL
SN:14592	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Dec-22						OVERHAUL
SN:14529	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Dec-22						OVERHAUL
SN:14527	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/490	OVERHAUL UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Service ATA:71
PN:944.81.21.409	MOS	31-Dec-22						OVERHAUL
SN:14538	HRS	0	5000 (+500/-500)		5000	5500	2581:32 (+500)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-CA/1	NO. 1 ENGINE - ENGINE HOT SECTION INSPECTION (HSI)							Service ATA:71
	MOS	14-Dec-22						
	HRS	0	2500 (+100/-100)		(2500) 2500	2600	81:32 (+100)	
	ENC	0						
Special Properties: CMT ITEM								WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: EM 72-00-00PROC. REF: EM 72-00-00								
71-CA/10	NO. 1 ENGINE - POWER PLANT - ENGINE PERFORMANCE OPERATIONAL TEST							Service ATA:71
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-08, LMM 71-00-08PROC. REF: EM 71-00-08, LMM 71-00-08								
71-CA/11	NO. 1 ENGINE - POWER PLANT - TORQUEMETER OPERATIONAL TEST							Service ATA:71
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-10, LMM 71-00-10PROC. REF: EM 71-00-10, LMM 71-00-10								
71-CA/12	NO. 1 ENGINE - POWER PLANT - BLEED VALVE OPERATIONAL TEST							Service ATA:71
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-11, LMM 71-00-11PROC. REF: EM 71-00-11, LMM 71-00-11								
71-CA/13	NO. 1 ENGINE - POWER PLANT - IGNITION SYSTEM OPERATIONAL TEST							Service ATA:71
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								
71-CA/5	NO. 1 ENGINE - COMPRESSOR/DESALINATION WASH							Service ATA:71
	MOS	03-Jun-26	6 (+10%/-10%)	Adj -7d	26-Nov-26	14-Dec-26	31 d (+18)	
	HRS	2137:46						
	ENC							
								WO#: EJJ-231126
PROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-14, EM 71-00-15, LMM 71-00-14, LMM 71-00-15, AMM 12-B-12-20-01-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-CA/6	NO. 1 ENGINE - TURBINE WASH							Service ATA:71
	MOS	11-Sep-26	6 (+10%/-10%)		11-Mar-27	29-Mar-27	136 d (+18)	
	HRS	2349:35	300 (+10%/-10%)		(2649:35) 2649:35	2679:35	231:07 (+30)	
	ENC							
PROC. REF: EM 71-00-17PROC. REF: EM 71-00-17								
71-CA/7	NO. 1 ENGINE - DO A COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-APROC. REF: EM 71-00-16, LMM 71-00-16, AMM 12-B-12-20-01-00A-902A-A								
71-CA/8	NO. 1 ENGINE - ENGINE CONDITION TREND MONITORING (ECTM)							Service ATA:71
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-CA/9	NO. 1 ENGINE - EXTERNAL WASH							Service ATA:71
	MOS	11-Sep-26	6 (+10%/-10%)		11-Mar-27	29-Mar-27	136 d (+18)	
	HRS	2349:35	300 (+10%/-10%)		(2649:35) 2649:35	2679:35	231:07 (+30)	
	ENC							
PROC. REF: EM 71-00-17, LMM 71-00-13PROC. REF: EM 71-00-17, LMM 71-00-13								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3126995-01 BS1369	MOS/MSC		E/C					
SN:PCE-HP0228	HRS							
WC#: 71.EN1	AFL							
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
PC12A71000100	ENGINE MOUNTING FRAME							Component ATA:71
PN:571.20.12.008	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:336	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 12-C-71-00-05-00A-920A-APROC. REF: AMM 12-C-71-00-05-00A-920A-A								
PC12A71000210 SHOCK MOUNT, LOWER LH								Component ATA:71
PN:944.81.21.409	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:14526	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000220 SHOCK MOUNT, UPPER LH								Component ATA:71
PN:944.81.21.409	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:14527	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000230 SHOCK MOUNT, UPPER CENTER								Component ATA:71
PN:944.81.21.409	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:14529	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000240 SHOCK MOUNT, UPPER RH								Component ATA:71
PN:944.81.21.409	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:14538	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
PC12A71000250 SHOCK MOUNT, LOWER RH								Component ATA:71
PN:944.81.21.409	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:14592	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-71-00-00-00A-920A-BPROC. REF: AMM 12-C-71-00-00-00A-920A-B								
ATA 72 - ENGINE								
72-CA/8 ^S NO. 1 ENGINE - DO A BORESCOPE INSPECTION OF THE ENGINE HOT SECTION								Service ATA:72
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
ENC								
PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, EM 72-00-00, LMM 72-00-00, LMM 72-00-00								PKG:3
72-CA/2 ^S	NO. 1 ENGINE - DO A DETAILED INSPECTION OF THE TURBINE EXHAUST DUCT							Service ATA:72
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
ENC								
PROC. REF: EM 72-54-01, LMM 72-54-01PROC. REF: EM 72-54-01, LMM 72-54-01								PKG:2
72-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE GAS GENERATOR CASE							Service ATA:72
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
ENC								
PROC. REF: EM 72-32-00, LMM 72-32-00PROC. REF: EM 72-32-00, LMM 72-32-00								PKG:2
72-CA/4 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE AIR INLET SCREEN							Service ATA:72
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
ENC								
PROC. REF: EM 72-20-01, LMM 72-20-01PROC. REF: EM 72-20-01, LMM 72-20-01								PKG:2
72-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION WITH A MIRROR OR A BORESCOPE INSPECTION OF THE FIRST - STAGE COMPRESSOR ROTOR							Service ATA:72
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
ENC								
PROC. REF: EM 72-31-01, LMM 72-31-01PROC. REF: EM 72-31-01, LMM 72-31-01								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE COMPRESSOR INLET CASE							Service ATA:72
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 72-20-02, LMM 72-20-02PROC. REF: EM 72-20-02, LMM 72-20-02								PKG:2
72-CA/7 ^S	NO. 1 ENGINE - DO A VISUAL VISUAL EXAMINATION OF THE CENTER FIRESEAL							Service ATA:72
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 72-00-03, LMM 72-00-03PROC. REF: EM 72-00-03, LMM 72-00-03								PKG:2
72-00/18/CT-1	NO. 1 ENGINE - REPLACE NO. 1 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00620K	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-10	NO. 1 ENGINE - REPLACE NO. 10 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00646L	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-11	NO. 1 ENGINE - REPLACE NO. 11 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0064AA	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-12	NO. 1 ENGINE - REPLACE NO. 12 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0066RL	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-13	NO. 1 ENGINE - REPLACE NO. 13 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0066WH	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-14	NO. 1 ENGINE - REPLACE NO. 14 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0066WW	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-15	NO. 1 ENGINE - REPLACE NO. 15 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067D9	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-16	NO. 1 ENGINE - REPLACE NO. 16 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067DE	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-17	NO. 1 ENGINE - REPLACE NO. 17 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067EP	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-18	NO. 1 ENGINE - REPLACE NO. 18 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067H2	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-19	NO. 1 ENGINE - REPLACE NO. 19 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067HT	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-2	NO. 1 ENGINE - REPLACE NO. 2 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00620P	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-20	NO. 1 ENGINE - REPLACE NO. 20 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067PX	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-21	NO. 1 ENGINE - REPLACE NO. 21 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067R4	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-22	NO. 1 ENGINE - REPLACE NO. 22 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0067T4	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-23	NO. 1 ENGINE - REPLACE NO. 23 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00688P	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-24	NO. 1 ENGINE - REPLACE NO. 24 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006897	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-25	NO. 1 ENGINE - REPLACE NO. 25 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00689B	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-26	NO. 1 ENGINE - REPLACE NO. 26 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00689C	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-27	NO. 1 ENGINE - REPLACE NO. 27 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068K8	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-28	NO. 1 ENGINE - REPLACE NO. 28 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068K9	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-29	NO. 1 ENGINE - REPLACE NO. 29 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068KD	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-3	NO. 1 ENGINE - REPLACE NO. 3 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00621K	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-30	NO. 1 ENGINE - REPLACE NO. 30 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068KW	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-31	NO. 1 ENGINE - REPLACE NO. 31 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068KX	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-32	NO. 1 ENGINE - REPLACE NO. 32 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068LM	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-33	NO. 1 ENGINE - REPLACE NO. 33 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068N7	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-34	NO. 1 ENGINE - REPLACE NO. 34 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0068N9	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-35	NO. 1 ENGINE - REPLACE NO. 35 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006N45	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-36	NO. 1 ENGINE - REPLACE NO. 36 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006PET	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-37	NO. 1 ENGINE - REPLACE NO. 37 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006PF2	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-38	NO. 1 ENGINE - REPLACE NO. 38 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006PH2	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-39	NO. 1 ENGINE - REPLACE NO. 39 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006PH3	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-4	NO. 1 ENGINE - REPLACE NO. 4 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00623D	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-40	NO. 1 ENGINE - REPLACE NO. 40 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006PKK	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-41	NO. 1 ENGINE - REPLACE NO. 41 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006PKL	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-42	NO. 1 ENGINE - REPLACE NO. 42 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006Y12	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-43	NO. 1 ENGINE - REPLACE NO. 43 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA006Y1D	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-44	NO. 1 ENGINE - REPLACE NO. 44 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00703P	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-45	NO. 1 ENGINE - REPLACE NO. 45 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA007042	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-46	NO. 1 ENGINE - REPLACE NO. 46 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00704F	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-47	NO. 1 ENGINE - REPLACE NO. 47 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA007057	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-48	NO. 1 ENGINE - REPLACE NO. 48 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA007058	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-49	NO. 1 ENGINE - REPLACE NO. 49 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00716W	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-5	NO. 1 ENGINE - REPLACE NO. 5 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00623T	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-6	NO. 1 ENGINE - REPLACE NO. 6 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00625D	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-7	NO. 1 ENGINE - REPLACE NO. 7 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00625K	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/CT-8	NO. 1 ENGINE - REPLACE NO. 8 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA00627P	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/CT-9	NO. 1 ENGINE - REPLACE NO. 9 COMPRESSOR TURBINE BLADE							Service ATA:72
PN:3078521-01	MOS	14-Dec-22						REPLACE
SN:HA0062WC	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
72-00/18/PT2-1	NO. 1 ENGINE - REPLACE NO. 1 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH05D308	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-10	NO. 1 ENGINE - REPLACE NO. 10 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D919	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-11	NO. 1 ENGINE - REPLACE NO. 11 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D923	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-12	NO. 1 ENGINE - REPLACE NO. 12 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D925	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-13		NO. 1 ENGINE - REPLACE NO. 13 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D926	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-14		NO. 1 ENGINE - REPLACE NO. 14 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D927	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-15		NO. 1 ENGINE - REPLACE NO. 15 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D928	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-16		NO. 1 ENGINE - REPLACE NO. 16 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D931	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-17		NO. 1 ENGINE - REPLACE NO. 17 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D933	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-18		NO. 1 ENGINE - REPLACE NO. 18 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D938	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-19		NO. 1 ENGINE - REPLACE NO. 19 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D942	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-2		NO. 1 ENGINE - REPLACE NO. 2 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D903	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-20		NO. 1 ENGINE - REPLACE NO. 20 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D945	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-21		NO. 1 ENGINE - REPLACE NO. 21 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D947	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-22	NO. 1 ENGINE - REPLACE NO. 22 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D965	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-23	NO. 1 ENGINE - REPLACE NO. 23 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D002	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-24	NO. 1 ENGINE - REPLACE NO. 24 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D004	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-25	NO. 1 ENGINE - REPLACE NO. 25 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D015	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-26	NO. 1 ENGINE - REPLACE NO. 26 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D016	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-27		NO. 1 ENGINE - REPLACE NO. 27 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D018	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-28		NO. 1 ENGINE - REPLACE NO. 28 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D019	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-29		NO. 1 ENGINE - REPLACE NO. 29 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D021	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-3		NO. 1 ENGINE - REPLACE NO. 3 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D906	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-30		NO. 1 ENGINE - REPLACE NO. 30 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D022	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-31	NO. 1 ENGINE - REPLACE NO. 31 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D023	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-32	NO. 1 ENGINE - REPLACE NO. 32 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH13D024	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-33	NO. 1 ENGINE - REPLACE NO. 33 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D025	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-34	NO. 1 ENGINE - REPLACE NO. 34 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D067	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-35	NO. 1 ENGINE - REPLACE NO. 35 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D077	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-36		NO. 1 ENGINE - REPLACE NO. 36 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D109	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-37		NO. 1 ENGINE - REPLACE NO. 37 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D135	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-38		NO. 1 ENGINE - REPLACE NO. 38 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D142	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-39		NO. 1 ENGINE - REPLACE NO. 39 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D154	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-4		NO. 1 ENGINE - REPLACE NO. 4 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D907	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-40		NO. 1 ENGINE - REPLACE NO. 40 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH31D170	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-41		NO. 1 ENGINE - REPLACE NO. 41 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH35D430	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-42		NO. 1 ENGINE - REPLACE NO. 42 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH92C585	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-43		NO. 1 ENGINE - REPLACE NO. 43 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH93C368	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-5		NO. 1 ENGINE - REPLACE NO. 5 2ND STAGE POWER TURBINE BLADE						Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D908	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/18/PT2-6	NO. 1 ENGINE - REPLACE NO. 6 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D914	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-7	NO. 1 ENGINE - REPLACE NO. 7 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D916	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-8	NO. 1 ENGINE - REPLACE NO. 8 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D917	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/18/PT2-9	NO. 1 ENGINE - REPLACE NO. 9 2ND STAGE POWER TURBINE BLADE							Service ATA:72
PN:3056693-01	MOS	14-Dec-22						REPLACE
SN:TH12D918	HRS	0	5000		(5000) 5000		2581:32	
	ENC	0						
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-00/488	NO. 1 ENGINE - OVERHAUL							Service ATA:72
	MOS	14-Dec-22						OVERHAUL
	HRS	0	5000 (+100/-100)		(5000) 5000	5100	2581:32 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00/489	NO. 1 ENGINE - ENGINE ACCESSORIES OVERHAUL							Service ATA:72
	MOS/MSC	14-Dec-22	A/R					OVERHAUL
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/1	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF THE PROPELLER SHAFT OIL SEAL FOR LEAKAGE							Service ATA:72
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	ENC							
PROC. REF: EM 72-10-00, LMM 72-10-00PROC. REF: EM 72-10-00, LMM 72-10-00								
72-CA/10	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR ROTOR SHAFT							Service ATA:72
PN:3043063	MOS	14-Dec-22						LIFE LIMIT
SN:PKAAA977254	HRS	0						
	ENC	0			(24000) 24079 (M)		22252	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/11	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3042701	MOS	14-Dec-22						LIFE LIMIT
SN:FRAEUALU28	HRS	0						
	ENC	0			(24000) 24079 (M)		22252	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/12	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040942	MOS	14-Dec-22						LIFE LIMIT
SN:MCAKAXYR076	HRS	0						
	ENC	0			(24000) 24079 (M)		22252	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/13	NO. 1 ENGINE - SERVICE LIFE LIMIT 3RD-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040933	MOS	14-Dec-22						LIFE LIMIT
SN:MCAKAXYP095	HRS	0						
	ENC	0			(24000) 24079 (M)		22252	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/14	NO. 1 ENGINE - SERVICE LIFE LIMIT 4TH-STAGE COMPRESSOR ROTOR							Service ATA:72
PN:3040944	MOS	14-Dec-22						LIFE LIMIT
SN:FRAEUAHN58	HRS	0						
	ENC	0			(24000) 24079 (M)		22252	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/15	NO. 1 ENGINE - SERVICE LIFE LIMIT CENTRIFUGAL IMPELLER							Service ATA:72
PN:3036898	MOS	14-Dec-22						LIFE LIMIT
SN:FRAEUAHU82	HRS	0						
	ENC	0			(24000) 24079 (M)		22252	
	ACCCYC	0	24000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
72-CA/16	NO. 1 ENGINE - SERVICE LIFE LIMIT COMPRESSOR TURBINE DISK							Service ATA:72
PN:3078454-01	MOS	14-Dec-22						LIFE LIMIT
SN:FRAEUAMY14	HRS	0						
	ENC	0			(11111) 11190 (M)		9363	
	ACCCYC	0	10000				8426	
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/17	NO. 1 ENGINE - SERVICE LIFE LIMIT 1ST-STAGE POWER TURBINE DISK							Service ATA:72
PN:3056485-01	MOS	14-Dec-22						LIFE LIMIT
SN:A0054A5C	HRS	0						
	ENC	0			(15000) 15079 (M)		13252	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
72-CA/18	NO. 1 ENGINE - SERVICE LIFE LIMIT 2ND-STAGE POWER TURBINE DISK							Service ATA:72
PN:3123253-01	MOS	14-Dec-22						LIFE LIMIT
SN:YUAB001U827	HRS	0						
	ENC	0			(15000) 15079 (M)		13252	
	ACCCYC	0	15000					
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								
72-CA/22	NO. 1 ENGINE - ENGINE GENERAL - MECHANICAL GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/23	NO. 1 ENGINE - ENGINE GENERAL - ENGINE ELECTRONIC CONTROL (EEC) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
72-CA/24	NO. 1 ENGINE - ENGINE GENERAL - ENGINE CONDITION TREND MONITORING (ECTM) SHIFT GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-CA/25	NO. 1 ENGINE - ENGINE GENERAL - DATA COLLECTION AND TRANSMISSION UNIT (DCTU) GENERAL FAULT ISOLATION PROCEDURE							Service ATA:72
	MOS/MSC	14-Dec-22	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								
PT6EA723201	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3042701	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:FRAEUALU28	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723202	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040942	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:MCAKAXYR076	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723203	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040933	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:MCAKAXYP095	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723204	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040944	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:FRAEUAHN58	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA723205	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036898	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:FRAEUAHU82	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA723206	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:3043063	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:PKAAA977254	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA725101	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component ATA:72
PN:3078454-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:FRAEUAMY14	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725102 ^S	NO. 1 ENGINE - COMPRESSOR TURBINE STATOR ASSEMBLY							Component ATA:72
PN:PN	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-03, EM 72-51-03PROC. REF: EM 72-51-03, EM 72-51-03								
PT6EA725150 ^S	NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00620K	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725151 ^S	NO. 1 ENGINE - NO. 2 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00620P	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725152 ^S	NO. 1 ENGINE - NO. 3 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00621K	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725153 ^S		NO. 1 ENGINE - NO. 4 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00623D	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725154 ^S		NO. 1 ENGINE - NO. 5 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00623T	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725155 ^S		NO. 1 ENGINE - NO. 6 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00625D	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725156 ^S		NO. 1 ENGINE - NO. 7 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00625K	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725157 ^S		NO. 1 ENGINE - NO. 8 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00627P	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725158 ^S		NO. 1 ENGINE - NO. 9 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0062WC	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725159 ^S		NO. 1 ENGINE - NO. 10 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00646L	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725160 ^S		NO. 1 ENGINE - NO. 11 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0064AA	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725161 ^S		NO. 1 ENGINE - NO. 12 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0066RL	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725162 ^S		NO. 1 ENGINE - NO. 13 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0066WH	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725163 ^S		NO. 1 ENGINE - NO. 14 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0066WW	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725164 ^S		NO. 1 ENGINE - NO. 15 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067D9	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725165 ^S NO. 1 ENGINE - NO. 16 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067DE	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725166 ^S NO. 1 ENGINE - NO. 17 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067EP	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725167 ^S NO. 1 ENGINE - NO. 18 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067H2	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725168 ^S NO. 1 ENGINE - NO. 19 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067HT	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725169 ^S NO. 1 ENGINE - NO. 20 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067PX	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725170 ^S NO. 1 ENGINE - NO. 21 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067R4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725171 ^S		NO. 1 ENGINE - NO. 22 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0067T4	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725172 ^S		NO. 1 ENGINE - NO. 23 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00688P	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725173 ^S		NO. 1 ENGINE - NO. 24 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006897	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725174 ^S		NO. 1 ENGINE - NO. 25 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00689B	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725175 ^S		NO. 1 ENGINE - NO. 26 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00689C	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725176 ^S		NO. 1 ENGINE - NO. 27 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068K8	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725177 ^S		NO. 1 ENGINE - NO. 28 COMPRESSOR TURBINE BLADE					Component	ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068K9	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725178 ^S		NO. 1 ENGINE - NO. 29 COMPRESSOR TURBINE BLADE					Component	ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068KD	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725179 ^S		NO. 1 ENGINE - NO. 30 COMPRESSOR TURBINE BLADE					Component	ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068KW	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725180 ^S		NO. 1 ENGINE - NO. 31 COMPRESSOR TURBINE BLADE					Component	ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068KX	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725181 ^S		NO. 1 ENGINE - NO. 32 COMPRESSOR TURBINE BLADE					Component	ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068LM	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725182 ^S		NO. 1 ENGINE - NO. 33 COMPRESSOR TURBINE BLADE					Component	ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068N7	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725183 ^S		NO. 1 ENGINE - NO. 34 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA0068N9	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725184 ^S		NO. 1 ENGINE - NO. 35 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006N45	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725185 ^S		NO. 1 ENGINE - NO. 36 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006PET	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725186 ^S		NO. 1 ENGINE - NO. 37 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006PF2	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725187 ^S		NO. 1 ENGINE - NO. 38 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006PH2	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725188 ^S		NO. 1 ENGINE - NO. 39 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006PH3	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725189 ^S NO. 1 ENGINE - NO. 40 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006PKK	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725190 ^S NO. 1 ENGINE - NO. 41 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006PKL	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725191 ^S NO. 1 ENGINE - NO. 42 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006Y12	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725192 ^S NO. 1 ENGINE - NO. 43 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA006Y1D	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725193 ^S NO. 1 ENGINE - NO. 44 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00703P	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725194 ^S NO. 1 ENGINE - NO. 45 COMPRESSOR TURBINE BLADE Component ATA:72								
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA007042	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PT6EA725195 ^S		NO. 1 ENGINE - NO. 46 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00704F	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725196 ^S		NO. 1 ENGINE - NO. 47 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA007057	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725197 ^S		NO. 1 ENGINE - NO. 48 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA007058	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725198 ^S		NO. 1 ENGINE - NO. 49 COMPRESSOR TURBINE BLADE						Component ATA:72
PN:3078521-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:HA00716W	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-51-01, EM 72-51-01PROC. REF: EM 72-51-01, EM 72-51-01								
PT6EA725201		NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK						Component ATA:72
PN:3056485-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:A0054A5C	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03, EM 72-52-03PROC. REF: EM 72-52-03, EM 72-52-03								
PT6EA725202		NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK						Component ATA:72
PN:3123253-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:YUAB001U827	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 72-52-03PROC. REF: EM 72-52-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/7 ^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE FUEL FILTER ELEMENT							Service ATA:73
	MOS	11-Sep-26						REPLACE
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:3
PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, EM 73-10-06, LMM 73-10-06, LMM 73-10-06								
73-CA/9 ^S	NO. 1 ENGINE - DO A LEAK TEST AND A FUNCTIONAL TEST OF THE FUEL MANIFOLD ADAPTERS/NOZZLE ASSEMBLIES							Service ATA:73
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:3
PROC. REF: EM 73-10-05, LMM 73-10-05PROC. REF: EM 73-10-05, LMM 73-10-05								
73-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, HARNESS ROUTING, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY - ENGINE ELECTRICAL WIRING HARNESS							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
								PKG:2
PROC. REF: EM 73-20-02, LMM 73-20-02PROC. REF: EM 73-20-02, LMM 73-20-02								
73-CA/10 ^S	NO. 1 ENGINE - EXAMINE THE FUEL FILTER							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:2
PROC. REF: EM 73-10-06, LMM 73-10-06PROC. REF: EM 73-10-06, LMM 73-10-06								
73-CA/2 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, EEC WIRING HARNESS							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
								PKG:2
PROC. REF: EM 73-20-05, LMM 73-20-05PROC. REF: EM 73-20-05, LMM 73-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL EXAMINATION OF ALL HARNESS CONNECTIONS, CLAMPS AND BRACKETS ARE ATTACHED CORRECTLY, DCTU TO EEC WIRING HARNESS							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 73-20-03, LMM 73-20-03PROC. REF: EM 73-20-03, LMM 73-20-03								PKG:2
73-CA/4 ^S	NO. 1 ENGINE - DO A CHECK OF THE FCU FOR INSTALLATION							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, LMM 73-20-01								PKG:2
73-CA/5 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FLOW DIVIDER AND DUMP VALVE AND COMPONENTS							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM PROC. REF: EM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, LMM 73-10-08								PKG:2
73-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE OIL-TO-FUEL HEATER							Service ATA:73
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, LMM 73-10-04								PKG:2
73-CA/12	NO. 1 ENGINE - OVERHAUL OIL-TO-FUEL HEATER							Service ATA:73
PN:3124177-01	MOS	14-Dec-22						
SN:WA64903	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-CA/13	NO. 1 ENGINE - OVERHAUL ENGINE ELECTRONIC CONTROL (EEC)							Service ATA:73
PN:3126984-05	MOS	14-Dec-22						
SN:WDA143254	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/14	NO. 1 ENGINE - OVERHAUL FLOW DIVIDER							Service ATA:73
PN:3133739-01	MOS	14-Dec-22						
SN:22AUR0229	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/15	NO. 1 ENGINE - OVERHAUL FUEL CONTROL UNIT							Service ATA:73
PN:3126985-04	MOS	14-Dec-22						
SN:WDA144331	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
73-CA/20	NO. 1 ENGINE - REPLACE ENGINE ELECTRONIC CONTROL (EEC)							Service ATA:73
PN:3126984-05	MOS	31-Dec-22						REPLACE
SN:WDA143254	HRS	0	10000		(10000) 10000		7581:32	
	ENC	0						
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04								
PC12A73200100	ELECTRONIC ENGINE CONTROL UNIT							Component ATA:73
PN:968.20.13.041	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:WDA143254	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-73-20-03-00A-920A-APROC. REF: AMM 12-C-73-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PC12A73300100		FUEL FLOW TRANSMITTER, MT042					Component	ATA:73
PN:975.35.12.108	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:00290	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA731001		NO. 1 ENGINE - OIL-TO-FUEL HEATER					Component	ATA:73
PN:3124177-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:WA64903	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04PROC. REF: EM 73-10-04, EM 73-10-04, LMM 73-10-04, LMM 73-10-04								
PT6EA731002		NO. 1 ENGINE - FLOW DIVIDER					Component	ATA:73
PN:3133739-01	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:22AUR0229	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08PROC. REF: EM 73-10-08, EM 73-10-08, LMM 73-10-08, LMM 73-10-08								
PT6EA732001		NO. 1 ENGINE - FUEL CONTROL UNIT					Component	ATA:73
PN:3126985-04	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:WDA144331	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01PROC. REF: EM 73-20-01, EM 73-20-01, LMM 73-20-01, LMM 73-20-01								
PT6EA73CA10		NO. 1 ENGINE - FUEL FLOW TRANSMITTER, MT042					Component	ATA:73
PN:975.35.12.108	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:00290	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-73-30-01-00A-920A-APROC. REF: AMM 12-C-73-30-01-00A-920A-A								
PT6EA73CA20		NO. 1 ENGINE - ELECTRONIC ENGINE CONTROL (EEC)					Component	ATA:73
PN:3126984-05	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:WDA143254	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-APROC. REF: EM 73-20-04, EM 73-20-04, LMM 73-20-04, LMM 73-20-04, AMM 12-C-73-20-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
74-CA/2 ^S	NO. 1 ENGINE - DO A DETAILED INSPECTION OF SPARK IGNITER							Service ATA:74
	MOS	11-Sep-26						
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, LMM 74-20-02								PKG:3
74-00/562 ^S	IGNITION SYSTEM (MSN 2001 AND UP) - OPERATIONAL TEST							Service ATA:74
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
Special Properties: CMT ITEM PROC. REF: AMM 12-C-74-00-00-00A-903A-APROC. REF: AMM 12-C-74-00-00-00A-903A-A								PKG:2
74-CA/1 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION EXCITER							Service ATA:74
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, LMM 74-10-01								PKG:2
74-CA/3 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE IGNITION CABLES							Service ATA:74
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 74-20-01, LMM 74-20-01PROC. REF: EM 74-20-01, LMM 74-20-01								PKG:2
74-CA/6	NO. 1 ENGINE - OVERHAUL IGNITION EXCITER							Service ATA:74
PN:3043937-10	MOS	14-Dec-22						
SN:221175	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PT6EA741001	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3043937-10	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:221175	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01PROC. REF: EM 74-10-01, EM 74-10-01, LMM 74-10-01, LMM 74-10-01								
PT6EA74CA10	NO. 1 ENGINE - 4 O'CLOCK SPARK IGNITER							Component ATA:74
PN:PN	MOS/MSC	11-Sep-26	H/T					
SN:UNKNOWN	HRS	2349:35						
	ENC							
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02								
PT6EA74CA11	NO. 1 ENGINE - REPLACE 4 O'CLOCK IGNITER							Service ATA:74
	MOS	11-Sep-26						
	HRS	2349:35	1200 (+100)	Adj -53:39	(3495:56) 3495:56	3595:56	1077:28 (+100)	
	ENC							
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								
PT6EA74CA20	NO. 1 ENGINE - 9 O'CLOCK SPARK IGNITER							Component ATA:74
PN:PN	MOS/MSC	11-Sep-26	H/T					
SN:UNKNOWN	HRS	2349:35						
	ENC							
PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02, LMM 74-20-02, LMM 74-20-02								
PT6EA74CA21	NO. 1 ENGINE - REPLACE 9 O'CLOCK IGNITER							Service ATA:74
	MOS	11-Sep-26						
	HRS	2349:35	1200 (+100)	Adj -53:39	(3495:56) 3495:56	3595:56	1077:28 (+100)	
	ENC							
PROC. REF: EM 74-20-02, EM 74-20-02PROC. REF: EM 74-20-02, EM 74-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
75-CA/1	NO. 1 ENGINE - OVERHAUL COMPRESSOR BLEED VALVE							Service ATA:75
PN:3136596	MOS	14-Dec-22						
SN:AHX5000513	HRS	0	5000 (+500)		(5000) 5000	5500	2581:32 (+500)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PT6EA753001	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3136596	MOS/MSC	14-Dec-22	H/T	TSN 0				
SN:AHX5000513	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02PROC. REF: EM 75-30-02, EM 75-30-02, LMM 75-30-02, LMM 75-30-02								
ATA 76 - ENGINE CONTROLS								
76-00/563 ^S	COCKPIT CONTROL QUADRANT (MSN 2001 AND UP) - EXAMINE							Service ATA:76
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
Special Properties: CMT ITEM								PKG:2
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PC12A76100100	THROTTLE QUADRANT, A135							Component ATA:76
PN:944.30.19.606	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:261	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-76-10-00-00A-920A-APROC. REF: AMM 12-C-76-10-00-00A-920A-A								
ATA 77 - ENGINE INDICATING								
77-CA/1 ^S	NO. 1 ENGINE - MAKE SURE THAT THE ENGINE TRIM PARAMETERS ITT TRIM VALUE DISPLAYED IN THE COCKPIT MATCHES WITH THE ENGINE DATA PLATE IF NECESSARY, CORRECT							Service ATA:77
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
								PKG:2
PROC. REF: EM 77-40-01, LMM 77-40-01PROC. REF: EM 77-40-01, LMM 77-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-CA/2 ^S		NO. 1 ENGINE - MAKE SURE THAT NO EEC FAULT IS PRESENT. IF FAULT PRESENT, FOLLOW THE NECESSARY MAINTENANCE TASK TO RETRIEVE THE FAULT CODES AND SPOTLIGHT FOR FAULT ISOLATION.						Service ATA:77
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
PROC. REF: EM 72-00-00, LMM 72-00-00PROC. REF: EM 72-00-00, LMM 72-00-00								PKG:2
77-CA/3 ^S		NO. 1 ENGINE - MAKE SURE THAT THE DCTU FAULT HISTORY IS CLEARED						Service ATA:77
	MOS	11-Sep-26	12					
	HRS	2349:35	600					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
PC12A77400100		DATA COLLECTION TRANSMISSION UNIT						Component ATA:77
PN:968.20.12.971	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:PES500442	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-77-41-00-00A-920A-APROC. REF: AMM 12-C-77-41-00-00A-920A-A								
PC12A77400200		DATA COLLECTION AND TRANSMISSION UNIT (DCTU)-ENGINE ELECTRONIC CONTROL UNIT (EEC) HARNESS						Component ATA:77
PN:968.20.12.962	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:PES00340	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-77-41-01-01A-920A-APROC. REF: AMM 12-C-77-41-01-01A-920A-A								
PT6EA77CA10		NO. 1 ENGINE - DATA COLLECTION TRANSMISSION UNIT						Component ATA:77
PN:3134180-05	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:PES500442	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-APROC. REF: EM 77-40-01, EM 77-40-01, LMM 77-40-01, LMM 77-40-01, AMM 12-C-77-41-00-00A-920A-A								
PT6EA77CA11		NO. 1 ENGINE - DCTU-EEC HARNESS						Component ATA:77
PN:3129052-02	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:PES00340	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-APROC. REF: EM 73-20-03, EM 73-20-03, LMM 73-20-03, LMM 73-20-03, AMM 12-C-77-41-01-01A-920A-A								
ATA 78 - EXHAUST								
78-00/564	^S	EXHAUST STUBS (MSN 2001 AND UP) - EXAMINE					Service	ATA:78
	MOS	11-Sep-26	12 (+10%/-10%)					
	HRS	2349:35	600 (+10%/-10%)					
	AFL	1773						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:2
ATA 79 - OIL								
79-20/289	^S	ENGINE OIL COOLER - EXAMINE. MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT					Service	ATA:79
	MOS	19-Jan-26	12 (+10%/-10%)					
	HRS	1939:47	1200 (+10%/-10%)					
	AFL	1447						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:3 WO#: EJJ-231126
79-CA/3	^S	NO. 1 ENGINE - REMOVE, DISCARD AND REPLACE THE OIL FILTER ELEMENT					Service	ATA:79
	MOS	11-Sep-26					REPLACE	
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:3
PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, EM 79-20-01, LMM 79-20-01, LMM 79-20-01								
79-CA/5	^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE RGB CHIP DETECTOR FOR DEBRIS					Service	ATA:79
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:2
PROC. REF: EM 79-30-01, LMM 79-30-01PROC. REF: EM 79-30-01, LMM 79-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-CA/6 ^S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE AGB CHIP DETECTOR FOR DEBRIS							Service ATA:79
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:2
PROC. REF: EM 79-30-03, LMM 79-30-03PROC. REF: EM 79-30-03, LMM 79-30-03								
79-CA/7 ^S	NO. 1 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN COARSE HAT - TYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER							Service ATA:79
	MOS	11-Sep-26	12 (+30d/-30d)					
	HRS	2349:35	600 (+10%/-10%)					
	ENC							
Special Properties: CMT ITEM								PKG:2
PROC. REF: EM 79-20-01, LMM 79-20-01PROC. REF: EM 79-20-01, LMM 79-20-01								
79-20/43	OVERHAUL OIL COOLER							Service ATA:79
PN:968.32.14.102	MOS	31-Dec-22						OVERHAUL
SN:T2238	HRS	0	5000 (+10%/-10%)		5000	5500	2581:32 (+500)	
	AFL	0						
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
79-CA/1	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE ENGINE OIL QUANTITY							Service ATA:79
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	ENC							
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00								
79-CA/2	NO. 1 ENGINE - DO A CHECK OF THE OIL LEVEL FILLER CAP AND INDICATOR TO MAKE SURE THAT THE FILLER CAP IS CORRECTLY INSTALLED AND LOCKED							Service ATA:79
	MOS/MSC	11-Sep-26	A/R					
	HRS	2349:35						
	ENC							
PROC. REF: EM 79-30-06, LMM 79-30-06PROC. REF: EM 79-30-06, LMM 79-30-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-CA/4	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY							Service ATA:79
	MOS	19-Jan-26	12 (+10%/-10%)	Adj -19d	31-Dec-26	06-Feb-27	66 d (+37)	
	HRS	1939:47						
	ENC							
								WO#: EJJ-231126
PROC. REF: EM 79-00-00, LMM 79-00-00PROC. REF: EM 79-00-00, LMM 79-00-00								
PC12A79200100	OIL COOLER							Component ATA:79
PN:968.32.14.102	MOS/MSC	31-Dec-22	H/T	TSN 0				
SN:T2238	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PC12A79200200	THERMAL ACTUATOR							Component ATA:79
PN:978.73.01.002	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2565	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PC12A79300100	PRESSURE SWITCH							Component ATA:79
PN:973.81.14.305	MOS/MSC	31-Dec-22	O/C	TSN 0				
SN:2193	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
PT6EA79CA10	NO. 1 ENGINE - OIL COOLER							Component ATA:79
PN:968.32.14.102	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:T2238	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								
PT6EA79CA20	NO. 1 ENGINE - THERMAL ACTUATOR							Component ATA:79
PN:978.73.01.002	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:2565	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-C-79-20-02-00A-920A-APROC. REF: AMM 12-C-79-20-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PT6EA79CA30		NO. 1 ENGINE - PRESSURE SWITCH						Component ATA:79
PN:973.81.14.305	MOS/MSC	14-Dec-22	O/C	TSN 0				
SN:2193	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: AMM 12-B-79-30-04-00A-920A-APROC. REF: AMM 12-B-79-30-04-00A-920A-A								
ATA 98 - UNKNOWN								
98-SKV-AED ^U		OF ONBOARD AED/DEFIBRILLATOR, FUNCTIONAL CHECK, CORRECT CONTENT, STOWAGE, INSTALLATION AND EXPIRY DATE						Component ATA:98
PN:PN	MOS/MSC		N/A					NOT APPLICABLE
SN:UNKNOWN	HRS							
	AFL							
98-SKV-AED01 ^U		EXPIRY DATE OF BATTERY AND PADS INSTALLED CURRENTLY ON THE UNIT						Component ATA:98
PN:PN	MOS/MSC		N/A					NOT APPLICABLE
SN:UNKNOWN	HRS							
	AFL							
98-SKV-AED02 ^U		EXPIRY DATE OF BATTERY AND PADS SPARE KIT ADULT						Component ATA:98
PN:PN	MOS/MSC		N/A					NOT APPLICABLE
SN:UNKNOWN	HRS							
	AFL							
98-SKV-AED03 ^U		EXPIRY DATE OF BATTERY AND PADS SPARE KIT CHILD						Component ATA:98
PN:PN	MOS/MSC		N/A					NOT APPLICABLE
SN:UNKNOWN	HRS							
	AFL							
98-SKV-AMP ^U		ANNUAL AMP REVIEW AND CHECK OF STC DOCUMENTS ARE AT THEIR LATEST REVISION						Service ATA:98
	MOS	12		21-Nov-26 (M)		26 d		
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-APU ^U	CHECK APU REPORT CURRENT APU HOURS AND CYLCES FROM HOBBS METER AND APU ECU AND REPORT TO CAMO@SKYSIDE.AERO							Service ATA:98
	MOS/MSC		0 (+2m/-2m) / N/A					N/A BY A/C CONFIGURATION
	HRS							
	AFL							
98-SKV-ARC12 ^U	PERFORM EXTENSION OF AIRWORTHINESS REVIEW CERTIFICATE							Service ATA:98
	MOS	16-Dec-25	12	Adj -1d	15-Dec-26		50 d	ADMIN
	HRS							
	AFL							
98-SKV-ARC36 ^U	PERFORM AIRWORTHINESS REVIEW INSPECTION AND RECOMMENDATION							Service ATA:98
	MOS		36		15-Dec-28 (M)		781 d	ADMIN
	HRS							
	AFL							
98-SKV-DEMO ^U	CHECK DEMO BAG FOR COMPLETNESS (BELTS, LIFE VESTS, OXYGEN MASK) AND CONDITION							Service ATA:98
	MOS/MSC		N/A					NOT APPLICABLE
	HRS							
	AFL							
98-SKV-ECTM ^U	ECTM DATA FROM THE AIRCRAFT AND SENT TO CAMO@SKYSIDE.AERO, CAMO TO UPLOAD TO THE DATA TO THE RESPECTIVE SERVICE PROVIDER							Service ATA:98
	MOS/MSC		O/C					
	HRS							
	AFL							
98-SKV-EMERGENCY EQUIPMENT ^U	CHECK EMERGENCY EQUIPMENT AS PER OM-B FOR GENERAL CONDITION, EXPIRY DATE AND LOCATION							Service ATA:98
	MOS	19-Jan-26	12		19-Jan-27		85 d	
	HRS	1939:47						
	AFL	1447						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-EXTENSION BEL ^U PLEASE CHECK GENERAL CONDITION, ONBOARD AND STOWED								
	MOS	25-Nov-25	12		25-Nov-26		30 d	Service ATA:98
	HRS							
	AFL							
98-SKV-FAK ^U CHECK AND INSPECT IAW CAT.IDE.A.220 REPLACE ALL CONTENT EXPIRING WITHIN 12 MTH FROM CRS DATE. PUT NEW SEAL ON FIRST AID KIT. RECORD NEW EXPIRATION DATE ON TASKCARD.								
PN:710108/710109	MOS/MSC	03-Jun-26	DUE	TSN 0	01-May-27 (M)		187 d	Component ATA:98
SN:2412-002444	HRS	2137:46		TSN 0				
	AFL	1615		TSN 0				
Expiry Date: : 01-May-27								
98-SKV-FAK2 ^U ADDITIONAL FIRST AID EQUIPMENT KIT REQUIRED BY AMC1 CAT.IDE.A.220 (B)(4) (II)-(V) // INSPECT AND REFURBISH FIRST AID KIT IAW CAT.IDE.A.220 REPLACE ALL CONTENT EXPIRING WITHIN 12 MTH FROM CRS DATE. PUT NEW SEAL ON FIRST AID KIT. RECORD NEW EXPIRATION DATE ON TASKCARD.								
PN:PN	MOS/MSC		N/A					Component ATA:98
SN:UNKNOWN	HRS							NATIONAL REQUIREMENT
	AFL							
98-SKV-FDM ^U PERFORM FDR OR QAR READ OUT AND SENT THE DATA TO CAMO VIA FILE TRANSFER								
	MOS/MSC		N/A					Service ATA:98
	HRS							CUSTOMER CODE
	AFL							
98-SKV-FULL ^U PERFORM FULL TAKEOFF THURST								
	MOS/MSC		N/A					Service ATA:98
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-GLOV ^U	CHECK FIRE GLOVES FOR STOWAGE AND CONDITION							Service ATA:98
	MOS	25-Nov-25	12		25-Nov-26		30 d	
	HRS							
	AFL							
98-SKV-INFANT BELT ^U	PLEASE CHECK GENERAL CONDITION, ONBOARD AND STOWED							Service ATA:98
	MOS	25-Nov-25	12		25-Nov-26		30 d	
	HRS							
	AFL							
98-SKV-INFANT LIFE VEST ^U	INFANT LIFE VEST, UNDER 35LBS							Component ATA:98
PN:P0640-201	MOS/MSC		0 / -					
SN:16032340012	HRS							
	AFL							
98-SKV-INS ^U	AIRCRAFT INSURANCE RENEWAL AND UPLOAD CERT TO ALL OWN AND SUBCHARTER DATABASES							Service ATA:98
	MOS	30-Oct-25	12		30-Oct-26		4 d	INFORMATIONAL
	HRS							
	AFL							
98-SKV-INTEGRITY CHECK ^U	INTEGRITY CHECK (PERFORMANCE, MASS AND BALANCE, FUEL)							Service ATA:98
	MOS	23-Sep-26	6	Adj -22d	01-Mar-27		126 d	ADMIN
	HRS	2378:21						
	AFL	1793						
98-SKV-LIPO ^U	INSPECT LIPO BAG FOR GENERAL CONDITION, ONBOARD AND STOWED							Service ATA:98
	MOS	25-Nov-25	12		25-Nov-26		30 d	
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-LOV ^U	FOR TC-HOLDER LIMIT OF VALIDITY							Service ATA:98
	MOS							
	HRS	0	50000		50000		47581:32	
	AFL	0	60000		60000		58173	
98-SKV-LTA46 ^U	SCHLAUCHE UND SCHLAUCHLEITUNGEN AUS ELASTOMEREN							Service ATA:98
	MOS/MSC		N/A					
	HRS							
	AFL							
98-SKV-LTH36 ^U	TOLERANCE ON MAINTENANCE INTERVALS							Service ATA:98
	MOS/MSC		A/R					
	HRS							
	AFL							
98-SKV-OPS01 ^U	WEIGHING OF AIRCRAFT IAW CAT.POL.MAB.100(B)							Service ATA:98
	MOS	28-Feb-25	48		28-Feb-29		856 d	EASA
	HRS							
	AFL							
98-SKV-OPS02 ^U	INSPECTION / CHECK COCKPIT VOICE RECORDER (CVR) IAW GM1 CAT.GEN.MPA.195(B)(B)							Service ATA:98
	MOS	30-Nov-25	24		30-Nov-27		400 d	EASA
	HRS	1888:35						
	AFL	1380						
98-SKV-OPS03 ^U	INSPECTION / CHECK (FDR) FLIGHT DATA RECORDER IAW AMC1 CAT.GEN.MPA.195(B)(A)(4)(III)							Service ATA:98
	MOS	30-Nov-25	24		30-Nov-27		400 d	EASA
	HRS	1888:35						
	AFL	1380						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-OPS04 ^U	CHECK (FDR) FLIGHT DATA RECORDER FOR PLAUSIBILITY OF SENSOR PARAMETERS DEDICATED TO THE FDR IAW CAT.GEN.MPA.195 (B)							Service ATA:98
	MOS	30-Nov-25	24		30-Nov-27		400 d	EASA
	HRS	1888:35						
	AFL	1380						
98-SKV-OPS05 ^U	INSPECTION OF THE DATA LINK RECORDING ACC. AMC1 CAT.GEN.MPA.195(B)							Service ATA:98
	MOS	30-Nov-25	60		30-Nov-30		1496 d	
	HRS	1888:35						
	AFL	1380						
98-SKV-OPS07 ^U	CHECK OF NORTH ATLANTIC HIGH LEVEL AIRSPACE (NAT-HLA) SYSTEMS IAW SPA.MNPS.105							Service ATA:98
	MOS/MSC		A/R					
	HRS							
	AFL							
98-SKV-OPS6 ^U	CHECK OF REDUCED VERTICAL SEPERATION MINIMUM (RVSM) SYSTEMS IAW SPA.RVSM.110							Service ATA:98
	MOS/MSC		A/R					
	HRS							
	AFL							
98-SKV-PLACARDS ^U	PERFORM INTERIOR & EXTERIOR PLACARD INSPECTION IAW AMM IPC AND/OR SUPPLMENTAL MAINTENANCE MANUAL FOR COMPLETENESS AND CONDITION. REVIEW IPC/SMM IPC AGAINST THE AIRCRAFT AND ATTACH TASK CARDS, IPC DIRTY FINGER PRINTS							Service ATA:98
	MOS	25-Nov-25	12 (+1m)		25-Nov-26	25-Dec-26	30 d (+30)	ADMIN
	HRS							
	AFL							
98-SKV-PLACARDS02 ^U	RENEW OF BILINGUAL PLACARD EXEMPTION BY AUTHORITY							Service ATA:98
	MOS/MSC		N/A					CUSTOMER CODE
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-QAR ^U	DOWNLOAD QAR DATA AND TRANFER TO CAMO VIA FILE TRANFER OR PER EMAIL TO CAMO@SKYSIDE.AERO							Service ATA:98
	MOS/MSC		N/A					
	HRS							
	AFL							
98-SKV-RADIO ^U	RENEWAL OF RADIO STATION LICENSE							Service ATA:98
	MOS/MSC		DUE		19-Nov-35 (M)		3311 d	ADMIN
	HRS							
	AFL							
98-SKV-RM ^U	PERFORM RELIABILITY REPORT AND ANALYSIS							Service ATA:98
	MOS	30-Sep-26	3		31-Dec-26		66 d	
	HRS	2400:12						
	AFL	1815						
98-SKV-RVSM ^U	CHECK RVSM HEIGHT MONITORING ON EURO CONTROL HOMEPAGE HTTPS://WWW.EUROCONTROL.INT/RMALIVE/OPERATORLIST.DO							Service ATA:98
	MOS	27-Dec-25	24		27-Dec-27		427 d	
	HRS							
	AFL							
98-SKV-SDR ^U	STRUCTURE DAMAGE REPORT IN THE AIRCRAFT BINDER VERSUS THE ACTUAL STATUS OF THE AIRCRAFT, CHECK IF THERE ARE ANY NEW DAMAGES, PLEASE ADD NEW DAMAGES OR SIGN THE SDR AS NO FURTHER FINDINGS							Service ATA:98
	MOS	25-Nov-25	12		25-Nov-26		30 d	
	HRS							
	AFL							
98-SKV-SETIMC-REPORT ^U	SET-IMC ANNUAL REVIEW REPORT ACC. AMC1 SPA.SET-IMC.105							Service ATA:98
	MOS		12		29-Nov-26 (M)		34 d	
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: PC-12/47E NGX Serial: 2223 RegNo: OE-EJJ HRS: 2418:28 AFL: 1827 As Of: 21-Oct-2026

26-Oct-2026 04:42 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 98 - UNKNOWN								
98-SKV-TIREPX	U	PRESSURE CHECK OF THE MLG AND NLG WHEEL TIRES AND STATE TIRE PX VALUES OF EACH TIRE ON THE TASK CARD BEFORE AND AFT OF THE SERVICE						Service ATA:98
	MOS	11-Sep-26	2		11-Nov-26		16 d	
	HRS	2349:35						
	AFL	1773						
98-SKV-TIREPX-CAL	U	TIRE PRESSURE GAUGE						Service ATA:98
	MOS/MSC		N/A					
	HRS							
	AFL							
98-SKV-TRINKWASSERVERORDNUNG	U	PERIODIC DISINFECTION OF THE POTABLE WATER SYSTEM (INC. TANK, LINES AND FAUCET)						Service ATA:98
	MOS/MSC		N/A					
	HRS							
	AFL							
98-SKV-VAPOUR	U	RECORD VAPOUR CYCLE COMPRESSOR HOURS						Service ATA:98
	MOS/MSC	25-Nov-25	N/A					
	HRS							
	AFL							
98-SKV-WETCLEANING	U	WETCLEANING OF THE AIRCRAFT IAW AMM						Service ATA:98
	MOS	03-Jun-26	6 (+1m)		03-Dec-26	03-Jan-27	38 d (+31)	ADMIN
	HRS	2137:46						
	AFL	1615						
								WO#: EJJ-231126

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task